


Inventory of Materials
and
Supplies
West End St. Ry. Co.
Sept. 30, 1897.

THOMAS GROOM & CO.
IMPORTERS
OF
English & French
STATIONERY




ACCOUNT BOOK MANUFACTORY.

AND
Manufacturers
OF
ACCOUNT BOOKS

INDIA BUILDING.
82 STATE STREET, BOSTON.
THE MASSACHUSETTS CHARITABLE MECHANICS' ASSOCIATION HAVE FOUR TIMES AWARDED
TO THOMAS GROOM AND CO.
A SILVER MEDAL FOR SUPERIOR ACCOUNT BOOKS.

For Reference
Not to be taken
from this library



INDEX

	PAGE.
Materials and Supplies at Bartlett St. Shops	1
" " " " Line Equipment Store-room	33
" " " " General Store-room	49
" " " " Machine Shop	84
" " " " East Cambridge Power Station	88
" " " " East Boston Power Station	91
" " " " Allston Power Station	93
" " " " Charlestown Power Station	95
" " " " Plumbing Department	96
" " " " Armature Room	104
" " " for Line Work at Division #1	106
" " " " Line Work at Division #2	106
" " " " Line Work at Division #3	107
" " " " Line Work at Division #4	107
" " " " Line Work at Division #7	108
" " " " Line Work at Division #9	108
" " " " Line Work at Boston Section	109
" " " " Line Work Emergency District #1	109
" " " " Line Work Emergency District #2	110
" " " " Line Work Emergency District #3	112
" " " " Line Work Emergency District #4	114
" " " " Line Work Emergency District #5	115
" " " " Line Work Emergency District #6	117
" " " at Grove Hall Car House	119
" " " " Dorchester Car House	112
" " " " Bartlett St. Car House	124
" " " " Forest Hills Car House	126
" " " " Norfolk House Car House	128
" " " " Lenox St. Car House	131
" " " " Jamaica Plain Car House	134
" " " " Sewall St. Car House	137
" " " " Amory St. Car House	139
" " " " Park St. Car House	142
" " " " Neponset Car House	144
" " " " East Boston Car House	146
" " " " Charlestown Neck Car House	147
" " " " North Point Car House	150
" " " " Bunker Hill Car House	152
" " " " Union Square Car House	154
" " " " Everett Car House	155
" " " " Murray St. Car House	158
" " " " Brookline St. Car House	160
" " " " Salem St. Car House	161
" " " " Mt. Auburn Car House	163
" " " " North Cambridge Car House	164
" " " " Baldwin St. Car House	166
" " " " Summer St. Car House	168
" " " " Arlington Car House	169
" " " " Clarendon Hill Car House	170
" " " " Allston Car House	171
" " " " Oak Square Car House	174
" " " " Reservoir Car House	177
Wheels and Axles	179
Egg Coal	182
Cylinder Oil	182
F. 30 Motors	182
Materials and Supplies at Dorchester Power Station	183
Pipe Fittings, Etc., at Central Power Station	186
Spare Engine and Shafting Parts at Power Stations	193
Materials and Supplies at Brass Foundry	197
" " " " Equipment Shop	197
Coal at Central Power Station Wharf	197
Water for Central Power Station	197
Unfinished Orders and Suspense Accounts	198
Second Hand Material at General Store-room	198
Summary of Mechanical Department Stock Accounts.	200
Track Material in Boston Section	202
" " " Roxbury Section	207
" " " South Boston Section	207
" " " Brookline Section	208
" " " Charlestown Section	209
" " " Cambridge Section	211

INDEX CONTINUED.

	PAGE
Track Material with Johnson Co. at Johnstown, Pa.	213
Summary of Track Material	214
Inventory of Provender and Straw	215
Inventory of Harness Repair Parts	217
Inventory of Stationery Supplies	219
Inventory of Second Hand Car Equipment Parts	221

MASSACHUSETTS

Digitized by the Internet Archive
in 2012 with funding from
Federally funded with LSTA funds through the Massachusetts Board of Library Commissioners



Digitized by the Internet Archive
in 2012 with funding from
Federally funded with LSTA funds through the Massachusetts Board of Library Commissioners

1

WEST END STREET RAILWAY COMPANY

INVENTORY OF MATERIAL - SEPTEMBER 30, 1897.

--:-- STOCK BARTLETT STREET SHOPS --:--

--:-- HARDWARE --:--

111	Lag Screws	10" x 3/4	@ 3.25	3.59
1108	"	5" x 5/8	" 1.47	16.29
625	"	4 1/2 x 5/8	" 1.38	8.63
875	"	2 1/2 x 3/8	" .53	4.64
244	"	2 1/2 x 7/16	" .68	1.66
700	"	3 x 3/8	" .56	3.92
640	"	3 x 7/16	" .71	4.54
119	"	7 x 1/2	" 1.23	1.46
600	"	1 1/2 x 3/8	" .54	3.24
200	"	1 1/2 x 5/16	" .41	.82
290	"	2 x 5/16	" .41	1.19
9	"	7 x 7/8	" 3.70	.33
3	"	12 x 7/8	" 6.00	.18
375	"	6 x 3/4	" 2.33	8.74
250	"	6 x 5/8	" 1.63	4.08
485	"	5 1/2 x 1/2	" 1.07	5.19
255	"	3 x 5/8	" 1.14	2.91
47	"	7 x 3/4	" 2.78	1.30
233	"	6 1/2 x 1/2	" 1.19	2.77
255	"	7 x 5/8	" 2.65	6.76
240	"	3 1/2 x 1/2	" 1.05	2.52
23	"	7 x 7/16	" 1.23	.28
395	"	4 x 1/2	" .90	3.56
291	"	4 1/2 x 1/2	" .96	2.79
800	"	2 1/2 x 5/16	" .47	3.76
250	"	1 3/4 x 3/8	" .50	1.25
400	"	2 x 3/8	" .50	2.00
300	"	2 x 1/4	" .41	1.23
75	"	5 x 1/2	" 1.01	.75
265	"	5 x 5/8	" 1.47	3.89
200	"	4 x 5/8	" 1.31	2.62
257	"	6 x 5/8	" 1.63	4.19
425	"	3 1/2 x 3/8	" .59	2.51
150	"	3 x 1/2	" .80	1.20
275	"	2 x 7/16	" .72	1.98
300	"	3 1/2 x 1/2	" 1.05	3.15
115	"	4 x 3/4	" 1.87	2.15
575	"	2 1/2 x 7/16	" .68	3.91
125	Machine Bolts	12" x 5/8	" 3.63	4.54
260	"	4 1/4" x 5/8	" 2.00	5.20
750	"	10" x 5/8	" 3.25	24.38
250	"	4" x 5/8	" 1.91	4.77
1000	"	12 x 1/2	" 2.23	22.30
1450	"	4 1/2 x 3/8	" .55	7.97
845	"	8 x 1/2	" 1.76	14.87
875	"	3 1/2 x 5/8	" 1.51	13.21
800	"	9 x 7/16	" 1.42	11.36
197	"	11 1/2 x 5/8	" 3.53	6.95
720	"	7 x 1/2	" 1.34	9.65
96	"	9 1/2 x 3/4	" 3.34	3.20
763	"	6 x 5/8	" 1.88	14.34
1100	"	1 1/2 x 5/8	" 1.21	13.31
503	"	5 x 5/8	" 1.72	8.65
182	"	10 x 1/2	" 1.62	2.95
750	"	8 x 5/8	" 2.67	20.03
225	"	7 1/2 x 5/8	" 2.09	4.70
280	"	5 1/2 x 5/8	" 1.80	5.04
494	"	3 x 5/8	" 1.43	7.06
300	"	9 1/2 x 5/8	" 2.32	6.96
550	"	13 x 1/2	" 2.46	13.53
100	"	14 x 1/2		2.00

Carried Forward

352.95

Brought Forward

352.95

44	Machine Bolts	2 1/2 x 3/4	@ 1.70	.75
90	"	26 x 3/4	" 6.66	5.99
1150	"	5 x 3/8	" .68	7.82
550	"	1 1/2 x 7/16	" .62	3.41
150	"	9 1/2 x 3/8	" .92	1.38
1200	"	5 1/2 x 3/8	" .95	11.40
650	"	3 1/2 x 5/16	" .51	3.32
600	"	4 x 3/8	" .85	5.10
300	"	1 1/2 x 1/4	" .38	1.14
350	"	1 1/4 x 3/8	" .79	2.76
250	"	1 x 3/8	" .68	1.70
150	"	2 1/2 x 3/8	" .54	.81
900	"	2 x 1/2	" .86	7.74
450	"	2 x 3/8	" .51	2.30
100	"	4 x 7/16		1.00
1285	"	4 x 1/2	" 1.05	13.49
350	"	1 1/2 x 3/8	" .75	2.63
200	"	3 1/2 x 3/8	" .59	1.18
200	"	4 x 3/8	" .85	1.70
350	"	2 x 7/16	" .66	2.31
425	"	9 x 1/2	" 1.51	6.42
100	"	13 x 1/2		2.41
150	"	7 x 5/8	" 2.03	3.04
150	"	10 x 5/8	" 3.25	4.88
130	"	10 1/2 x 5/8	" 2.56	3.33
913	"	4 x 5/8	" 1.91	17.44
375	"	8 x 3/4	" 3.06	11.47
950	"	5 1/2 x 1/2	" 1.19	11.31
260	"	11 x 1/2	" 1.71	4.45
380	"	9 1/2 x 1/2	" 1.57	5.97
130	"	5 1/2 x 3/4	" 1.80	2.34
450	"	1 1/4 x 1/2	" .81	3.64
900	"	4 1/2 x 1/2	" .92	8.28
50	"	3 x 1/2	" 1.20	.60
150	"	6 x 1/2	" 1.23	1.85
200	"	3 x 3/8	" .57	1.14
250	"	3 1/2 x 7/16	" .78	1.95
100	"	3 x 5/8		1.43
200	"	1 1/2 x 5/8	" 1.21	2.42
175	"	9 x 7/16	" 1.42	2.49
80	"	3 x 5/8	" 1.43	1.14
300	"	6 1/2 x 1/2	" 1.26	3.78
54	"	11 x 1/2	" 1.71	.92
100	"	1 1/2 x 7/16		.62
650	"	2 1/2 x 1/2	" .96	6.24
250	"	8 1/2 x 1/2	" 1.48	3.70
300	"	7 1/2 x 1/2	" 1.38	4.14
30	"	7 1/2 x 5/8	" 2.09	.63
75	"	8 x 3/4	" 3.06	2.30
545	"	9 x 3/4	" 3.24	17.66
575	"	12 x 5/8	" 3.63	20.87
650	"	10 x 1/2	" 1.62	10.53
275	"	8 x 1/2	" 1.76	4.84
650	"	10 1/2 x 5/8	" 2.56	16.64
250	"	9 x 1/2	" 1.51	3.78
248	"	5 x 1/2	" 1.14	2.83
370	"	10 x 1/2	" 1.62	5.99
100	"	8 1/2 x 3/4		3.16
1259	"	10 x 3/4	" 3.44	43.31
418	"	5 x 3/4	" 2.42	10.12
300	"	7 x 5/8	" 2.03	6.09
48	"	11 x 7/8	" 5.10	2.45
129	"	6 1/2 x 3/4	" 2.72	3.51
250	"	11 1/2 x 5/8	" 3.53	8.83
100	"	10 x 5/8		3.25
125	"	11 x 5/8	" 2.63	3.29
150	"	8 1/2 x 5/8	" 2.68	4.02
150	"	9 x 5/8	" 1.75	2.62
150	"	6 1/2 x 5/8	" 1.96	2.94
100	"	18 x 5/8		3.67
25	"	20 x 1	" 10.13	2.53
343	"	6 1/2 x 5/8	" 1.96	6.72
125	"	7 1/2 x 5/8	" 2.09	2.61
648	"	5 x 1/2	" 1.14	7.39
312	"	10 x 5/8	" 3.25	10.14

Carried Forward

761.00

		Brought Forward		761.00
316	Machine Bolts	10 1/2 x 5/8	@ 2.56	8.09
14	"	11 1/2 x 5/8	" 3.53	.49
510	"	5 1/2 x 5/8	" 1.80	9.18
750	"	6 x 1/2	" 1.03	7.73
400	"	3 x 7/16	" .94	3.76
400	"	2 1/2 x 5/8	" 1.36	5.44
625	"	4 1/2 x 5/8	" 2.00	12.50
200	"	3 x 1/2	" 1.20	2.40
400	"	1 1/2 x 3/8	" .75	3.00
63	"	8 x 3/8	" .76	.48
1244	"	3 1/2 x 5/8	" 1.51	18.78
300	"	8 x 5/8	" 2.67	8.01
21	"	15 x 1/2	" 2.09	.44
412	"	6 x 5/8	" 1.88	7.75
168	E.C. Bolts	12 x 1/2	" 2.88	4.84
1325	"	12 1/2 x 1/2	" 3.03	40.15
100	"	13 x 1/2	"	3.17
1050	"	10 x 1/2	" 2.55	26.78
1450	"	10 1/2 x 1/2	" 2.63	38.13
400	"	11 x 1/2	" 2.70	10.80
415	"	10 x 5/8	" 3.00	12.45
1450	"	6 x 1/2	" 1.95	28.28
718	"	7 x 1/2	" 2.10	15.08
950	"	7 1/2 x 1/2	" 2.18	20.71
200	"	9 1/2 x 7/16	" 2.01	4.02
450	"	9 x 7/16	" 1.95	8.78
800	"	6 x 1/2	" 1.95	15.60
350	"	8 x 1/2	" 2.27	7.95
900	"	4 x 1/2	" 1.66	14.94
400	"	6 1/2 x 1/2	" 2.72	10.88
850	"	3 x 1/2	" 1.20	10.20
450	"	5 1/2 x 1/2	" 1.89	8.51
2850	"	2 1/2 x 1/2	" 1.36	38.76
1000	"	2 x 1/2	" 1.37	13.70
450	"	8 1/2 x 7/16	" 1.89	8.51
150	"	10 x 7/16	" 2.07	3.11
450	"	5 x 1/2	" 1.82	8.19
120	"	8 x 5/8	" 3.69	4.43
200	"	1 x 3/8	" .68	1.36
1200	"	2 x 3/8	" .60	7.20
1800	"	2 1/2 x 3/8	" .81	14.58
750	"	3 1/2 x 3/8	" .84	6.30
1250	"	4 1/2 x 5/16	" .78	9.75
600	"	6 x 3/8	" 1.23	7.38
750	"	2 1/2 x 5/16	" .60	4.50
1100	"	6 x 5/16	" .94	10.34
1000	"	5 x 3/8	" 1.11	11.10
300	"	5 x 5/16	" .81	2.43
1150	"	2 1/4 x 5/16	" .63	7.24
600	"	1 1/2 x 5/16	" .54	3.24
900	"	2 x 5/16	" .56	5.04
600	"	2 3/4 x 5/16	" .68	4.08
450	"	3 1/2 x 1/2	" 1.83	8.23
700	"	3 1/2 x 1/4	" .54	3.78
1600	"	3 x 3/8	" .79	12.64
200	"	4 x 5/16	" .72	1.44
550	"	1 1/2 x 5/16	" .54	2.97
400	"	1 1/2 x 3/8	" .64	2.56
600	"	4 x 1/4	" .60	3.60
1050	"	9 x 3/8	" 1.59	16.70
750	"	7 1/2 x 3/8	" 1.41	10.57
1100	"	5 1/2 x 3/8	" .95	10.45
3350	"	1 1/2 x 7/16	" 1.05	35.18
900	"	6 x 3/8	" 1.23	11.07
200	"	7 x 3/8	" 1.35	2.70
50	"	9 x 7/16	" 1.95	.98
750	"	4 3/4 x 3/8	" 1.08	8.10
100	"	4 1/2 x 3/8	"	.90
550	"	4 x 3/8	" .90	4.95
500	"	2 x 3/8	" .60	3.00
250	"	6 1/2 x 3/8	" 1.29	3.23
250	"	8 x 3/8	" 1.47	3.68
850	"	1 1/4 x 3/8	" .63	5.35
500	"	3 x 5/16	" .64	3.20

Carried Forward

1456.84

Brought Forward

1456.84

175	E. C. Bolts	4	1/2 x 1/2	@	2.17	3.80
150	"	5	x 1/2	"	1.82	2.73
507	"	8	x 1/2	"	2.27	11.51
125	"	7	1/2 x 5/8	"	2.18	2.73
3250	"	3	x 7/16	"	1.22	39.65
900	"	4	x 7/16	"	1.27	11.43
150	"	7	x 7/16	"	1.71	2.56
2400	"	5	x 3/8	"	1.11	26.64
500	"	3	1/2 x 7/16	"	1.29	6.45
900	"	4	1/2 x 7/16	"	1.10	9.90
750	"	2	x 7/16	"	1.11	8.33
450	"	2	1/2 x 7/16	"	1.17	5.27
500	"	8	1/2 x 3/8	"	1.53	7.65
365	"	11	x 1/2	"	2.70	9.86
450	"	5	1/2 x 1/2	"	1.89	8.51
50	"	7	x 1/2	"	2.10	1.05
50	"	9	x 1/2	"	2.40	1.20
550	"	6	1/2 x 7/16	"	1.65	9.08
222	"	10	x 1/2	"	2.55	5.66
650	"	8	x 7/16	"	1.83	11.90
900	"	7	x 7/16	"	1.71	15.39
55	"	11	x 1/2	"	2.70	1.48
100	"	9	x 7/16	"		1.95
215	"	11	1/2 x 1/2	"	2.78	5.98
40	"	6	x 1/2	"	1.95	.78
400	"	6	x 7/16	"	1.59	6.36
750	"	1/2	x 7/16	"	1.53	11.48
1400	"	5	x 7/16	"	1.49	20.86
900	"	4	x 1/2	"	1.66	14.94
2550	"	1	1/4 x 5/16	"	.54	13.77
100	"	3	3/4 x 1/4	"		.62
1000	"	2	3/4 x 1/4	"	.45	4.50
1450	"	1	3/4 x 5/16	"	.54	7.83
700	"	4	1/2 x 1/4	"	.70	4.90
2200	"	3	1/4 x 5/16	"	.73	16.06
850	"	2	1/2 x 1/4	"	.43	3.66
1000	"	3	x 1/4	"	.57	5.70
600	"	2	x 3/16	"	.46	2.76
2500	"	1	3/4 x 1/4	"	.45	11.25
300	"	1	1/2 x 1/4	"	.44	1.32
30	"	3	x 1/2	"	1.20	.36
445	"	2	1/2 x 1/2	"	1.36	6.05
150	"	5	x 3/8	"	1.11	1.67
250	"	7	1/2 x 7/16	"	1.87	4.68
800	"	1	x 1/4	"	.45	3.60
950	"	6	1/2 x 1/2	"	2.72	25.84
350	"	7	x 9/16	"	2.15	7.52
2100	Counter-sink Head Bolts	1	3/4 x 5/16	"	2.20	46.20
350	Set Screws	1"	x 1/2	"	.01	3.50
71	Jones Seat Screws			"	.15	10.65
63	Pieces Jones Open Car Grab Handles			"	1.50	94.50
23	1/2 Doz. Packages	22 Oz.	Tin Tacks	"	1.06 Doz.	24.91
200	Lbs. 5/8 Washers			"	.03	6.00
93	"	1 1/4	"	"	.02 1/2	2.33
143	"	1"	"	"	.03	4.29
159	"	7/8"	"	"	.03 1/2	5.57
9	"	O.H. Rivets	1 1/4" x 1/4"	"	.05	.45
26	"	"	7/8 x 3/16	"	.05 3/5	1.46
17	"	"	2 x 7/16	"	.04 4/5	.82
30	"	"	3/4 x 3/8	"	.04 4/5	1.44
15	"	"	1 1/2 x 3/16	"	.05 3/5	.84
3	"	"	1 7/8 x 1/4	"	.05	.15
7	"	"	2 3/8 x 1/4	"	.05	.35
15	"	"	5/8 x 1/8	"	.05 3/5	.84
91	"	"	2 1/8 x 1/4	"	.05	4.55
101	"	"	1/4 x 1/4	"	.06	6.06
211	"	"	3/4 x 1/4	"	.05	10.55
85	"	"	3 1/2 x 3/8	"	.05	4.25
109	"	"	1/2 x 1/4	"	.05	5.45
80	"	"	3 1/2 x 1/4	"	.05	4.00
85	"	"	2 x 3/16	"	.05 3/5	4.76
214	"	"	3 x 1/4	"	.05	10.70
15	"	"	1/2 x 1/8	"	.05 3/5	.84
50	"	"	2 x 5/16	"	.05	2.50
47 1/2	"	"	1 1/2 x 1/4	"	.05	2.38

Carried Forward

2104.40

Brought Forward						2104.40
17	Lbs.	O.H. Rivets	1 1/2 x 5/16	@	.05	.85
48	"	"	2 1/4 x 1/4	"	.05	2.40
30	"	"	1 x 1/4	"	.05	1.50
4	"	"	2 x 1/4	"	.05	.20
6	"	"	1/8 x 1/8	"	.05	.30
406	"	"	5/8 x 3/16	"	.04 1/2	18.27
27	"	R.H.	3 1/2 x 5/16	"	.05	1.35
53	"	7/8 Chair Nails		"	.13	6.89
59	"	5/8 Clout	"	"	.06	3.54
83	"	1" Finish	"	"	.03 1/2	2.91
25	"	1/2" #20 Steel Wire Brads		"	.08	2.00
15	"	1" #18	" " "	"	.04 1/2	.68
4	"	5/8" #16	" " "	"	.08	.32
2800	F.H.	Stove Bolts	2 3/4 x 1/4	"	.38	10.64
3800	"	"	3 x 1/4	"	.40	15.20
1600	"	"	1/2 x 1/4	"	.24	3.84
1700	"	"	5/8 x 1/4	"	.20	3.40
500	"	"	1 1/2 x 1/4	"	.24	1.20
500	"	"	2 x 1/4	"	.24	1.20
2300	R.H.	"	1 1/2 x 1/4	"	.25	5.75
3600	"	"	2 x 1/4	"	.27	9.72
1100	"	"	2 1/4 x 1/4	"	.30	3.30
1500	"	"	1 1/4 x 1/4	"	.42	6.30
700	"	"	1/2 x 1/4	"	.26	1.82
200	"	"	1 1/2 x 3/16	"	.40	.80
200	"	"	2 1/2 x 1/4	"	.39	.78
1200	"	"	2 1/2 x 3/16	"	.43	5.16
13	Gro.	R.H. Machine Screws	1/2" #20	"	.36	4.68
24	"	F.H. Iron Screws	2" #18	"	.40	9.60
30	"	"	1 1/2" #16	"	.19	5.70
47	"	"	3" #16	"	.30	14.10
2	"	"	2 1/2" #14	"	.32	.64
10	"	"	3" #18	"	.33	3.30
30	"	"	1 1/4" #16	"	.28	8.40
22	"	"	3 1/2" #18	"	.38	8.36
29	"	"	2 1/2" #18	"	.30	8.70
24	"	"	2 1/2" #24	"	.46	11.04
40	"	"	1 3/4" #10	"	.17	6.80
96	"	"	1 3/4" #16	"	.19	18.24
10	"	"	1 3/4" #12	"	.12	1.20
40	"	"	1 3/4" #14	"	.26	10.40
4	"	"	2 1/2" #20	"	.52	2.08
35	"	"	3 1/2" #20	"	.50	17.50
22	"	"	3" #20	"	.44	9.68
15	"	"	1 3/4" #11	"	.17	2.55
23	"	"	4" #20	"	.58	13.34
30	"	"	1" # 8	"	.08	2.40
160	"	"	1" #12	"	.11	17.60
50	"	"	1/2" # 8	"	.05	2.50
135	"	"	1 1/4" #12	"	.10	13.50
80	"	"	3/4" #10	"	.07	5.60
20	"	"	7/8" #10	"	.08	1.60
40	"	"	1" #10	"	.08	3.20
75	"	"	2" #12	"	.14	10.50
20	"	"	2 1/2" #10	"	.22	4.40
52	"	"	3" #20	"	.44	22.88
95	"	"	1 1/2" #16	"	.19	18.05
80	"	"	1 1/2" #14	"	.16	12.80
210	"	"	2" #16	"	.22	46.20
55	"	"	2 1/2" #12	"	.15	8.25
10	"	"	2" # 9	"	.17	1.70
61	"	"	4" #16	"	.43	26.23
6	"	"	2 1/2" #14	"	.32	1.92
40	"	"	1/2" # 7	"	.07	2.80
80	"	"	3/4" #10	"	.07	5.60
30	"	"	5/8" # 7	"	.08	2.40
10	"	"	3/4" # 8	"	.10	1.00
80	"	"	3/4" # 9	"	.06	4.80
40	"	"	1 1/2" # 8	"	.09	3.60
40	"	"	1 1/4" # 8	"	.08	3.20
40	"	"	1/2" #10	"	.10	4.00
168	"	"	3/4" #12	"	.09	15.12
120	"	"	2" #10	"	.20	24.00
60	"	"	1 1/2" #12	"	.11	6.60
70	"	"	2" #14	"	.18	12.60

Carried Forward

2656.08

Brought Forward

2656.08

177	GrO.	F.H.	Iron Screws	1 3/4"	#12	@	.11	19.47
60	"	"	"	1"	# 9	"	.10	6.00
40	"	"	"	2 1/2"	#18	"	.30	12.00
46	"	"	"	3 1/2"	#20	"	.50	23.00
25	"	"	"	2 1/2"	#24	"	.46	11.50
70	"	"	Brass	1 1/2"	#12	"	.45	31.50
65	"	"	"	1"	#10	"	.29	18.85
40	"	"	"	3/4"	#10	"	.22	8.80
40	"	"	"	1"	#12	"	.32	12.80
30	"	"	"	1 1/4"	# 8	"	.61	18.30
27	"	"	"	1 1/2"	# 8	"	.63	17.01
20	"	"	"	1"	# 9	"	.28	5.60
50	"	"	"	1"	# 8	"	.21	10.50
75	"	"	"	3/4"	# 8	"	.17	12.75
34	"	"	"	5/8"	# 8	"	.17	5.78
25	"	"	"	1/2"	# 7	"	.13	3.25
25	"	"	"	1 1/4"	#10	"	.35	8.75
50	"	"	"	1/2"	# 4	"	.10	5.00
25	"	"	"	5/8"	# 4	"	.19	4.75
50	"	"	"	5/8"	# 6	"	.14	7.00
10	"	"	"	3/4"	# 6	"	.34	3.40
10	"	"	"	5/8"	#10	"	.50	5.00
15	"	"	"	3/4"	# 7	"	.16	2.40
22	"	"	"	1"	# 7	"	.18	3.96
5	"	"	Bronze	1"	#11	"	.70	3.50
11	"	Oval	H.Brass Screws	1 3/4"	#12	"	1.39	15.29
75	"	"	"	1 1/4"	# 8	"	.64	48.00
45	"	"	"	1 1/2"	#10	"	.64	28.80
10	"	"	"	1"	#10	"	.48	4.80
12	"	"	"	1 1/2"	#14	"	1.47	17.64
15	"	"	"	1"	#12	"	.87	13.05
40	"	"	"	1"	# 8	"	.37	14.80
29	"	"	"	3/4"	# 9	"	.43	12.47
25	"	"	"	1"	# 6	"	.38	9.50
25	"	"	"	5/8"	# 8	"	.34	8.50
25	"	"	"	5/8"	# 5	"	.20	5.00
3	"	"	"	1 3/4"	#10	"	1.00	3.00
15	"	Rd.	"	1/2"	# 5	"	.18	2.70
70	"	"	"	1 1/2"	#10	"	.64	44.80
35	"	"	"	2"	#16	"	2.28	79.80
26	"	"	"	2"	#12	"	1.04	27.04
15	"	"	"	2"	#14	"	1.86	27.90
52	"	"	"	1 1/2"	#12	"	.81	42.12
30	"	"	"	1 1/4"	#12	"	.59	17.70
46	"	"	"	1 1/2"	# 8	"	.50	23.00
120	"	"	"	1 1/4"	#10	"	.42	50.40
40	"	"	"	1 1/4"	# 8	"	.36	14.40
30	"	"	"	1"	#10	"	.48	14.40
30	"	"	"	2 1/2"	#12	"	2.24	67.20
20	"	"	"	1 1/4"	#14	"	.80	16.00
10	"	"	"	1"	#12	"	.47	4.70
15	"	"	"	2"	#10	"	.86	12.90
10	"	"	"	1 1/2"	#10	"	.64	6.40
20	"	"	"	3/4"	#10	"	.56	11.20
50	"	"	"	1"	# 9	"	.35	17.50
25	"	"	"	1"	# 8	"	.31	7.75
30	"	"	"	3/4"	# 7	"	.37	11.10
50	"	"	"	1/2"	# 6	"	.20	10.00
15	"	"	"	1"	# 6	"	.28	4.20
50	"	"	"	1/2"	# 8	"	.26	13.00
50	"	"	"	5/8"	# 5	"	.20	10.00
90	"	"	"	1/2"	# 4	"	.17	15.30
30	"	"	"	5/8"	# 6	"	.20	6.00
68	1/2	Prs.	Strap Hinges	10"		"	.08	5.48
46	"	"	"	4"		"	.02 1/2	1.15
84	"	"	"	8"		"	.06	5.04
108	"	"	"	6"		"	.04 1/3	4.68
132	"	T	"	8"		"	.09 1/8	12.04
132	"	"	"	10"		"	.08 1/2	11.22
247	1/2	"	"	5"		"	.03	7.43
70	Prs.	Hasps	6"			"	.11	7.70
14	Stilson	Wrenches	24"			"	3.00	42.00
8	Lbs.	Brass Casting	#711 H.			"	.21	1.68
4	Doz.	Chain Door Bolts	10" #383			"	2.64 Doz.	10.56
159	Car	Bell Nuts				"	.01	1.59

Carried Forward

3765.88

Brought Forward			3765.88
116 Ft. Seat Cane	@	.30	34.80
7 Lbs Sheet Lead	"	.05 1/4	.37
85 Lbs: Merchants & Co. Babbits	"	.26	22.10
35 " Diamond Babbit	"	.26	9.10
89 " Babbit	"	.26	23.14
310 Thimbles 5/8"	"	.02 1/2	7.75
136 Lbs. Ferrules 1 1/8"	"	.08	10.88
56 " " 1 1/4"	"	.08	4.48
22 " " 3/4"	"	.08	1.76
5 " Universal Met. Polish Paste	"	.40	2.00
3 Qrs. Emery Paper #1	"	.09	.27
7 " " Cloth #3	"	.09	.63
30 Cans Chloride Lime	"	.08	2.40
221 Lbs. Waste	"	.06	13.26
226 " Rosin	"	.003/4	1.69
44 Key Bolts 2 x 5/8	"	.04 1/2	1.98
44 Step Hooks	"	.08	3.52
35 Bell Cord Knobs	"	.01 1/2	.52
792 Lbs. Elect. Truck Rocker Plates	"	.02 1/4	17.82
74 Machine Bolts 12 x 1/2	"	2.23	1.65
40 Lbs. Brass Bonnet Brackets H. 659	"	.35	14.00
9 " " " Supporter Sockets H. 658	"	.17	1.53
12 Box Car Top Door Rolls 3"	"	.12	1.44
27 Gong Plates	"	.05	1.35
24 Snow Sled Shoe Bolts 14"	"	.12	2.88
24 " " " " 11"	"	.09	2.16
143 Foot Rest Castings	"	.08	11.44
215 Snow Plow Shear Bolts 4" x 1/2	"	.06	12.90
62 Wrought Iron Sign Irons	"	.08	4.96
58 Lbs. Open Car Seat Knees	"	.07	4.06
53 " " " Foot Rest Castings - Jones	"	.02 1/4	1.19
2 Hay Cutter Knives 13 1/2 - 14 A.	"	1.00	2.00
9 1/4 Ft. Cane Car Seating	"	.30	2.78
45 Lbs. Fender Slides	"	.30	13.50
150 Ft. Rubber Tubing 3/8"	"	.04 1/2	6.75
900 " " " 9/16"	"	.08	72.00
1026 " Wire List 505	"	.14	143.64
54 Lbs. Journal Comp H. 2669	"	.17	9.18
690 " Bemis "	"	.17	117.30
311 " St. Louis Foot Rest Castings	"	.02 1/4	7.00
400 Horse Power Lag Bolts 3"	"	.80	3.20
17 Pcs. Wrought Iron Shutter Fastenings & Holders	"	.37	6.29
4 Box Car Step Rubbers	"	.30	1.20
443 Patent Switch Bolts	"	.22	97.46
24 Eye Bolts 11" x 1/2"	"	.10	2.40
365 Lbs. Manila Rope 4 1/2"	"	.14	51.10
126 " " " 2 1/2"	"	.12	15.12
122 " " " 3"	"	.07	8.54
9 " " " 3/4"	"	.07	.63
16 Tow Ropes 4 1/2"	"	3.75	60.00
7 " " 3 1/2"	"	3.75	26.25
11 Snow Plow Wing Ropes	"	.30	3.30
50 Car Sign Irons	"	.05	2.50
147 Lbs. Mal. Iron Seat End Castings	"	.04	5.88
47 Evener Ropes	"	.30	14.10
45 Car Post Joint Bolts	"	.04 1/2	2.03
79 Lbs. Counter-sink Washers 1 3/4"	"	.02 1/4	1.78
25 " " " 2 1/2"	"	.02 1/4	.56
420 Machine Bolts 2 1/2 x 3/4	"	1.70	7.14
102 Lbs. Iron Door Rolls 3 1/2" H. 509	"	.02 1/4	2.30
30 Gro. F.H.Brass Screws 1 1/4" #12	"	.47	14.10
10 " " Iron " 1 1/4" #12	"	.10	1.00
60 " " Brass " 3/4" # 9	"	.22	13.20
20 " Rd.H. " " 5/8" # 8	"	.28	5.60
20 " OV.H. " " 5/8" # 8	"	.34	6.80
10 " Rd.H. " " 1" #10	"	.48	4.80
232 West End Foot Rest Castings	"	.05	11.60
124 Draw Bar Box Castings	"	2.25	279.00
416 Fender Locks	"	.10	41.60
129 Fenders	"	1.75	225.75
20 Mal. Iron Open Car Panels	"	2.00	40.00
1820 Lbs. Snow Sled Circles	"	.02 1/4	40.95
1/4 Gro. Scuttle Fastenings	"	2.00	.50
4 Shovels #5	"	.37 1/2	1.50
106 Expansion Bolts 7" x 5/8	"	.21 1/2	22.79

Carried Forward

5379.03

Brought Forward

5379.03

71 Lbs. Frozen Glue	@ .13	9.23
12 1/2 Ft. Lacing Leather	" .18	2.25
188 16 C.P. Lamps	" .16 1/4	30.55
144 32 " "	" .28	40.32
250 16 " Car Lamps	" .18	45.00
136 Yds. Burlap 40"	" .05	6.80
25 Ft. 3 Ply Rubber Hose 1"	" .14	3.50
264 Rugg Seat Screws - Open Cars	" .10	26.40
44 Lbs. White Chalk	" .01 1/2	.66
56 " Brass Sign Castings H.668	" .16	8.96
146 " " " " H.858	" .35	51.10
136 " " " " H.859	" .35	47.60
53 " " " " H.687	" .35	18.55
92 " " " " H.459	" .50	46.00
42 " " " " H.461	" .45	18.90
244 " " " " H.206	" .40	97.60
90 " " " " H.502	" .35	31.50
79 " " " " H.457	" .45	35.55
90 " " " " H.454	" .35	31.50
26 " " " " H.460	" .45	11.70
172 " Washers 7/16	" .04 1/2	7.74
18 " Sheet Rubber	" .50	9.00
8 Cans Webster Elastic Cement	" .25	2.00
4 Hay Cutter Knives 13"	" 1.00	4.00
383 Lbs. Brake Dog Washers	" .02 1/4	8.62
2409 " Snow Plow Digger Shoes	" .02 1/4	54.20
91 Draw Bar Pins	" .05	4.55
11 Horse Power Links 14"	" 1.45	15.95
164 Fender Locks 658 Lbs.	" .10	16.40
30 Lbs. Washers 5/8	" .03	.90
24 Platform Gate Plates	" .08	1.92
199 Iron Fender Corner Braces 13"	" .25	49.75
1438 Draw Bar Pins	" .05	71.90
119 Brass Sign Castings H.723	" .20	23.80
348 Lbs. Twister Blocks 7 1/2"	" .02 1/4	7.83
342 Bonnet Brackets	" .25	85.50
1953 Lbs. Twister Blocks 7"	" .02 1/4	43.94
10 Hay Cutter Fly Wheel Hubs	" .50	5.00
13 " " Rolls	" 2.50	32.50
7 " " Knives 16 1/2"	" 1.00	7.00
4 " " " 14"	" 1.00	4.00
2 " " " 17 1/2"	" 1.00	2.00
2 " " " 18 1/2"	" 1.00	2.00
1 " " Head Roll 13"	"	2.25
24 Horse Power Track Circles	" 2.00	48.00
154 Switch Stick Rings	" .08	12.32
29 Bonnet Brackets Mal. Cast	" .25	7.25
28 Lbs. Bonnet Knees - Wrought Iron	" .07	1.96
100 Machine Bolts 2 1/2 x 5/8	"	1.36
40 Lbs. Washers 7/8	" .02 1/2	1.00
250 Lag Screws 2 x 1/2	" .69 Per C.	1.73
44 Sand Scoops	" .42	18.48
159 Trap Rings	" .08	12.72
76 West End Open Car Threshold Plates 19"	" .10	7.60
91 Open Car Threshold Plates 21" C.47	" .10	9.10
21 " " " " 17" H.857	" .10	2.10
2392 Counter-sink Head Bolts 2" x 5/16	" .02 3/10	55.01
2310 " " " " 1 1/2" x 5/16	" .02 1/10	48.51
429 " " " " 2 x 5/16	" .02 3/10	9.87
1352 " " " " 2 x 3/8	" .90 Per C.	12.17
2052 " " " " 1 1/2 x 3/8	" .02 1/2	51.30
90 Pcs. Wrought Iron Brake Rod Ends	" .50	45.00
14 Draw Bar Rest Plates 45 Lbs.	" .25	3.50
42 Draw Bar Coupling Links 13"	" 1.15	48.30
85 Lbs. Top Door Track	" .02 1/4	1.91
78 " Brill Toe Guards	" .02 1/4	1.75
648 " Toe Guards C.46	" .02 1/4	14.58
75 Lbs. Met. Sill Door Plates	" .02 1/4	1.69
130 " Brass Sign Castings H.723	" .20	26.00
103 Brass Box Car Climbing Steps	" .20	20.60
51 Jones Seat Stops	" .10	5.10
325 Roof Grab Handles	" .10	32.50
320 Key Bolts 2 x 3/4	" .06	19.20
400 Lbs. Brass Sign Castings B.36	" .17	68.00
300 " " Gate " B.40	" .17	51.00

Carried Forward

7045.06

Brought Forward

7045.06

52 Lbs.	Brass Seat Back Blocks	@	.17	8.84
1820 "	Snow Sled Circles	"	.02 1/4	40.95
43 "	Refined Iron Nails 9 D.	"	.01 9/10	.82
22 "	" " " 20 D.	"	.0155	.34
20 "	" " " 10 D.	"	.016	.32
320 "	" " " 4 D.	"	.02 9/10	9.28
544 "	Floor Nails 8 D.	"	.03 1/10	16.86
200 "	" " " 4 D.	"	.03 1/10	6.20
300 "	" " " 6 D.	"	.02 3/10	6.90
100 "	" " " 16 D.	"	.0225	2.25
200 "	" " " 9 D.	"	.02 3/10	4.60
100 "	" " " 8 D.	"	.03 1/10	3.10
128 "	Lathe Nails 1" #4	"	.02 9/10	3.71
70 "	Shingle Nails 1 1/2" #4	"	.02 9/10	2.03
160 "	Clout " 1"	"	.05 1/2	8.80
85 "	Dasher " 2"	"	.05 1/2	4.68
100 "	" " 1 1/4"	"	.05	5.00
50 "	Ov.H. Rivets 1 3/4 x 1/4	"	.05	2.50
12 Pt.	Cans LePage Glue	"	.28	3.36
100	Sledge Handles	"	.0567	5.67
11	Two Bushel Baskets	"	.50	5.50
2	One Bushel Basket	"	.40	.80
81	Toe Guards H.885	"	.50	40.50
150	Digger Shoe Bolts 4 1/2 x 5/8	"	.06	9.00
61 Lbs.	Open Car Foot Rest Castings	"	.02 1/4	1.37
99	West End Toe Guards 10 Lbs.	"	.50	49.50
60 Lbs.	Castings for Snow Plows H. 314	"	.02 1/4	1.35
262 "	" " #2140	"	.02 1/4	5.89
27	Snow Plow Diggers Complete	"	5.25	141.75
6564 Lbs.	Window Weights	"	.01	65.64
148	Twister Washers	"	.01	1.48
7	Turn Buckles 5/8	"	.28	1.96
41 "	" " 1"	"	.44	18.04
150	Switch Bolts 4 x 7/8	"	.22	33.00
12	Machine " 12 x 3/4	"	3.87 Per C.	.46
178	Key " 3 x 5/8	"	.04 1/2	8.01
190 Lbs.	Dasher Post Washers	"	.02 1/4	4.27
1209 "	Twister Ratchets	"	.02 1/4	27.20
250 "	Top Twister Blocks H.28	"	.02 1/4	5.63
152 "	Dasher Post Washers C.261	"	.02 1/4	3.42
448 "	Door Sill Plates H.888	"	.02 1/4	10.08
224 "	" " " "	"	.02 1/4	5.04
336 "	Box Car Corner Castings	"	.02 1/4	7.56
210 "	Castings for Snow Plows C.262	"	.02 1/4	4.73
50 "	Sign Stick Castings	"	.02 1/2	1.25
175 "	Corner Braces - Open Cars	"	.25	43.75
1056 "	Draw Bar Box Clevises H.558	"	.60	633.60
188 "	" " " Washers	"	.02 1/4	4.23
28 "	" " " Keys	"	.05	1.40
500 "	Castings C.104	"	.02 1/4	11.25
180 "	" " C.133	"	.02 1/4	4.05
675 "	Window Weights	"	.01	6.75
34 1/2	Lbs. Dowels	"	.01 1/4	.42
350 5/16	Lbs. Dowels	"	.01 1/4	4.37
200 3/8	" "	"	.00 3/4	1.50
75	Hammer Handles	"	.05 2/3	4.25
192 Lbs.	Castings for Snow Plows C.262	"	.02 1/4	4.32
105 "	Open Car Seat Castings - Iron	"	.02 1/4	2.36
77 "	Turn Table Track Castings	"	.02 1/4	1.73
187 "	Brass Digger Shaft Castings - Snow Plow	"	.17	31.79
25 "	Brass Door Roll Hangers H.896	"	.17	4.25
26 "	" " " " Laconia	"	.17	4.42
64 "	" " " " Jones H.897	"	.17	10.88
24 "	" " " " " H.898	"	.17	4.08
33 "	3 " " " "	"	.17	5.61
133	Switch Bolts Old Pattern	"	.15	19.95
39	Open Car Threshold Plates 17" H.856	"	.10	3.90
48 "	" " " 22" H.855	"	.10	4.80
19 "	" " " 21" H.254	"	.10	1.90
42 "	" " " 14" C. 51	"	.10	4.20
60 Lbs.	5/16" Hex. Nuts	"	.10	6.00
3 1/2	Reams Sand Paper #1	"	1.80	6.30
1 1/2	" " " # 1 1/2	"	1.80	2.70
7	" " " #2	"	2.00	14.00

Carried Forward

8483.46

Brought Forward			3483.46
1	Ream Sand Paper #0		1.80
2	11/12 Doz. Corn Brooms	@ 2.75	8.02
7	Pick Handles	" .19	1.33
950	Fender Slides	" .30	285.00
528	Lbs. Snow Sled Corner Castings #E.746	" .02 1/4	11.88
21	Snow Leveler Shoes #E.325	" 1.15	24.15
38	" Sled " #E.244	" 1.15	43.70
3	" Plow Diggers Complete	" 5.25	15.75
24	Tow Rope Hooks and Eyes	" .50	12.00
21	Conductor Pipe Elbows 8" Bends 3"	" .12	2.52
9	" " " 9" " 4"	" .17 1/8	1.54
33	Pair Strap Hinges 26")		
32	" " " 24")		
21	" " " 12") 1008 Lbs	" .04	40.32
6	" " " 16")		
11	" " " 36")		
52	Lbs. Sheathing Paper	" .03	1.56
310	" Sal Soda	" .02 1/2	7.75
91	" Asbestos	" .05	4.55
400	Sq. Ft. 30" Wire Netting	" .03 1/2	14.00
14	" 24" " Cloth	" .02 1/2	.35
50	" 30" " "	" .02 1/2	1.25
185	Yds. 30" Duck #8	" .21	38.85
9	Waste Cans	" .50	4.50
1/3	Doz. Track Brooms	" 5.50	1.83
177	Box Car Body Grab Handles	" 2.12 1/2	376.13
43	Lbs. Sheet Brass	" .17	7.31
90	" " Lead	" .05 1/4	4.73
56	Rope Thimbles 4"	" .16 1/2	9.24
94	Lbs. Flashing Lead	" .05 1/4	4.94
162	Lbs. Open Car Seat Arm Sockets	" .02 1/4	3.64
7	Gongs 10"	" 1.00	7.00
8	" 8"	" 1.00	8.00
10	Snow Plow Draw Bars 150 Lbs.	" 1.70	17.00
126	Lbs. Open Car Seat Castings	" .02 1/4	2.84
134	Fender Hangers 9"	" .25	33.50
17	" " 6"	" .25	4.25
24	Horse Power Circles	" 2.00	48.00
262	Lbs. Cast Iron Cones H.530	" .02 1/4	5.89
110	" Hex. Nuts 3/8"	" .05 7/10	6.27
60	" " " 1/2"	" .05 7/10	3.42
174	" " " 5/8"	" .04 4/5	8.35
403	" " " 3/4"	" .04 3/10	17.33
158	" " " 7/8"	" .04 1/10	6.48
712	" " " 1"	" .05 4/10	38.45
144	" " " 1 1/4"	" .04 3/10	6.19
42	" " " 1/4"	" .05 7/10	2.39
67	" Special Nuts 1"	" .02 5/8	1.76
412	" Square " 7/8"	" .02 5/8	10.82
165	" " " 3/4"	" .02 7/8	4.74
133	" " " 5/8"	" .03	3.99
130	" " " 1/2"	" .04 1/2	5.85
170	" " " 1"	" .02 5/8	4.46
87	" Hand Hole Castings A.522	" .02 1/4	1.96
322	Dog Bolts 4"	" .04	12.88
60	Fender Braces 22"	" .25	15.00
240	Lbs. Brake Beam Hangers	" .02 1/4	5.40
3	Hay Cutter Head Rolls	" 2.25	6.75
13	" " Half Circles	" 1.00	13.00
210	Lbs. Snow Sled Castings E.740	" .02 1/4	4.73
350	" Hay Cutter Castings	" .02 1/4	7.88
19	Ft. Leather Belting 8" Single	" .42 1/2	8.08
24	" " " 6" "	" .29	6.96
105	" " " 4" "	" .21	22.05
41	" " " 2 1/2" "	" .13 3/4	5.64
36	" " " 2" "	" .08 3/4	3.15
32	" " " 5 1/2" "	" .24	7.68
28	" " " 3" "	" .15	4.20
30	" " " 10" Double	" .98	29.40
23	" " " 8" "	" .42 1/2	9.78
16	" " " 6" Rubber	" .31	4.96
380	Lbs. West End Door Sill Plates - Left	" .02 1/4	8.55
171	" " " " " H.888	" .02 1/4	3.85
207	" " " " " C. 44	" .02 1/4	4.66
30	" Met. Door Sill Plates H.843	" .02 1/4	.68
162	Dog Bolts 3" 48 Lbs.	" .04	6.48

Carried Forward

9852.80

Brought Forward

9852.80

53	Lbs. 5/8 Post Washers				@ .02	1/4	1.19
4	Draw Bar Coupling Links 24"				" 2.00		8.00
332	Fender Slides				" .30		99.60
168	Lbs. Brake Twister Ratchets - Mal. Cast.				" .04		6.72
194	" Twister Guides				" .02	1/4	4.37
72	" Life Guard Hangers	H.800			" .02	1/4	1.62
73	" Door Roll Castings				" .02	1/4	1.64
91	Car Bunter Irons				" 2.25		204.75
115	Key Bolts 4 x 5/8				" .06		6.90
206	" " 2 1/2 x 3/4				" .06		12.36
400	Lbs. Hex. Nuts - Not Tapped		3/8		" .07	1/2	30.00
471	" " " " "		1/2		" .05	7/10	26.84
916	" " " " "		5/8		" .04	4/5	43.97
200	" " " " "		7/8		" .02	5/8	5.25
209	" " " " "		3/8		" .04	1/2	9.40
501	" " " " "		1/2		" .05	7/10	28.56
225	" " " " "		3/4		" .02	7/8	6.47
86	" " " " "		3/8		" .05	7/10	4.90
600	" " " " "		1 1/4		" .04	3/10	25.80
200	" " " " "		1		" .02	5/8	5.25
64	" " " " "		5/16		" .07		4.48
1621	" Sq. " " " "		3/8		" .05	7/10	92.39
200	" " " " "		7/16		" .05	7/10	11.40
200	" " " " "		5/8		" .04	4/5	9.60
854	" " " " "		3/4		" .04	3/4	40.57
261	" " " " "		1 1/4		" .04	3/4	12.40
168	" " " " "		5/16		" .10		16.80
292	" " " " "		1/2		" .04	1/2	13.14
200	" " " " "		1		" .02	5/8	5.25
2	Gem Spring Hinges	4 x 4			" .90		1.80
5	Prs. Loose Butts	4 x 4 #51	1/2		" .12		.60
4	" " " "	6 x 6 #51	1/2		" .17	1/2	.70
60	" Narrow Fast Butts	1 1/2			" .05	1/2	3.30
1	" Iron Butts	5 x 5		#5100			.15
1/2	Doz. L.J. Butts	4 1/2 x 4	1/2	# 50	" 1.50		.75
5	5/6 Doz. L.J. Butts	4 x 4		# 84	" 1.44		8.40
5	1/3 " " "	4 1/2 x 4	1/2	# 84	" 1.50		8.00
1/6	" " " "	3 1/2 x 3	1/2	# 84	" 1.22		.20
1	" Broad Butt	3 x 3		#808			1.20
2	" Loose "	2 1/2 x 2			" .96		1.92
6	Prs. Loose Butts	3 1/2 x 3			" .06		.36
9	" Pat. Wrot. Chest Hinges	2"			" .06		.54
3	Doz. Loose Butts	2 1/2 x 2		# 84	" .96		2.88
1	" Broad "	2 1/2 x 2	1/2	#808			.96
1	1/4 Doz. Back Flap Hinges	1 1/2"		#816	" .38		.48
93	Prs. Heavy Cast Brass Butts	3 x 2		#100	" .25		23.25
14	5/6 Doz. Desk Brass Butts	1 3/8			" .47		6.97
6	Gro. F.H. Blued Screws	2 1/2		# 14	" .63		3.78
6	" " " "	2 1/2		# 12	" .54		3.24
6	" " " "	2 1/2		# 10	" .48		2.88
8	Doz. Broad Brass Butts	2"			" .31		2.48
27	1/2 Doz. Brass Hinges	3/4 x 2	1/2		" .47		12.93
12	1/2 " " Butts	1 1/4 x 1	1/4		" .38		4.75
1	" Wrot. Brass Desk Butts	1 3/8					.47
1	1/6 " Brass Butts	1 3/4 x 2	1/2		" .93	3/4	1.09
1	1/6 " " "	2 x 1	5/8		" .47		.55
88	Pair Jap Acorn Butts	2 1/2 x 2		# 55	" .06		5.28
145	" " " "	3 1/2 x 3	1/2	# 55	" .09	1/6	13.29
294	" " " "	4 x 4		# 55	" .12		35.28
292	" " " "	3 x 3	1/2	# 55	" .09	1/6	26.76
28	" " " "	4 1/2 x 4	1/2	# 55	" .07	1/8	2.00
11	" " " "	6 x 6		# 55	" .25	5/12	2.79
10	" Light Bronze Butts	5 x 5		#211	" .56		5.60
18	" " " "	6 x 6		#211	" .80		14.40
19	" " " "	4 1/2 x 4	1/2	#211	" .45		8.55
11	" " " "	4 x 4		#211	" .42		4.62
35	Austrain Bronze Door Pulls	G 1 3/4			" .02	11/12	1.02
1	Set Stove Door Handle Locked Latch Combined	8156					4.50
6	Rose & Escutcheons	636 A.			" .50		3.00
1	1/2 Doz. Brass Key Escutcheons				" .32		.48
3	1/6 Doz. Bronze Met. Plate Escutcheons	870 A.			" .32		1.01
5	Mortise Latches and Strikers				" 2.85		14.25
1/6	Doz. Dip Door Stops				" .50		.08
4	Brass Door Knobs - Small				" .37	1/2	1.50
13	Bronze Key Escutcheons				" .02	2/3	.35

Carried Forward

10831.81

Brought Forward

10831.81

6	Pairs Spring Plate Hinges	3"	#9	@	.35	2.10
2	Doz. Rim Knob Locks	4"	#03 1/2	"	2.25	4.50
1	Set of Bronze Casters	1"				.75
6	Doz. Bronze Cupboard Catches		#327	"	6.34	38.04
18	Key Blanks			"	.05	.90
5/12	Doz. Hall T. Handles			"	5.50	2.29
1/4	" Brass Drawer Pulls			"	1.25	.31
2	" Rim Door Knobs - Jet	2 1/4 x 2 1/2	#203	"	.70	1.40
1/4	" Mineral Door Knobs		#1203	"	.75	.19
1/3	" Padlocks 2 1/2"		#1030	"	1.50	.50
5/12	" " 2 1/2"		#1042	"	2.42	1.01
3 1/3	Doz. Jet Door Knobs		#2305	"	1.60	5.33
2 1/6	" Special Switch Box Locks			"	1.75	3.79
3 1/2	" Bronze Door Knobs		#1442 S.	"	2.50	8.75
1/4	" Special Tool Box Locks for Mail Cars			"	1.75	.44
1/3	" Knob Latches			"	1.07	.36
1/6	" Bronze Cupboard Catches		#262	"	.42	.07
1 5/12	Doz. Brass Cupboard Catches		#2524	"	1.00	1.42
1/3	" Brass Flush Cupboard Catches			"	1.80	.60
2 1/6	" Door pulls		#520	"	1.25	2.71
3 1/4	" " "		#507	"	.25	.81
11/12	" Shutter Bars	# 31	2"	"	.70	.64
1/2	" Drawer Pulls	#336		"	.60	.30
6	" " "	#529 P.		"	1.80	10.80
5/12	" Adamantine Bronze Drawer Pulls	#61		"	.75	.31
1/2	" Jap Drawer Pulls			"	.20	.10
2	" Rim Dead Locks		#4901	"	2.85	5.70
2 5/12	" Mortise Knob Locks		#5644	"	1.14	2.76
9	Mortise Front Door Locks		#6331	"	.88	7.92
2 1/3	Doz. Yale Drawer Locks		# 561	"	7.25	16.92
1 2/3	" " " "		# 563	"	7.25	12.08
6 1/2	" Night Latches	# 160	4 x 2 3/4	"	4.70	30.55
6	" Elbow Catches	#6500		"	1.50	9.00
1 5/6	" Rim Night Latches - Yale	42		"	14.00	25.67
1 7/12	" Mortise Cupboard Locks - Bronze			"	2.88	4.56
1	Cylinder Brass Drawer Lock 2"	# 51				.33
3 1/4	Doz. Padlocks 2 1/2"	# 13		"	4.34	14.10
1/6	" Drawer Locks 2"	# 370		"	2.50	.42
1/12	" Small Wardrobe Locks	# 51				.33
7/12	" Brass Drawer Locks	#0621		"	.64	.38
1	" Small Iron Box Locks					2.40
1/3	" Standard Bronze Padlocks	823		"	7.00	2.34
1/2	" " " "	863		"	.95	.48
1/2	" Iron Wardrobe Locks	721		"	4.42	2.21
1/12	" Closet Locks	1341		"	4.42	.37
1 3/4	" Mortise Knob Locks 4"	2452		"	9.00	15.75
1/6	" Iron Drawer Locks	647		"	4.42	.74
1/6	" Standard Brass Drawer Locks	965		"	2.67	.45
1/4	" Yale Drawer Locks - Brass			"	4.50	1.13
3	" Mortise Knob Locks	8408		"	2.88	8.64
1 10/12	" Yale Pat. Mortise Night Latches	66		"	1.84	3.37
1/12	" Mortise Knob Locks	2432				1.14
1/4	" Builders Mortise Locks	1022		"	7.56	1.89
1/2	" Mortise Knob Locks 3 1/2"	5214		"	2.88	1.44
1/2	" Night Latches 4"	4164		"	1.20	.60
1	Rim Dead Lock 3 1/4	4905				.30
1	" " " 3"	4431				.15
2	Lbs. Brass Window Guard Fastenings)		
3	" " Door Castings)		
495	" " Hand Rail Brackets)		
211	" " Door Roll Castings)		
105	" " Dasher Grab Handles)		
160	" " Dasher Rails)		
70	" " Bonnet Supporter Castings)		
254	" " Gate Fixtures)	2189 Lbs."	.17
231	" " Seat Fixtures)		372.13
172	" " Open Car Seat Back Castings)		
38	" " Friction Hinges)		
20	" " Sash Lifts)		
25	" " Bell Cord Fastenings)		
3	" " Pulleys)		
21	" " Guard Rail Step Castings)		
114	" " Grab Handles)		
44	" " Double Escutcheons)		
144	" " Bell Hammers)		
40	" " Door Slides)		
37	" " Ventilator Operator Castings)		

Carried Forward

11466.48

Brought Forward

11466.48

20	Lbs.	Brass Bell Cord Hooks)						
40	"	" Sign Castings)	60	Lbs.	@	.17		10.20
30	Gro.	R.H. Brass Screws		1/2"	4	"	.17		5.10
8	"	" " "		5/8	4	"	.15		1.20
39	"	" " "		1/2"	5	"	.18		7.02
23	"	" " "		5/8	5	"	.20		4.60
13	"	" " "		3/4"	5	"	.30		3.90
7	"	" " "		1/2"	6	"	.20		1.40
36	"	" " "		5/8	6	"	.20		7.20
11	"	" " "		3/4"	6	"	.25		2.75
11	"	" " "		1	6	"	.28		3.08
17	"	" " "		1 1/4"	6	"	.38		6.46
6	"	" " "		7/8"	6	"	.36		2.16
87	"	" " "		1/2"	7	"	.18		15.66
53	"	" " "		3/4"	7	"	.37		12.21
40	1/2	Gro.R.H. Brass Screws		3/4	8	"	.31		12.55
44	"	" " "		7/8"	8	"	.35		15.40
62	"	" " "		1"	8	"	.30		18.60
8	"	" " "		1 1/4"	8	"	.36		2.88
43	"	" " "		1 1/2"	8	"	.50		21.50
10	"	" " "		1/2"	9	"	.40		4.00
8	"	" " "		5/8"	9	"	.44		3.52
26	"	" " "		3/4"	9	"	.35		9.10
39	1/2	" " "		7/8"	9	"	.54		21.33
13	"	" " "		1 1/2"	9	"	.80		10.40
19	1/2	" " "		1 1/4"	9	"	.39		7.60
9	1/2	" " "		5/8"	10	"	.50		4.75
25	"	" " "		3/4"	10	"	.56		14.00
11	"	" " "		7/8"	10	"	.62		6.82
16	1/2	" " "		1"	10	"	.48		7.92
1	"	" " "		1 1/4"	10	"			.42
7	1/2	" " "		1 1/2"	10	"	.64		4.80
4	1/2	" " "		1 3/4"	10	"	.80		3.60
11	"	" " "		2"	10	"	.86		9.46
63	"	" " "		2"	12	"	.47		29.61
1	"	" " "		1 1/4"	12	"			.59
1	3/4	" " "		1 1/2"	12	"	.81		1.42
17	"	" " "		2"	12	"	1.04		17.68
7	3/4	" " "		2 1/2	12	"	2.24		17.36
2	"	" " "		1"	14	"	.75		1.50
3	3/4	" " "		1 1/4"	14	"	.80		3.00
6	1/2	" " "		1 1/2"	14	"	.93		6.04
8	"	" " "		1 3/4"	14	"	1.64		13.12
17	"	" " "		2"	14	"	1.86		31.62
10	"	" " "		1 3/4"	16	"	2.00		20.00
12	"	" " "		2"	16	"	2.28		27.36
3	"	" " "		1 1/4"	18	"	2.10		6.30
10	"	" " "		2"	18	"	2.74		27.40
1/4	"	" " "		1 3/4"	20	"	2.90		.73
7	"	" " "		2 3/4"	14	"	2.88		20.16
31	F.H.	Brass Screws		1/2	4	"	.10		3.10
14	"	" " "		5/8	4	"	.19		2.66
4	"	" " "		3/4	4	"	.26		1.04
84	"	" " "		1/2	5	"	.10		8.40
8	1/4	F.H.Brass Screws		5/8	5	"	.28		2.31
31	"	" " "		3/4	5	"	.31		9.61
4	"	" " "		3/8	5	"	.14		.56
16	"	" " "		3/8	4	"	.13		2.08
43	"	" " "		1/2	6	"	.09		3.87
19	"	" " "		5/8	6	"	.13		2.47
17	"	" " "		3/4	6	"	.34		5.78
10	"	" " "		1	6	"	.39		3.90
1	1/2	" " "		1 1/4	6	"	.44		.66
21	1/2	" " "		1/2	7	"	.13		2.80
40	"	" " "		5/8	7	"	.13		5.20
6	"	" " "		3/4	7	"	.16		.96
3	1/2	" " "		1	7	"	.18		.63
2	"	" " "		1 1/2	7	"	.69		1.38
68	"	" " "		5/8	8	"	.17		11.56
11	"	" " "		3/4	8	"	.17		1.87
9	"	" " "		1	8	"	.21		1.89
17	"	" " "		1 1/4	8	"	.61		10.37
6	1/2	" " "		1	9	"	.28		1.82
21	"	" " "		5/8	9	"	.44		9.24
36	"	" " "		3/4	9	"	.22		7.92

Carried Forward

12054.04

Brought Forward

12054.04

37	F.H.Brass Screws	5/8	10	@	.50	18.50
47	" "	3/4	10	"	.22	10.34
5	1/2 " "	7/8	10	"	.62	3.41
9	" "	1	10	"	.29	2.61
5	" "	1 1/4"	10	"	.35	1.75
26	" "	1 1/2"	10	"	.91	23.66
1	" "	3/4	12			.67
1	Gro. F.H.B.Screws	7/8"	12	S.		.77
51	" "	1"	12	"	.32	16.32
17	1/2 " "	1 1/4	12	"	.47	8.23
44	" "	1 1/2	12	"	.45	19.80
24	" "	1 3/4	12	"	1.34	32.16
18	" "	1 1/4	14	"	.58	10.44
7	1/2 " "	1 1/2	14	"	1.43	10.73
11	1/2 " "	1 1/4	16	"	1.51	17.37
25	" "	1 3/4	16	"	1.15	28.75
25	Oval Head B.Screws	1/2	4	"	.14	3.50
7	" "	5/8	3	"	.24	1.68
4	" "	5/8	5	"	.20	.80
12	" "	5/8	6	"	.21	2.52
11	" "	3/4	6	"	.24	2.64
11	" "	3/4	7	"	.37	4.07
38	" "	1/2	6	"	.20	7.60
71	" "	1/2	5	"	.18	12.78
18	" "	1 1/4	6	"	.38	6.84
8	" "	5/8	8	"	.34	2.72
12	" "	3/4	8	"	.45	5.40
11	" "	1	8	"	.37	4.07
7	" "	1 1/4	8	"	.64	4.48
12	" "	1 1/2	8	"	.44	5.28
54	" "	5/8	9	"	.38	20.52
63	" "	3/4	10	"	.56	35.28
4	" "	1	10	"	.48	1.92
22	" "	1 1/4	10	"	.74	16.28
8	1/2 " "	1 1/2	10	"	.64	5.44
1	" "	1 3/4	10	"		1.00
53	" "	3/4	6	"	.24	12.72
29	" "	1	12	"	.87	25.23
24	" "	1 1/4	12	"	.71	17.04
20	" "	1 1/2	12	"	.80	16.00
11	1/2 " "	1 3/4	12	"	1.39	15.99
10	" "	1 1/2	14	"	1.47	14.70
10	" "	1 1/2	12	"	.80	8.00
32	F. H. Iron Screws	1/2	4	"	.06	1.92
18	" "	5/8	4	"	.06	1.08
63	1/2 " "	3/4	4	"	.06	3.81
3	1/2 " "	3/8	5	"	.04	.14
51	" "	1/2"	5	"	.06	3.06
26	1/2 " "	5/8	5	"	.06	1.59
11	" "	3/4	5	"	.07	.77
54	" "	1/2	6	"	.06	3.24
47	1/2 " "	5/8	6	"	.07	3.33
40	1/2 " "	3/4	6	"	.08	3.24
28	" "	1/2	7	"	.07	1.96
24	" "	5/8	7	"	.08	1.92
19	" "	3/4	7	"	.07	1.33
40	" "	5/8	8	"	.07	2.80
34	1/2 " "	3/4	8	"	.10	3.45
15	" "	1	8	"	.08	1.20
47	" "	5/8	9	"	.10	4.70
25	" "	3/4	9	"	.06	1.50
19	" "	7/8	9	"	.09	1.71
3	1/2 " "	1	9	"	.10	.35
10	" "	5/8	10	"	.11	1.10
31	1/2 " "	3/4	10	"	.07	2.20
11	" "	7/8	10	"	.08	.88
3	" "	1/2	8	"	.05	.15
5	" "	1 3/4	10	"	.17	.85
4	1/2 " "	2	10	"	.12	.54
6	1/2 " "	2 1/2	10	"	.22	1.43
7	" "	3	10	"	.24	1.68
8	" "	2 1/4	10	"	.21	1.68
7	" "	3/4	11	"	.13	.91
1	" "	7/8	11	"		.13

Carried Forward

12568.70

Brought Forward

12568.70

5	1/2	Gross	F.H.	Iron	Screws	2	1/2	11	S	@	.26	1.43
1		"	"	"	"	1	3/4	11		"		.18
17		"	"	"	"		3/4	12		"	.09	1.53
3	1/2	"	"	"	"	2	1/2	12		"	.15	.53
23		"	"	"	"	1		14		"	.20	4.60
1		"	"	"	"	1	1/4	14		"		.16
2		"	"	"	"	2		14		"	.18	.36
1	1/2	"	"	"	"	2	1/2	14		"	.32	.48
4	1/2	"	"	"	"	1	1/4	16		"	.28	1.26
8		"	"	"	"	1	1/2	16		"	.19	1.52
11		"	"	"	"	1	3/4	16		"	.35	3.85
1	1/2	"	"	"	"	2	1/2	16		"	.22	.33
2		"	"	"	"	3		16		"	.30	.60
6		"	"	"	"	4		16		"	.43	2.58
2		"	"	"	"	2	1/2	18		"	.30	.60
7	1/2	"	"	"	"	3		18		"	.33	2.48
3		"	"	"	"	3	1/2	18		"	.38	1.14
9		"	"	"	"	1	1/2	20		"	.41	3.69
3		"	"	"	"	2	1/2	20		"	.52	1.56
2	1/2	"	"	"	"	3		20		"	.44	1.10
18		"	"	"	"	2	1/2	24		"	.46	8.28
1		"	"	"	"	3	1/2	24		"		1.01
7	1/2	"	"	"	"	1	3/4	14		"	.26	1.95
4	R.H.	Blue				1	1/2	11		"	.36	1.44
4	Flat	Head	Blue			1	1/4	14		"	1.24	4.96
1	1/2	Flat	Head	Bright		4		20		"	.58	.87
20		"	"	"		7/8		8		"	.08	1.60
100	Gro.	F.H.I.	Screws			1	1/4	10		"	.10	10.00
3/4	R.H.	Machine	Screws	-Brass		1/2		6		"	.36	.27
1/2	"	"	"	"		5/8		8		"	.29	.15
1/2	"	"	"	"		3/4		14		"	.17	.09
1/2	"	"	"	"		1		16		"	.19	.10
1/2	"	"	"	"		7/8		16		"	.20	.10
5	3/4	F.H.	Machine	Screws	-Brass	1		16	S.	"	.97	5.58
5	3/4	R.H.	"	"	Iron	1/2		20		"	.36	2.07
1/2	"	"	"	"	"	1/2		6		"	.10	.05
1/5	"	"	"	"	"	1	1/2	20		"	.28	.06
1/2	Gro.	"	"	"	"	1		22		"	.27	.14
3	1/2	Gro.	F.H.	Machine	Screws	1		18		"	.23	.81
3/4	"	"	"	"	"	1	1/2	22		"	.32	.24
1/3	"	"	"	"	"	1	1/2	1/2		"	.24	.08
100	"	"	"	I	"	1	1/2	10		"	.12	12.00
700	E.C.	Bolts	1		3/16					"	.45	3.15
268	"	"	1	1/4	3/16					"	.45	1.21
250	"	"	1	1/2	3/16					"	.44	1.10
200	"	"	2		3/16					"	.46	.92
50	"	"	1		1/4					"	.45	.23
700	"	"	1	1/4	1/4					"	.45	3.15
124	"	"	1	1/2	1/4					"	.44	.55
197	"	"	1	3/4	1/4					"	.40	.79
800	"	"	2		1/4					"	.46	3.68
32	"	"	2	1/4	1/4					"	.53	.17
98	"	"	2	1/2	1/4					"	.43	.42
56	"	"	2	3/4	1/4					"	.45	.25
388	"	"	3		1/4					"	.57	2.21
571	"	"	3	1/4	1/4					"	.53	3.03
292	"	"	3	1/2	1/4					"	.54	1.57
400	"	"	3	3/4	1/4					"	.62	2.48
439	"	"	4		1/4					"	.60	2.63
63	"	"	4	1/2	1/4					"	.70	.44
228	"	"	1	1/4	5/16					"	.54	1.23
159	"	"	1	1/2	5/16					"	.54	.86
1300	"	"	1	3/4	5/16					"	.54	7.02
91	"	"	2		5/16					"	.56	.51
75	"	"	2	1/4	5/16					"	.63	.47
92	"	"	2	1/2	5/16					"	.60	.55
312	"	"	2	3/4	5/16					"	.68	2.12
90	"	"	3		5/16					"	.64	.58
211	"	"	3	1/4	5/16					"	.73	1.54
71	"	"	3	1/2	5/16					"	.68	.48
88	"	"	4		5/16					"	.72	.63
190	"	"	4	1/2	5/16					"	.78	1.48
38	"	"	5		5/16					"	.81	.31
768	"	"	5	1/2	5/16					"	.90	6.91
495	"	"	6		5/16					"	.94	4.65

Carried Forward

12707.85

Brought Forward

12707.85

204	E.C. Bolts	1	3/8	@	.68	1.39
112	"	1 1/2	3/8	"	.64	.72
426	"	2	3/8	"	.60	2.56
442	"	2 1/4	3/8	"	.78	3.45
84	"	2 1/2	3/8	"	.81	.68
27	"	3	3/8	"	.79	.21
148	"	3 1/2	3/8	"	.84	1.24
152	"	4	3/8	"	.90	1.37
14	"	4 1/2	3/8	"	.94	.13
426	"	4 3/4	3/8	"	1.08	4.60
140	"	5	3/8	"	1.11	1.55
128	"	5 1/2	3/8	"	.95	1.22
185	"	6	3/8	"	1.23	2.28
77	"	6 1/2	3/8	"	1.29	.99
99	"	7	3/8	"	1.35	1.34
41	"	7 1/2	3/8	"	1.41	.58
70	"	3 1/4	3/8	"	.84	.59
80	"	8	3/8	"	1.47	1.18
107	"	8 1/2	3/8	"	1.53	1.64
92	"	9	3/8	"	1.59	1.46
90	"	9 1/2	3/8	"	1.65	1.49
383	"	1 1/2	7/16	"	1.05	4.02
78	"	2	7/16	"	1.11	.87
415	"	2 1/2	7/16	"	1.17	4.85
473	"	3	7/16	"	1.22	5.77
28	"	3 1/2	7/16	"	1.29	.36
58	"	4	7/16	"	1.27	.74
186	"	4 1/2	7/16	"	1.10	2.05
79	"	5	7/16	"	1.48	1.17
46	"	5 1/2	7/16	"	1.53	.70
119	"	6	7/16	"	1.59	1.89
67	"	6 1/2	7/16	"	1.65	1.10
50	"	7	7/16	"	1.71	.86
170	"	7 1/2	7/16	"	1.27	2.16
90	"	8	7/16	"	1.83	1.65
135	"	8 1/2	7/16	"	1.89	2.55
83	"	9	7/16	"	1.95	1.62
3	"	9 1/2	7/16	"	2.01	.06
50	"	10	7/16	"	2.07	1.04
89	"	2	1/2	"	1.37	1.22
59	"	2 1/2	1/2	"	1.36	.80
384	"	2 1/4	1/2	"	1.47	5.64
83	"	3	1/2	"	1.20	1.00
18	"	3 1/2	1/2	"	1.83	.33
41	"	4	1/2	"	1.66	.68
81	"	4 1/2	1/2	"	2.17	1.76
50	"	5	1/2	"	1.82	.91
236	"	5 1/2	1/2	"	1.89	4.46
23	"	6	1/2	"	1.95	.45
13	"	6 1/2	1/2	"	2.72	.35
41	"	7	1/2	"	2.10	.86
48	"	7 1/2	1/2	"	2.18	1.05
92	"	8	1/2	"	2.27	2.09
1471	"	8 1/2	1/2	"	2.35	34.56
523	"	9	1/2	"	2.40	12.55
15	"	9 1/2	1/2	"	2.44	.37
29	"	10	1/2	"	2.55	.74
28	"	10 1/2	1/2	"	2.63	.74
7	"	11	1/2	"	2.70	.19
215	"	4	5/8	"	1.75	3.76
19	"	7	5/8	"	2.15	.41
255	Drip Rail Pulleys			"	.10	25.50
108	Weather Strip Fasteners			"	.10	10.80
378	Pieces Ventilator Fasteners - Small			"	.05	18.90
16	Jones Door Handles			"	1.00	16.00
38	Jones Door Bolts			"	.12	4.56
46	Ellis Seat Screws			"	.20	9.20
38	Window Catches			"	.20	7.60
169	Door Roll Pins	1 1/2 x 17/32		"	.08	13.52
235	"	1 1/8 x 1/2		"	.08	18.80
174	"	1 1/2 x 1/2		"	.08	13.92
115	"	1 1/4 x 1/2		"	.08	9.20
137	"	1 3/4 x 1/2		"	.08	10.96
100	"	1 5/8 x 1/2		"	.08	8.00
58	"	1 3/4 x 1/2		"	.08	4.64

Carried Forward

13018.50

Brought Forward

13018.50

65	Door Roll Pins	1	1/4	x	5/8	@	.08	5.20
230	"	1	7/8	x	1/2	"	.08	18.40
72	"	1	1/8	x	7/16	"	.08	5.76
21	Rugg Seat Screw Plates					"	.10	2.10
430	Box Car Leads					"	.10	43.00
	1 Fuse Block 4"							.20
	7 1/2 Lbs. Okonite Tape					"	.58	4.35
	5 Plugs a/c Electric Lights					"	.30	1.50
35	Davis Curtain Checks					"	.25	8.75
26	Metal Workers Crayons					"	.02	.52
18	St. Louis Reg. Springs					"	.10	1.80
	5 Brass Rings Flush Show Case Catches					"	.03 1/2	.18
677	Anti Window Rattlers					"	.03	20.31
	8 Large Push Buttons					"	.12	.96
62	Push Buttons					"	.12	7.44
24	Wood Gate Set Screws	1	x	3/8		"	.10	2.40
6	"	"	"	"	Small	"	.07	.42
3000	Brass Headed Tacks -				Large	"	.70	2.10
900	"				Small	"	.03 Pr.C .	.27
	4 3/4 Lbs. 3/4 18 Steel Wire Nails					"	.06	.28
	8 1/6 Gro. Jap Carriage Knobs					"	.22	1.79
	5 7/12 Doz. File Handles					"	.15	.84
	5 3/4 Lbs. #6 Black Burrs					"	.02 1/10	.12
3/4	Lbs. #3 Black Burrs					"	.02 1/10	.02
	6 Three Pt. Switches					"	.41	2.46
	12 Fuse Blocks					"	.20	2.40
66	E.C. Bolts	7	1/2		5/8	"	2.18	1.44
87	"	8			5/8	"	3.69	3.21
8	"	9			5/8	"	4.15	.33
106	"	10			5/8	"	3.00	3.18
40	"	12			5/8	"	3.04	1.22
23	"	13			1/2	"	3.17	.73
126	"	7			9/16	"	2.15	2.71
294	Machine Bolts	1			1/4	"	.40	1.18
27	"	1	1/4		1/4	"	.38	.10
73	"	1	1/2		1/4	"	.38	.28
350	"	2			1/4	"	.39	1.37
72	"	1	1/2		5/16	"	.43	.31
795	"	2	1/2		5/16	"	.47	3.73
119	"	3	1/2		5/16	"	.51	.61
420	"	1			3/8	"	.68	2.86
155	"	1	1/4		3/8	"	.68	1.05
118	"	1	1/2		3/8	"	.75	.88
136	"	1	3/4		3/8	"	.51	.69
424	"	2			3/8	"	.51	2.16
400	"	2	1/2		3/8	"	.54	2.16
475	"	3			3/8	"	.57	2.71
193	"	3	1/2		3/8	"	.59	1.13
192	"	4			3/8	"	.85	1.63
51	"	4	1/2		3/8	"	.55	.28
77	"	5			3/8	"	.68	.52
101	"	5	1/2		3/8	"	.95	.96
8	"	8			3/8	"	.76	.06
34	"	9	1/2		3/8	"	.92	.31
79	"	1	1/2		7/16	"	.62	.49
325	"	2			7/16	"	.66	2.15
157	"	2	1/2		7/16	"	.70	1.10
27	"	3			7/16	"	.94	.25
57	"	9			7/16	"	1.21	.69
131	"	1	1/4		1/2	"	.81	1.06
128	"	2			1/2	"	.86	1.10
46	"	2	1/2		1/2	"	.96	.44
70	"	3			1/2	"	1.20	.84
53	"	3	1/2		1/2	"	1.00	.53
34	"	3	3/4		1/2	"	1.01	.34
8	"	4			1/2	"	1.05	.08
36	"	4	1/2		1/2	"	.92	.33
135	"	5			1/2	"	1.14	1.54
64	"	5	1/2		1/2	"	1.19	.76
85	"	6			1/2	"	1.03	.87
30	"	6	1/2		1/2	"	1.26	.37
41	"	7			1/2	"	1.34	.55
54	"	7	1/2		1/2	"	1.38	.74
174	"	8			1/2	"	1.76	3.06
79	"	8	1/2		1/2	"	1.48	1.17

Carried Forward

13208.33

Brought Forward

13208.33

38	Machine Bolts	9	1/2	@ 1.51	.57
51	"	9 1/2	1/2	" 1.57	.80
18	"	10	1/2	" 1.62	.29
132	"	10 1/2	1/2	" 1.67	2.20
6	"	11	1/2	" 1.71	.10
10	"	12	1/2	" 2.23	.22
30	"	13	1/2	" 2.46	.73
8	"	14	1/2	" 2.47	.20
25	"	1 1/2	5/8	" 1.21	.30
325	"	1 3/4	5/8	" 1.24	4.03
12	"	2	5/8	" 1.28	.15
125	"	2 1/4	5/8	" 1.32	1.65
67	"	2 1/2	5/8	" 1.36	.91
77	"	2 3/4	5/8	" 1.40	1.08
100	"	3	5/8		1.43
95	"	3 1/4	5/8	" 1.48	1.42
57	"	3 1/2	5/8	" 1.51	.86
86	"	3 3/4	5/8	" 1.54	1.32
275	"	4	5/8	" 1.91	5.25
24	"	4 1/4	5/8	" 2.00	.48
175	"	4 1/2	5/8	" 2.00	3.50
13	"	4 3/4	5/8	" 1.69	.22
62	"	5 1/4	5/8	" 1.76	1.09
157	"	5 1/2	5/8	" 1.80	2.83
19	"	5 3/4	5/8	" 1.86	.35
23	"	6 1/2	5/8	" 1.96	.45
52	"	7	5/8	" 2.03	1.05
69	"	8	5/8	" 2.67	1.84
17	"	8 1/2	5/8	" 2.68	.45
18	"	9	5/8	" 1.75	.32
500	R.H. Stove Bolts	3/4 x 1/4		" .21	1.05
3330	"	5/8	1/4	" .24	7.99
556	"	3/4	1/4	" .24	1.33
3193	"	1	1/4	" .25	7.98
52	"	1 1/4	1/4	" .42	.22
400	"	1 1/2	1/4	" .25	1.00
1313	"	2	1/4	" .27	3.54
386	"	2 1/4	1/4	" .38	1.47
642	"	2 1/2	1/4	" .39	2.50
1040	"	3/8	3/16	" .31	3.22
788	"	1/2	3/16	" .36	2.84
865	"	5/8	5/16	" .26	2.25
1109	"	1	3/16	" .24	2.66
100	"	1 1/4	3/16		.24
100	"	1 1/2	3/16		.40
150	"	2	3/16	" .32	.48
54	"	2 1/2	5/16	" .67	.36
130	"	3 1/2	3/8	" 1.24	1.61
238	F.H.	1 x 3/16		" .18	.43
900	"	1/2 x 1/4		" .24	2.16
1540	"	5/8 x 1/4		" .20	2.68
548	"	3/4 x 1/4		" .20	1.10
2010	"	1 x 1/4		" .21	4.22
88	"	1 1/2	1/4	" .24	.21
348	"	2	1/4	" .24	.83
786	"	2 1/4	1/4	" .26	2.04
138	"	2 1/2	1/4	" .36	.50
190	"	2 3/4	1/4	" .38	.72
300	"	3	1/4	" .40	1.20
100	"	3 1/4	1/4		.41
300	"	1 1/2	5/16	" .27	.81
144	"	3	5/16	" .97	1.40
100	Shaft Bolts	2	1/4		.50
68	Lag Screws	1 1/2	1/4	" .41	.28
185	"	2	1/4	" .41	.76
420	"	3	1/4	" .50	2.10
456	"	5	1/4	" .62	2.83
95	"	1 1/2	5/16	" .41	.39
187	"	2	5/16	" .41	.77
22	"	2 1/2	5/16	" .47	.10
122	"	3	5/16	" .50	.61
450	"	3 1/2	5/16	" .53	2.39
173	"	1 1/2	3/8	" .54	.93
398	"	2 1/2	3/8	" .53	2.11
138	"	3	3/8	" .56	.77

Carried Forward

13318.81

Brought Forward

13318.81

231	Lag Screws	3 1/2	3/8	@	.59	1.36
328	"	4	3/8	"	.62	2.03
121	"	4 1/2	3/8	"	.65	.79
159	"	5	3/8	"	.68	1.08
40	"	1 1/2	7/16	"	.60	.24
43	"	2	7/16	"	.72	.31
50	"	2 1/2	7/16	"	.68	.34
420	"	3	7/16	"	.71	2.98
409	"	3 1/2	7/16	"	.75	3.07
44	"	2	1/2	"	.69	.30
607	"	2 1/2	1/2	"	.95	5.76
14	"	3	1/2	"	.80	.11
66	"	3 1/2	1/2	"	1.05	.69
77	"	4	1/2	"	.90	.70
5	"	4 1/2	1/2	"	.96	.05
226	"	5	1/2	"	1.01	2.28
9	"	5 1/2	1/2	"	1.07	.10
50	"	6 1/2	1/2	"	1.19	.60
18	"	7	1/2	"	1.23	.22
125	"	2	5/8	"	.95	1.19
23	"	4 1/2	5/8	"	1.38	.32
229	"	5	5/8	"	1.47	3.37
200	"	4	3/4	"	1.87	3.74
21	"	6	3/4	"	2.33	.49
2	Gro. 1 1/2 #10 R. Hd. Blued Screws			"	.91	1.82
1	1/4 Lbs. R.H. Rivets		3/8 x 1/8	"	.06 4/5	.08
1	"	"	5/8 x 1/8	"		.05
15	3/4	"	1/2 x 1/8	"	.04 4/5	.75
16	1/4	"	3/8 x 3/16	"	.06 4/5	1.10
16	3/8	"	5/8 x 3/16	"	.05 3/5	.92
4	3/4	"	3/4 x 1/4	"	.05	.23
6	"	"	1 x 1/4	"	.05	.30
3	"	"	1 1/4 x 1/4	"	.05	.15
5	"	"	1 1/2 x 1/4	"	.05 1/2	.28
3	1/4	"	2 x 1/4	"	.05	.16
7	1/2	"	2 1/2 x 1/4	"	.05	.38
13	1/4	"	3 x 1/4	"	.05	.66
15	1/2	"	4 x 1/4	"	.05	.77
3	"	"	1/2 x 1/4	"	.05	.15
1	"	"	2 x 1/8	"		.04
3	3/4	"	2 x 3/16	"	.04	.15
2	5/8	"	1 5/8 x 7/32	"	.04	.10
10	1/4	"	1 1/2 x 5/16	"	.05	.51
15	1/2	"	2 3/8 x 1/4	"	.05	.78
198	"	"	5/8 x 7/32	"	.04	7.92
160	"	"	1/2 x 7/32	"	.06 1/2	10.40
170	"	"	3/4 x 5/16	"	.0344	5.85
50	"	"	1 1/2 x 3/16	"	.05 3/5	2.80
13	1/4	"	1 3/4 x 7/32	"	.04 4/5	.63
7	3/4	F.H.	1/4 x 3/16	"	.06	.47
2	1/2	"	3/8 x 3/16	"	.06 4/5	.17
1	3/4	"	1/4 x 1/8	"	.06	.11
1/2	"	"	2 x 1/4	"	.05	.02
4	"	"	5/8 x 1/4	"	.05	.20
500	Ft. Curtain Wire			"	.01	5.00
123	Ft. Lamp Wire			"	.01	1.23
3	Lbs. Bell Wire			"	.00 3/4	.02
36	Burnished and Silver Ratchets			"	.08	2.88
34	Pfingst Ratchets			"	.25	8.50
2200	R.H. Stove Bolts 3/8 x 3/16			"	.31 Pr.C.	6.82
50	Ft. 1/4" Tubing			"	.03 1/2	1.75
15	1/2 Lbs. Ferrules			"	.08	1.24
57	Edison Lamp Sockets			"	.11	6.27
2	Weather Strips 36"			"	.09	.18
4	" 42"			"	.10 1/2	.42
16	Machine Bolts 9 1/2	5/8		"	2.32	.37
8	" 10	5/8		"	3.25	.26
5	" 10 1/2	5/8		"	2.56	.13
6	" 11	5/8		"	2.63	.16
155	" 12	5/8		"	3.63	5.62
925	C.S.Hd. 1 3/4	5/16		"	.02 2/10	20.35
420	" 2	1/2		"	.04	16.80
18	" 4 1/2	3/8		"	.94	.17
46	" 4 1/2	3/8		"	.94	.43
30	" 3	1/2		"	1.20	.36

Carried Forward

13467.84

Brought Forward

13467.84

41	C.S. Hd. Bolts	2 3/4	3/8	@	.81	.33
22	"	6	1/2	"	1.95	.43
15	Hartshorn Curtain Fixtures			"	.24	3.60
101	School House Hooks #2			"	.01 1/3	1.35
1	Jap Lifting Handle #62					.05
6	Set Blind Fasts #1672			"	.05 1/2	.33
2	1/2 Gro. Screws -Blind Security #1676			"	.12	.30
1	Doz. #26 Jap Stove Door Handles					.41
3	Doz. #25 Barn Door Latches			"	1.08	3.24
80	Transom Chains			"	.14 1/2	11.60
1/12	Gro. Sash Sockets #2186 1/2			"	21.50	1.79
15	Window Springs #71			"	.05 1/4	.79
1	1/2 Gro. 1 1/2" Shutter Knobs			"	2.40	3.60
1/6	Gro. 3/4 Shutter Knobs			"	2.40	.40
2	Gro. 2" Jap Rings			"	1.49	2.98
2	2/3 Doz. Chest Handles Jap #13			"	1.37	3.65
1	5/12 " " " #32			"	1.08	1.53
1	Box Iron Chain Jack					.32
1/3	Doz. Line Cleats #14			"	.29	.10
1/3	" Jap Iron Sheaves 3" #30			"	.44	.14
1	2/3 Doz. 2" Iron Screw Pulleys #45			"	.44	.73
6	Galv. Awning Fixtures			"	.03	.18
7	1/3 Doz. 1" Galv. Awning Pulleys			"	.44	3.23
9	3/4 " 3/4" " " "			"	.44	4.29
1	1/3 " Cast Brass Flush Bolts 4"			"	.91	1.21
9/12	" " " " " 3"			"	.75	.56
5/12	" " " " " 4 x 7/8			"	.64	.27
3/12	" " " " " 6 x 7/8			"	.60	.15
1	1/12 " " " " " 8 x 1			"	1.80	1.95
2	" " " " " 1 x 12			"	2.00	4.00
17	Lbs. Tin Nails			"	.03	.51
11	" 6 D. Finish Nails			"	.03 1/5	.35
6	" 8 D. " "			"	.0265	.16
26	" 4 D. " "			"	.0345	.90
9	" 8 D. Com " "			"	.0175	.16
6	" 10 D. " "			"	.016	.10
12	" 9 D. " "			"	.01 9/10	.23
18	" 20 D. " "			"	.0155	.28
6	" 30 D. " "			"	.0145	.09
36	" 60 D. " "			"	.0175	.63
34	" 2 D. Wrot. " "			"	.03 6/10	1.22
10	" 2 1/2 " " "			"	.03 6/10	.36
15	" 3 1/2 " " "			"	.0265	.40
2	" 8 D. Floor " "			"	.03 1/10	.06
113	1/2 Lbs. 9 D. Floor Nails			"	.02 3/10	2.61
34	" 10 D. " "			"	.01 1/2	.51
90	" 12 D. Com. " "			"	.0145	1.31
3	" 1" Wire " "			"	.02 3/10	.07
17	3/4 " 1 1/4 " "			"	.03	.53
10	3/4 " 1 1/2 " "			"	.02 1/10	.22
7	" 3" " "			"	.02 1/10	.15
17	3/4 " 4" " "			"	.017	.30
10	" 5/8 Clout " "			"	.06	.60
1	" 1" " "					.05
12	" 1 1/4 " "			"	.07	.84
4	" 1 3/4 " "			"	.05	.20
42	3/8 " 1 Dasher " "			"	.05	2.12
1	1/2 " 2 " "			"	.05 1/2	.08
22	" 1/2 19 Brads			"	.07	1.54
17	" 3/4 19 " "			"	.05	.85
18	" 1/2 " "			"	.07	1.26
6	1/2 " 3/4 " "			"	.05	.32
5	3/8 " 1 " "			"	.05	.27
10	5/8 " 1 " "			"	.04 1/2	.47
10	1/2 " 1 18 " "			"	.04 1/2	.47
18	" 1 1/4 16 " "			"	.04 1/2	.81
18	" 1 1/4 " "			"	.04 1/2	.81
8	" 1 1/2 " "			"	.05	.40
11	1/2 " 2 " "			"	.02 8/10	.32
24	" 5/8 18 " "			"	.08	1.92
8	1/2 " 5/8 20 " "			"	.10	.85
25	" 5/8 Chair Nails			"	.07 3/5	1.90
4	" 7/8 " "			"	.13	.52
12	3/4 " 1 " "			"	.08	1.02
38	" #6 Iron Burrs			"	.10	3.80

Carried Forward


13553.92

Brought Forward			13553.92
39	1/2 Lbs. 5/16 Washers	@ .07	2.77
12	" 3/8 "	" .07	.84
10	" 7/16 "	" .04 1/2	.45
112	1/2 " 1/2 "	" .04	4.50
101	" 5/8 "	" .03	3.03
21	" 3/4 "	" .03	.63
50	" 7/8 "	" .02 1/2	1.25
19	1/4 " 1 "	" .03	.58
18	3/4 " 1/4 "	" .10	1.87
6	Pieces 4 x 5 Iron Brackets	" .03 3/4	.23
1	1/2 Pcs. 6 x 8 Iron Brackets #127	" .09 5/12	.14
3	1/2 " 8 x 10 " " # 44	" .14	.49
8	" 10 x 12 " " # 44	" .13	1.04
4	" 12 x 17 " " # 15	" .11 1/2	.46
4	" 10 x 14 Register Floor	" 1.70	6.80
2	Tubular Lanterns	" .33 1/2	.67
8	Lbs. #5 Sash Line	" .25	2.00
1/2	" #4 1/2 Sash Line	" .25	.13
4	Copper Pails	" .30	1.20
1	Can Chloride Lime		.08
7500	Nickel Plated Sash Springs	" .02 1/5	165.00
6	Jones Roof Arms	" .85	5.10
22	Rosettes - Large - 7"	" .10	2.20
6	1/4 Lbs. Asbestos	" .05	.31
10	Yds. #8 30" Duck	" .21	2.10
5555	Ft. Register Cord	" .02 1/4	124.98
3	Hartshorn Curtain Fixtures	" .24	.72
15	Burrows Curtain Fixtures	" .75	9.75
64	Lbs. 27 x 1 Strip Brass	" .17	10.88
9	" Spring Wire	" .17	1.53
4	" " "	" .17	.68
4	3/4 Doz. Jap Side Pulleys 1 3/4	" .44	2.09
9	Brass Lifting Handles 3"	" .06	.54
34	Open Eyed Trace Snaps 3/8	" .05 5/9	1.89
4	Set Gate Hinges - Coppered	" .75	3.00
8	#4 Sash Centers	" .15	1.20
6	Sets Anti-Friction Casters #182	" .35	2.10
6	Drawer Rolls - Small	" .02	.12
24	" " - Large	" .02	.48
11	Jap Hooks and Fasteners	" .05	.55
10	Pair Arcade Spring Hinges	" .08 1/3	.83
3	Head Light Back Rims	" .30	.90
6	Head Light Front Rims	" .30	1.80
1	1/8 Lbs. 5/8 Solid Rubber Tubing	" 1.00	1.12
19	Ft. Weather Strips	" .06	1.14
2	Gro. 2" Jap Door Buttons #35	" .45	.90
1	" 2 1/4 " " #35		.71
2	" 2 1/2 " " #10	" 1.08	2.16
5	Sets Blind Fasteners	" .05 1/2	.28
1	Set Iron Sash Locks #433 1/2		.27
17	1/2 Set Iron Sash Locks #404	" .06 5/6	1.20
34	1/2 Set 2 1/2" Blind Hinges	" .04	1.38
29	1/2 Set Taylor Wire Blind Fast	" .05 1/2	1.62
3	Pair Gem Spring Hinges 3 1/2"	" .12 1/2	.37
4	Gro. 106 Screw Eyes	" .30	1.20
1	17/36 Gro. 206 Screw Eyes	" .27	.40
4	Gro. 208 Screw Eyes	" .20	.80
2	Lbs. 5/8 Wire Staples	" .06	.12
6	1/4 Doz. Wrot. Jap Hooks	" .14	.87
4	1/3 Doz. 6" Hooks and Staples - Jap	" .21	.91
5/8	Gro. 3" Wrot. Staples	" 1.10	.69
46	Hooks and Eyes 1 1/2"	" .01	.46
27	" " " 2"	" .02	.54
18	" " " 6"	" .03 1/8	.56
1	1/2 Gro. Hooks and Eyes 3"	" 1.22	1.83
1	2/3 Doz. Gem Gate Springs #1	" 1.50	2.50
1	Coil Door Spring #1		.13
1	1/4 Doz. Barrel Bolts 4"	" .61	.76
1	1/3 " " " 6"	" .85	1.13
3	7/12 " Square " 4"	" .82	2.94
1/4	" " " 6"	" 1.00	.25
1	3/4 " " " 8"	" 1.08	1.89
8	Eclipse Door Springs #1655	" 1.57	12.56
1	" " " #1651		.84
1	" " " #1627		2.47

Carried Forward

13966.83

Brought Forward			13966.83
4	Pawls Eclipse Springs	@ 1.50	6.00
12	Dia. Springs 1 1/2"	" .50	6.00
6	" " 1 1/4"	" .30	1.80
11/12	Doz. Jap Stove Door Handles #26	" .41	.37
1/2	" Clothes Line Hooks	" .43	.22
1/12	" Barn Door Latches #25	" 1.07	.09
1	1/6 Doz. #104 Flush Latches	" .46	.54
3	" 10" Stove Door Bolts	" 2.00	6.00
1/6	" 10" Chain Door Bolts	" 2.64	.44
11/12	" 6" Hinge Hasps	" .53	.48
77	Hinge Hasps 8"	" .07	5.39
4	" " 10"	" .05 1/2	.22
1	Doz. Strap Hinges 4"	"	.29
2	5/6 Doz. 8" Strap Hinges	" .66	1.87
13	Strap Hinges 10"	" .13 2/3	1.78
84	1/2 Lbs. Strap Hinges 14"	" .04	3.38
90	" " " 12"	" .04	3.60
46	T. Hinges 5"	" .04	1.84
8	" " 8"	" .09 1/3	.75
36	Strap Hinges 6"	" .03 1/4	1.17
16	T. Hinges 10"	" .04 1/4	.68
13	Lbs. Hvy. T. Hinges 10"	" .04	.52
22	T. Hinges 12"	" .13	2.86
44	Head Light Glasses	" .05	2.20
1685	Nut Locks 1/2"	" .52 1/2 Pr.C.	8.85
950	" " 5/8"	" .58 Pr.C.	5.51
4	Pieces 10" Brass T. Hinges	" .44	1.76
116	Car Lamp Sockets	" .15	17.40
33	Three Pt. Switches	" .42	13.86
31	Combination Switches	" .50	15.50
48	Head Light Sockets	" .07	3.36
55	Lbs. Borax	" .06 1/2	3.58
1000	Wire Tags	"	5.00
7	Bradlee Reg. Back Fixtures	" 1.00	7.00
2086	Spring Cotters 1 3/4 x 1/4	" .27 Pr.C.	5.63
500	" " 1 1/4 x 3/16	" .16 "	.80
300	" " 1 x 3/16	" .16 "	.48
1669	" " 1 1/2 x 3/16	" .16 "	2.67
2000	" " 1 x 1/4	" .16 "	3.20
1160	" " 1 1/2 x 1/4	" .18 "	2.09
2623	" " 1 1/2 x 1/8	" .11 "	2.88
500	" " 5/8 x 1/8	" .08 1/2 Pr.C.	.43
4350	" " 5/8 x 3/32	" .08 1/2 "	3.70
88	Glass Sign Holders	" .05	4.40
5	Brass Dasher Rails	" 5.00	25.00
3	St. Louis Open Car Seat Handles	" 2.00	6.00
1	St. Louis Seat Back Bracket	"	2.00
28	Small Thimbles	" .08 1/2	2.38
42	Lbs. Anti-Door Rattlers	" 1.00	42.00
15	1/2 Lbs. Sign Stick Rubbers	" 1.00	15.50
45	Car Bells	" 1.50	67.50
208	Sign Standard Bushings	" .10	20.80
21	Bell Cord Knobs	" .01 1/2	.32
86	Steel Door Springs	" .10	8.60
40	Large Open Car Leads	" .10	4.00
21	W.F. Door Rolls	" 1.00	21.00
8	Jones Door Rolls	" 1.00	8.00
20	Newburyport Rolls	" 1.00	20.00
11	Jones Door Rolls Back	" 1.00	11.00
10	Pullman Rolls	" 1.00	10.00
76	Thimbles	" .08 1/2	6.46
8	Small Jones Rolls	" .12	.96
21	Reg. Cord Arms	" .10	2.10
197	Escutcheon Pulleys	" .15	29.55
143	Escutcheons	" .10	14.30
15	St. Louis Seat Arm Screws	" .15	2.25
20	Rugg Seat Arm Screws	" .15	3.00
15	" " " " 6"	" .10	1.50
32	Ventilator Hinges	" .10	3.20
12	Pullman Door Handle Screws	" .10	1.20
41	Pieces Curtain Fixtures - Brass Foot	" .10	4.10
622	Bell Cord Fasteners	" .10	62.20
31	" " Hooks	" .10	3.10
134	Guard Rail Steps	" .20	26.80
Carried Forward			14548.24



Brought Forward		14548.24
67 Pieces Laconia Car Curtain Fixtures	⊙ .10	6.70
23 Double Sheave Pulleys	" .75	17.25
7 3/4 Lbs. Baberry Tallow	" .38	2.95
36 Machine Screws 1 3/4 x 3/8	" .00 3/4	.27
76 " " 2 1/2 x 3/8	" .01 1/19	.80
1008 Pieces Forge Friction Hinges	" .08	80.64
125 " " " "	" .08	10.00
69 Yards Cheese Cloth	" .02	1.38
6 Whisk Brooms	" .09	.54
272 Yards Scrim	" .10	27.20
3 Oilers	" .12	.36
8 Horse Car Bells	" .75	6.00
7 Jones Seat Brackets	" 2.00	14.00
2 Dasher Grab Handles	" .90	1.80
44 White Door Roll Bushings	" .15	6.60
27 W.E. " " "	" .10	2.70
26 Pieces Brass Handles - Woodsgates	" .16	4.16
26 Two Way Connections	" .10	2.60
312 2 Sign Washers 1/4" Hole	" .63 Pr.C.	1.97
312 2 1/2 " " 1/4" "	" .63 "	1.97
557 2 1/2 " " 1/2" "	" .65 "	3.62
619 2 1/2 " " 5/8" "	" .75 "	4.64
28 Trap Lifts	" .15	4.20
128 Sign Washers - Sq. Hole	" .65 Pr.C.	.83
1 1/4 Lbs. 3 Amp. Fuse Wire	" .50	.63
1 " 35 " " "	" .50	.50
1/2 " 1 " " "	" .50	.25
13 Door Cast Slides	" .75	9.75
20 Sheets Emery Paper	" .02 7/10	.54
4 " " " "	" .02 3/4	.11
36 1/4 Lbs. 2 Oz. Tacks	" .15	5.44
36 " 6 " "	" .06	2.16
100 " 8 " "	" .05	5.00
26 1/2 " 12 " "	" .15	3.97
14 Papers 22" Tinned Tacks	" .09	1.26
1/2 Ream 0 Sand Paper	" 1.80	.90
14 Back Lamp Wickings	" .05	.70
18 Small Lamp Bushings - Rubber	" .00 1/2	.09
9 Large " " "	" .03	.27
2 Gearing Mops	" .67	1.34
2 Axes	" .75	1.50
3 Axe Handles	" .12 1/2	.37
55 Sign Castings H.884	" .35	19.25
18 Brass Oil Cups Complete	" 2.75	49.50
33 " " " "	" .15	4.95
22 Rugg Seat Scoops	" 1.25	27.50
12 32 C.P. Lamps T.H.	" .28	3.36
2 Red Lantern Globes	" .13	.26
4 Emery Grindstone Sharpeners	" .37 1/2	1.50
2 Lbs. Asbestos Packing	" .12	.24
4 Doz. Head Light Wicks	" .10 1/2	.42
1/4 Gro. Large Wicks 2 1/2" Wide	" 1.50	.37
1/4 Doz. Base Knob Stops	" .50	.13
1 1/3 Doz. Tubular Lantern Fletcher Wicks	" .02 1/3	.03
16 Lbs. 1/2" #10 Copper Rivets	" .20	3.20
12 5/8 Lbs. 5/8" Copper Rivets #10	" .20	2.52
8 7/8 " 5/8" " " # 8	" .20	1.77
1/2 " 1/2" " " 1/8	" .20	.10
1 3/4 " Copper Burs #6	" .21	.37
2 3/8 " " " #8	" .21	.50
3 1/4 " " " #10	" .21	.68
3/4 " " Rivets 1 x 1/8	" .20	.15
9 Polished Nickel Plated Shaft Tips 1 x 2	" .07 1/2	.68
25 T.H. Keyless Sockets	" .15	3.75
1 11/18 Gro. Cast Brass Cupboard Catches #25	" 12.00	19.33
76/144 " " " " "	" 12.00	6.33
2 1/2 Lbs. 1/2 - 16 Brass Escutcheon Pins	" .18	.45
141 Pieces Duchman's Transom Rivets Brass	" .05	7.05
22 Battery Zincs	" .05	1.10
6 Door Fuses	" .10	.60
4 St. Louis Spring Catches #25	" .25	1.00
17 Gro. 1 1/4 - 8 Diamond Pointed Screws	" .10	1.70
4 " 1 1/2 - 8 R.H. Blued Screws	" .19	.76
3 Lbs. 1/4" Iron Burs	" .27	.81
50 Ventilator Fasteners	" .10	5.00
9 Door Strikers	" .05	.45

Carried Forward

14952.01

		Carried Forward		14952.01
9	Edison Lamp Sockets		@ .20	1.80
7	Lbs. Grimshaw Tape		" .38	2.66
11	1/2 Lbs. 3/4 Clout Nails		" .07	.81
5	Ceiling Rosettes		" .05	.25
84	Fly Door Catches		" .15	12.60
132	Reflectors - Head Light		" .10	13.20
118	16 C.P. Car Lamps		" .16 1/4	19.18
21	Sign Castings H.668		" .35	7.35
300	Tire Bolts 1 1/2 3/16		" .38	1.14
1976	" " 1 3/4 3/16		" .38	7.51
80	" " 2 3/16		" .40	.32
475	" " 2 1/2 3/16		" .44	2.09
100	" " 3 1/2 3/16			.50
860	" " 1 3/4 1/4		" .54	4.64
600	" " 2 1/4		" .56	3.36
260	" " 2 1/2 1/4		" .63	1.64
500	" " 2 3/4 1/4		" .53	2.65
136	" " 3 1/4		" .60	.81
31	" " 4 1/4		" .81	.25
359	" " 2 5/16		" .76	2.73
860	" " 2 3/4 5/16		" .70	6.02
29	" " 3 5/16		" .91	.26
960	" " 3 1/2 5/16		" .99	9.50
800	" " 4 1/4 5/16		" 1.10	8.80
300	" " 4 1/2 5/16		" 1.14	3.42
117	Lbs. Short Cable Link Chain 3/16		" .04	4.68
283	" " " " 5/16		" .13 1/2	38.20
271	" " " " 3/8		" .13 1/2	36.59
450	" " " " 7/16		" .13 1/2	60.75
379	" " " " 1/2		" .15	56.85
139	" Large Link Trace Chain 5/16		" .10	13.90
113	Ft. Twist Link Chain 5/16		" .07	7.91
21	" " " " 1/4		" .07	1.47
500	Lbs. Brake Chain		" .08 1/2	42.50
58	Long Switch Sticks		" .35	20.30
5	3/4 Doz. Fork Handles 4 1/2'		" .63	3.62
125	Snow Sled Whiffletrees Complete		" .75	93.75
795	Lbs. Top Twister Blocks H.C.		" .02 1/4	17.89
420	Box Car Sashes		" 1.50	630.00
146	" " Ventilators		" 1.00	146.00
125	Lbs. Square Nuts 5/16		" .04 1/2	5.63
155	" " " 3/8		" .04 1/2	6.98
63	" " " 1/2		" .04 1/2	2.84
98	" " " 5/8		" .03	2.94
94	" " " 3/4		" .02 7/8	2.70
64	" " " 7/8		" .02 5/8	1.68
160	" " " 1"		" .02 5/8	4.20
260	" " " 1 1/8		" .02 5/8	6.83
180	" " " 1 3/4		" .04 1/2	8.10
258	" Hex. " 3/8		" .05 7/10	14.71
42	" " " 7/16		" .05 7/10	2.39
158	" " " 1/2		" .05 7/10	9.01
80	" " " 5/8		" .04 4/5	3.84
43	" " " 3/4		" .04 3/10	1.85
30	" " " 7/8		" .04 1/10	1.23
30	" " " 1		" .05 4/10	1.62
1830	Nut Locks 3/4		" .01 1/5	21.96
1944	" " 7/8		" .01 3/10	25.27
72	" " 1		" .01 6/10	1.15
2800	" " 3/8		" .00 8/10	22.40
40	Lantern Globes		" .06 5/6	2.73
45	Brass Twister Handles 250 Lbs. C.H.		" 3.00	135.00
230	Lbs. Brake Dogs		" .02 1/4	5.18
485	Pieces Mal. Iron O.C. Grab Handles 1 1/4 Lbs. Ea.		" .12	58.20
380	Lbs. Clinch Nails 2 1/2 18 Dwt.		" .03 6/10	13.68
200	" " " 3 1/2" 10 "		" .0265	5.30
168	" " " 2"		" .03 6/10	6.05
100	" " " 1 1/2"		" "	3.60
650	" Finish " 2 1/2" 6 Dwt.		" .03 1/5	20.80
800	" " " 2" 4 "		" .0345	27.60
158	" " " 1 1/2" 2 "		" .03 1/5	5.06
100	" " " 2 1/2" 8 "		" "	2.65
62	" " " 1 1/2" 1 "		" .03 1/5	1.99
160	" " " 1 3/4 8 "		" .03 1/5	5.12
374	" Steel Wire Nails 8 "		" .0185	6.92

Carried Forward

16687.12

Brought Forward

16687.12

272	Lbs.	Steel Wire Nails	2 Dwt.			@	.03	8.16
300	"	"	"	6	"	"	.0245	7.35
255	"	"	"	10	"	"	.02 1/10	5.36
290	"	"	"	20	"	"	.01 7/10	4.93
178	"	"	"	3	"	"	.02 1/10	3.74
164	"	"	"	30	"	"	.03 1/10	5.08
100	"	"	"	60	"			1.65
145	"	"	"	4	"	"	.02 1/10	3.00
258	"	"	"	40	"	"	.0155	4.00
71	"	"	"	5	"	"	.0245	1.74
50	"	"	Brads	1 1/2"	#15	"	.05	2.50
50	"	"	"	2"	#13	"	.02 8/10	1.40
75	"	"	"	1"	#16	"	.05	3.75
25	"	"	"	1/2"	#19	"	.07	1.75
100	"	"	"	1/2"	#15			7.00
50	"	"	"	3/4"	#18	"	.05	2.50
25	"	"	"	5/8"	#18	"	.08	2.00
75	"	"	"	2 1/2"	#12	"	.02 8/10	2.10
179	"	"	"	3 1/2"	#10	"	.0242	4.33
80	"	"	"	2 1/2"	# 8	"	.02 8/10	2.24
164	"	"	"	1 1/4"	#14	"	.04 1/2	7.38
34	"	"	"	1 1/2"		"	.05	1.70
34	"	"	"	1 1/4"		"	.04 1/2	1.53
552	"	Refined Iron Nails	50 D.			"	.01 1/2	8.28
400	"	"	"	40 D.		"	.01 1/2	6.00
572	"	"	"	30 D.		"	.0145	8.29
700	"	"	"	20 D.		"	.0155	10.85
600	"	"	"	10 D.		"	.01 6/10	9.60
300	"	"	"	9 D.		"	.01 9/10	5.70
700	"	"	"	8 D.		"	.0175	12.25

TOTAL SEPT. 1-----16833.28
 MATERIAL RECEIVED & CHARGED DURING SEPT.-----911.92

MATERIAL USED DURING SEPT.-----17745.20
 TOTAL SEPT. 30, 1897 -- HARDWARE -----1253.23
 16511.97


--:-- PAINT SHOP --:--

6	Lbs.	Ground Glass	20 x 30			@	.39	2.34
33	"	"	"	22 x 52		"	.65	21.45
16	"	"	"	24 x 42		"	.85	13.60
28	"	"	"	20 x 40		"	.64	17.92
50	"	"	"	18 x 40		"	.48	24.00
6	"	"	"	35 x 48		"	1.77	10.62
50	"	Register Glass				"	.05	2.50
900		Electric Head Lights				"	.05	45.00
21	Lts.	Mirror Glass	8 x 19 1/2			"	.75	15.75
2	Boxes	Glaziers Points				"	.10	.20
72	Lts.	Bent Ground Glass	6 x 21			"	.25	18.00
22	"	"	"	6 x 17		"	.25	5.50
59	Square Ft.	Red Glass				"	.14	8.26
86	"	Blue, Yellow & Green Glass				"	.13	11.18
77	"	Enameled Glass				"	.09	6.93
31	Lbs.	Corn Starch				"	.05	1.55
30	"	Striping Color				"	.25	7.50
15	"	B. Sienna (In Oil)				"	.09 1/2	1.42
20	"	B. Umber "				"	.10	2.00
13	"	Plaster Paris				"	.00 1/2	.06
35	"	Peacock Blue (In Jap)				"	.26	9.10
60	"	Paris Green				"	.32 1/2	19.50
12	"	Bees- Wax				"	.30	3.60
5	"	Indian Red				"	.12	.60
224	"	Silax				"	.03	6.72
30	"	Black Smalts				"	.10	3.00
5	"	Gold Bronze				"	1.00	5.00
255	"	Venetian Red				"	.01 1/2	3.83
14	"	Stone Ochre (In Oil)				"	.06 4/10	.90
69	"	Chrome Yellow				"	.13	8.97
25	"	Prussian Blue				"	.20	5.00
133	"	Lamp Black				"	.12	15.96
30	"	Rock pumice Stone				"	.08	2.40

Carried Forward

300.36


Brought Forward			300.36
15 Lbs.	Oxalic Acid	@ .12	1.80
15 "	Ult. Blue (In Jap)	" .40	6.00
25 "	Flake White	" .25	6.25
75 "	Emerald Green (In Oil)	" .10 1/2	7.87
250 "	Red Lead	" .05145	12.86
35 "	Paris White	" .02	.70
2 "	#40 Carmine	" 3.50	7.00
4 1/2 Lbs.	Carmine Paste	" 5.00	22.50
63 "	French Zinc	" .06 1/4	3.94
100 "	Potash	" .06	6.00
10 "	Carnage Part Lake	" .40	4.00
1 Gal.	Gold Size		2.50
7644	Sheets Panel Transfers	" .80	6115.20
3852	" Glass "	" .40	1540.80
5	Packs Nickel Leaf	" .70	3.50
4860	Lbs. Lead (In Oil)	" .0514 1/2	250.05
78	Gal. Linseed Oil	" .29	22.62
50 "	Spirits	" .30 1/2	15.25
23 "	Japan	" 1.20	27.60
27 "	Dryer	" .55	14.85
150 "	Fin. Varnish (Bat.)	" 2.50	375.00
108 "	Rub. " "	" 2.35	253.80
50 "	Alcohol	" 2.34	117.00
30 "	Naptha	" .08 1/4	2.48
20 "	Asphaltum	" .20	4.00
16 "	Orange Shellac	" 2.85	45.60
40 "	White Shellac	" 3.00	120.00
22 1/2 Gal.	Wood Alcohol	" 1.65	37.13
22 "	Kerosene Oil	" .08 3/4	1.92
98	Lbs. Drop Black	" .20	19.60
80 "	C.P. Green	" .25	20.00
28 "	Ult. Blue	" .17	4.76
25 "	Prussian Blue (In Jap)	" .54	13.50
36 "	Spooner's Yellow	" .48 1/2	17.46
60 "	W. & H. Yellow (Jap)	" .25	15.00
925 "	Brandon Yellow	" .01 1/2	13.88
35 "	Golden Ochre	" .20	7.00
20 "	Buff	" .20	4.00
30 "	Tuscan Red	" .22	6.60
20 "	W.E. Carmine	" .55	11.00
133 "	Am. Vermilion	" .22	29.26
83 "	Eng. " "	" .68	56.44
500 "	Metallic	" .01 1/4	6.25
180 "	Dry W. Lead	" .0514 1/2	9.26
233 "	Powdered Pumice Stone	" .02 1/2	5.83
375 "	Whiting	" .00 9/10	3.38
200 "	Savogran	" .06	12.00
25 "	Portland Amber	" .28	7.00
65 "	Orange	" .35	22.75
40 "	Amora Red	" .75	30.00
20 "	B. Sienna (In Jap)	" .20	4.00
20 "	Raw Sienna "	" .20	4.00
10 "	B. Umber "	" .19	1.90
25 "	Raw Umber "	" .19	4.75
1	Box Plain Glass 20 x 40		4.86
4	" " " 24 x 30	" 5.10	20.40
1	" " " 24 x 26		4.68
3	" " " 24 x 24	" 4.68	14.04
2	" " " 20 x 36	" 4.76	9.52
1	" " " 18 x 36		3.33
8	" " " 28 x 28	" 4.74	37.92
2	" " " 18 x 34	" 5.16	10.32
3	" " " 26 x 32	" 4.32	12.96
5	" " " 20 x 30	" 3.14	15.70
16	" " " 28 x 32	" 5.08	81.28
13	" " " 28 x 30	" 4.74	61.62
3	" " " 18 x 38	" 3.85	11.55
5	" Ground " 20 x 30	" 5.27	26.35
15	Lts. Plain " 22 x 22	" .32	4.80
11	" " " 20 x 40	" .54	5.94
10	" " " 20 x 30	" .27	2.70
13	" " " 24 x 26	" .39	5.07
8	" " " 20 x 26	" .34	2.72
17	" " " 26 x 28	" .55	9.35
15	" " " 26 x 32	" .48	7.20
16	" " " 28 x 28	" .40	6.40
15	" " " 28 x 30	" .45	6.75
15	" " " 28 x 32	" .45	6.75
10	" " " 18 x 34	" .43	4.30
Carried Forward			
			10034.71



Brought Forward			10034.71
8	Lts. Plain Glass 20 x 34	@ .26	2.08
8	" " " 22 x 32	" .51	4.08
9	" " " 24 x 30	" .51	4.59
6	" " " 18 x 38	" .42	2.52
11	" " " 26 x 26	" .55	6.05
25	" " " 30 x 38	" .61	15.25
226	" Scroll	" .10	22.60
46	" Plain	" .10	4.60
380	" Different Sizes	" .10	38.00
TOTAL SEPT. 1 -----			10134.48
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			1620.06
MATERIAL USED DURING SEPT. -----			11754.54
TOTAL SEPT. 30, 1897 -- PAINT SHOP -----			2038.91
			9715.63

--:- TRIMMING SHOP --:-


1	8/12 Doz. Spools of Green Cotton #40	@ .45	.75
7	Pieces Furriers Wadding	" .62	4.34
2	Doz. Springs for Buggies	" 1.56	3.12
27	Yards Pantasote Curtain Cloth 30"	" .90	24.30
23	" Crown Olive Curtain Cloth	" .35	8.05
120	" 54" Cotton Cloth	" .11 1/2	13.80
14	" Enamel Duck	" .50	7.00
16	" Rubber Duck	" .70	11.20
2	Gro. #3 Brass Gummets	" .42	.84
7	Strips Linoleum	" 2.25	15.75
4	Yards Buckram	" .07	.28
95	" Grain Pebbled Leather	" .48	45.60
9	Hartshorn Rollers 1 1/4"	" .42	3.78
7	Curtains for Newburyport Cars	" 1.75	12.25
1	Gro. 3/4" Skate Buckles		.90
1/3	" 1 1/8" Roller Buckles	" 2.00	.67
1/6	" 1 1/4" " "	" 2.12	.36
1/6	" 1 3/4" " "	" 2.19	.36
3	Sticks Black Ball	" .05	.15
36	Yards Bullion Fringe	" .06	2.16
10	" Carriage Cloth	" 2.50	25.00
4	" Wilton Carpet	" 1.25	5.00
110	Ft. Trimming Leather	" .20	22.00
80	" Grain Dasher Leather	" .28	22.40
61	Lbs. Harness Leather	" .22	13.42
20	" Russet Strap Leather	" .45	9.00
70	Ft. Flap Leather	" .05	3.50
4	Gro. Green Cloth Buttons	" .33	1.32
8	Beveled Curtain Lights	" .13	1.04
16	Prs. Silver Shaft Tips 7/8 x 1 3/4	" .07 1/2	1.20
8	" " " " 1 x 1 3/4	" .07 1/2	.60
1	Box Patent Button Fasteners		.13
6	Doz. Jap Boot Hooks and Rings	" .25	1.50
5	" Prop Nuts 1 1/2"	" .36	1.80
2/3	" " " 1 3/4"	" .72	.48
4	Sleigh Whip Sockets	" .35	1.40
1	5/6 Doz. Wooden Whip Sockets	" 1.75	3.21
2	Bottles Edge Blacking	" .15	.30
2	Gro. Cloth Covered Nails	" .60	1.20
2	" Carriage Screw Knobs	" .22	.44
2	Doz. Papers 2 1/2 Oz. Tacks	" .29	.58
2	" " 4 Oz. Lining Tacks	" .54	1.08
35	Papers 12 Oz. Lining Tacks	" .15	5.25
11	" 16 Oz. Tacks	" .20	2.20
8	Gro. Red Braid	" 1.60	12.80
1	3/4 Gro. Brass Buckles 1"	" 4.44	7.77
25	Lbs. Tufting Twine	" .45	11.25
31	Gro. Plush Buttons	" .50	15.50
9	Doz. Spools #30 O.N.T. Cotton	" .45	4.05
4	Lbs. #25 B. Linen Thread	" .89	3.56
4	" #30 Brown Thread	" 1.27	5.08
6	Gt. Gro. Jap Buttons	" 2.16	12.96
1	Piece Furniture Webbing		.75
Carried Forward			353.43



Brought Forward			353.43
5 Lbs. Piping Cord	@ .13		.65
1 3/4 Doz. Spools Orange Silk	" 7.00		12.25
4 Yards 60" Oil Duck	" 1.00		4.00
50 " Spanish Plush	" 1.50		75.00
26 " Moquette	" 4.00		104.00
77 " 60" Duck	" .42		32.34
24 2/3 Yards 48" Duck	" .34		8.39
16 " 72" "	" .54 1/2		8.72
88 1/2 " 34" "	" .14 1/4		12.61
67 1/2 " 40" "	" .24		16.20
225 " Awning Cloth	" .25		56.25
3640 " " "	" .19		691.60
15 Lbs. Red Felt	" 1.10		16.50
20 Empty Bags	" .50		10.00
100 Yards Seaming Lace	" .11		11.00
2000 Lbs. S.H. Curled Hair	" .10		200.00
20 Yards Green Cambric	" .07		1.40
1 Doz. Pray's Apron Fasteners			1.00
TOTAL SEPT. 1 -----			1615.34
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			302.84
			1918.18
MATERIAL USED DURING SEPT. -----			129.02
TOTAL SEPT. 30, 1897 -- TRIMMING SHOP -----			1789.16

--:-- TIN SHOP --:--


235 Bales Wood	@ 30 Pr.C.		.70
27 Lbs. #2 Tinned Troy Ears	" .15		4.05
3/4 Lbs. #1 " " "	" .15		.11
169 Sheets Tin 1 x 14 x 20	" .05 5/14		9.05
533 Sheets M.F. Roofing Tin	" .04 51/56		26.17
1 3/8 Lbs. Spring Brass	" .19		.26
306 3/4 " Solder	" .10 1/2		32.21
200 #0 Tubular Burner Caps	" .02 1/2		5.00
3 5/6 Doz. #0 Tubular Burners	" .50		1.92
6 1/6 " #0 " Globe Holders	" .60		3.70
272 " #0 " Collars	" .01		2.72
186 " #0 " " Caps	" .02 1/2		4.65
11 1/2 Lbs. 18 Oz. Copper	" .16		1.84
25 Dampers - Assorted Sizes	" .25		6.25
33 Lbs. Black Lead	" .10		3.30
3/4 Lbs. Brass Wire Netting	" .30		.23
2 1/4 Lbs. #18 Annealed Stove Wire	" .05		.11
25 Dover Can Spouts	" .03		.75
21 Chace Pat. Can Screws	" .01 1/10		.23
7/12 Doz. #5 Tinned Kettle Ears	" .16		.09
57 R.H. Stove Bolts 1 1/4 x 1/4	" .42 Pr.C.		.24
22 F.H. " " 2 x 1/4	" .47 "		.10
2/3 Gro. R.H. Brass Screws 5/8 - 8	" .28		.19
5/24 " F.H. Iron Screws 1 1/2 - 10	" .09		.02
1/2 Lb. 22 Oz. Swedes Tinned Iron Tacks	" .09		.05
1 1/2 Lbs. R.H. Iron Rivets 5/8 x 3/16	" .04 1/2		.07
7 3/4 " Wire Tin Rivets 1/2" - 10	" .08		.62
1/4 " 8 Lb. Tin Rivets	" .09		.02
9 3/4 " 4 Lb. " "	" .09		.88
7 3/4 " 1 1/2 " "	" .10		.77
2 1/4 " 1 Lb. " "	" .19		.43
14 3/4 " #14 Tin Wire	" .12		1.77
12 3/4 " 10 Galv. Wire	" .05 1/2		.70
16 " 8 " "	" .04 1/2		.72
151 1/4 " 9 Oz. Zinc	" .07 1/4		10.97
261 1/4 " #16 Band Iron	" .01 3/4		4.58
38 " 3/16 Norway Iron	" .03		1.14
329 " Galv. Iron 24/36	" .03 3/4		12.34
445 " " " 24/30	" .03 1/4		14.46
85 " " " 24/26	" .03		2.55
146 1/4 " " " 24/44	" .03 3/4		5.48
Carried Forward			161.44



Brought Forward					161.44
77	3/4	Lbs. Galv. Iron	22/26	@ .03	2.33
766	"	Am.Rfd. "	24/24	" .03	22.98
998	3/4	" "	24/30	" .03	29.96
35	1/2	" 14 Oz. Zinc		" .07	2.49
3	1/2	Oz. Mica		" .37 1/2	1.32
25	Bu.	Charcoal		" .10	2.50
TOTAL SEPT. 1 -----					223.02
MATERIAL RECEIVED & CHARGED DURING SEPT. -----					69.05
					292.07
MATERIAL USED DURING SEPT. -----					46.66
TOTAL SEPT. 30, 1897 -- TIN SHOP -----					245.41

-:- LUMBER, MOULDING, WINDOWS, &c. -:-

35090	Ft.	Whitewood		@ .03 1/2	1228.15
2891	"	Basswood		" .03	86.73
11699	"	Cherry		" .11 1/2	1345.39
354	"	Hickory		" .06	21.24
47358	"	Western Ash		" .04	1894.32
7891	"	Northern Ash		" .05	394.55
11261	"	Oak		" .05	563.05
3504	"	Soft Pine		" .05	175.20
9511	"	Hard Pine		" .03 1/2	332.88
3547	"	Maple		" .05	177.35
7161	"	Maple K.D.		" .05	358.05
21832	"	Spruce		" .01 1/2	327.48
277	"	Spruce Matched		" .01 7/10	4.71
5176	"	Hd. Pine Flooring		" .04	207.04
87	"	Coffin Pine		" .02 4/5	2.44
168	"	Black Walnut		" .09 1/2	15.96
6898	"	Birch		" .03	206.94
318	"	Quartered Oak		" .07 1/2	23.85
64	"	Cypress		" .03 6/10	2.30
374	"	Quartered Oak Sheathing		" .08	29.92
274	"	Oak Sheathing		" .08	21.92
131	"	Spruce Sheathing		" .01 7/10	2.23
84	"	Cypress "		" .05 2/10	4.37
178	"	Whitewood "		" .03 1/2	6.23
51	"	Fine "		" .05 2/10	2.65
219	"	Ash "		" .05	10.95
2308	Rg. Ft.	Toe Guards	4 1/2"	" .04	172.32
750	"	Quartered Rd. Pine	3/4"	" .01	7.50
2577	"	Whitewood Moulding	1"	" .01	25.77
744	"	" "	1 1/8"	" .01	7.44
780	"	" "	1 1/4"	" .01	7.80
2930	"	" "	3/4"	" .01	29.30
89	"	" "	1 1/2"	" .01	.89
552	"	" "	5/8"	" .01	5.52
312	"	" "	1/2"	" .01	3.12
140	"	Pine	1"	" .01	1.40
977	"	Ash	1"	" .01	9.77
300	"	Cherry	1"	" .06	18.00
262	"	" "	2 1/4"	" .06	15.72
200	"	" Seat Back Rails		" .05 1/4	10.50
5990	"	W. Wood Sash Bead		" .00 1/8	7.49
2964	"	" " "		" .00 1/8	3.71
73		Side Bars for Trolleys		" .30	21.90
125		Cross Bars for Trolleys		" .20	25.00
56		Scraper Planks		" .31	17.36
298	Ft.	Spanish Cedar		" .30	89.40
474		Foot Rests		" .20	94.80
78	Rg. Ft.	Pine Batten	3" x 3/4"	" .05 1/4	4.10
265	"	Fence Capping	2 1/4"	" .03	7.95
84	"	Sash Bars Pine	1 1/2"	" .01	.84
254	"	W. Wood Dental Cornices		" .06	15.24
128	"	Rd. Corner Bead Pine		" .00 1/2	.64
264	"	" " " "		" .00 1/2	1.32
Carried Forward					8050.70



Brought Forward

8050.70

176 Rg. Ft. Hd. Pine Bead	@ .00 1/2	.88
52 " " Bake Moulding W. Wood	" .04	2.08
36 " " Crown Moulding Pine	" .05	1.80
72 " " Chair Rail Moulding Ash	" .01	.72
130 " " Chair Rail Moulding Pine	" .01	1.30
40 " " Crown Moulding Pine	" .02	.80
120 " " " " W. Wood	" .04	4.80
80 " " " " Pine	" .50	4.00
46 " " W. Wood Finish	" .06	2.76
52 " " Beaded Sheathing Ash	" .05	2.60
88 " " Panel Moulding W. Wood	" .00 1/2	.44
30 " " Scotia Pine Moulding	" .00 3/4	.22
45 " " Rake Moulding W. Wood	" .04	1.80
375 " " Standing Finish W. Wood	" .06	22.50
24 " " Corner Blocks W. Wood	" .05	1.20
1180 Rd. End Cedar Shingles		4.00
3 Bundles Cedar Shingles	" .90	2.70
3 " Spruce Clapboards	" .95	2.85
38 Ft. Cypress Gutters 4 x 5	" .08	3.04
14 " " " 4 x 6	" .08	1.12
79 " " " 5 x 6	" .08	6.37
40 " " " 5 x 8	" .10	4.00
4 Sash 6 Lts. 10 3/4 x 14 x 1 1/2	" .90	3.60
2 " " 10 x 14 1/2 x 1 1/2	" .90	1.80
1 " " 12 x 18 x 1 3/4		1.00
1 " " 10 x 11 x 1 1/2		.80
2 " " 13 3/4 x 11 x 1 1/2	" 1.00	2.00
1 Window 12 Lts. 10 x 13 1/2 x 1 1/2		1.00
4 " " 12 x 15 x 1 1/2	" 1.00	4.00
420 Box Car Sash Frames	" 1.50	630.00
146 Ventilators	" .50	73.00

TOTAL SEPT. 1 -----	8839.88
MATERIAL RECEIVED & CHARGED DURING SEPT. -----	995.90
	<u>9835.78</u>
MATERIAL USED DURING SEPT. -----	1144.14
TOTAL LUMBER SEPT. 30, 1897 -----	<u>8691.64</u>

--_REFINED IRON AND DASHER IRON --_

8469 Lbs. Angle Iron	@ .01 3/4	148.21
4138 " T "	" .02	82.76
1220 " Right R. Iron	" .01 3/4	21.35
122300 " Refined "	" .01 3/4	2140.25
2139 " Band "	" .02 1/2	53.48
435 " Dasher "	" .03 1/4	14.14

TOTAL SEPT. 1 -----	2460.19
MATERIAL RECEIVED & CHARGED DURING SEPT. -----	23.63
	<u>2483.82</u>
MATERIAL USED DURING SEPT. -----	79.96
TOTAL SEPT. 30, 1897 -----	<u>2403.86</u>

--_NORWAY IRON --_

42498 Lbs. Norway Iron	@ .03	1274.94
TOTAL SEPT. 1 -----	1274.94	
MATERIAL RECEIVED & CHARGED DURING SEPT. -----	169.86	
	<u>1444.80</u>	
MATERIAL USED DURING SEPT. -----	138.97	
TOTAL SEPT. 30, 1897 -----	<u>1305.83</u>	

-:- STEEL -:-

1023	Lbs. Sanderson Steel	@	.14	143.22
341	" Jessop "	"	.21	71.61
153	" Howe's "	"	.06 1/2	9.94
7022	" Spring "	"	.04	280.88
3140	" Soft "	"	.02 1/2	78.50
1688	" Bessemer "	"	.01 1/4	21.10
25	" Musket "	"	.20	5.00
14076	" Bacon "	"	.01 3/4	246.33
11840	" Glendon "	"	.02 2/10	260.48
12485	" Machine "	"	.02	249.70
5495	" Dasher "	"	.02	109.90


TOTAL SEPT. 1 -----	1476.66
MATERIAL RECEIVED & CHARGED DURING SEPT. -----	266.14

MATERIAL USED DURING SEPT. -----	1742.80
TOTAL SEPT. 30, 1897 -----	222.79
	<u>1520.01</u>



-:- OLD MATERIAL -:-

BARTLETT STREET SHOPS

102	Ft. Wire Rope 3/8 & 1/2
12000	Lbs. Bessemer Steel 5 x 1 3/8
264	" Toe Caulk Steel
71	Student Burners
22	Spindles and Ratchets a/c Head Lights
310	2 1/2 Rubber Knobs a/c Head Lights
6	Nickel Plated Chimney Holders
3	3 H. Brass Castings a/c Head Lights
43	J. B. M. Collars
73	Smith Wick Feeders
104	Thumb Screws
120	J.B.M. Springs
118	10" Horse Power Links
45	Tool Bags
130	Knee Pads
47	Tool Bags (Partly Finished)
243	Truck Yokes
375	6" Wrot. Iron Spikes
75	Spectacles
66	Knuckles
1421	Smith & Howard Centre Lamp Globes
1	3/4 Gro. Belt Clasps Copper
5	Howard Brass Lamp Rings
35	Smith Chimney Tops - Brass
17	Howard Lamp Rings - Brass - Small
145	Smith " " Nickel - Large
25	Large Smith Reflectors
100	Small " "
169	Counter Weights 126750 Lbs.
9	Motor Bolts 4 3/4 x 7/8
4	" " 6 x 1
11	" " 4 1/2 x 3/4
11	" " 6 1/2 x 7/8
6	" " 8 x 1
17	" " 5 x 1
19	" " 7 x 3/4
100	" " 3 1/2 x 1/2
14	Top Spring Castings 57 D. Trucks
14	Springs 14 1/2 x 5/8
5	" 11 x 5/8
45	" 6 1/2 x 5/8
54	" 6 x 3/8
30	Barn Door Rolls 10"
56	" " " 8"
5	" " " 4"
2	" " " 6"
1	" " " 11"



7 Barn Door Latches
 8 " " Latch Handles
 91 H. C. Truss Braces
 450 Hirt Steel Scrapers 2558 Lbs.
 3600 E. C. Bolts 1 x 3/16
 249 Lbs. Rail Spikes
 40 Gro. R. H. B. Screws 2" #18
 101 " " " 1 3/4" #12
 40 " " " 2 1/2" #16
 43 " " " 3" #18
 26 " " " 3" #20
 1772 Machine Bolts 1 x 5/16
 3958 " " 1 1/4 x 5/16
 1588 " " 3/4 x 5/16
 1257 " " 1 1/2 x 1/2
 4 Hay Cutter Fly Wheels
 9 " " Gear "
 56 Open Car Step Hangers 846 Lbs.
 16 Hay Cutter Gear Wheels
 5 15" Large Brass Brake Wheels
 36 Box Car Gates
 283 Lbs. Rubber Tubing
 81 Lbs. O.H. Rivets 1 1/2 x 1/2
 143 " " " 4 1/2 x 7/16
 70 " " " 1 1/4 x 1/2
 113 " " " 3 1/2 x 1/2
 89 " " " 3 3/4 x 1/2
 95 Sheave pulleys
 180 Lag Bolts for Horse Power
 6120 Lbs. Elect. Car Brake Shoes
 298 Old Horse Car Truss Pockets
 76 Lbs. Truss Plugs
 69 " H 745 Chafing Irons
 144 " H 748 " "
 100 Castings C #234
 17 Truss Bolts & Nuts 20" x 1 1/4"
 76 Brass Dasher Post Nuts
 88 Brass Grab Handle Nuts
 18 T. Chest Hinges
 118 Bemis Box Covers
 20 Howard Centre Lamps
 46 Howard Smoke Stack Lamps
 481 Smith Reflector Strips
 11000 Lbs. Scrap Brass
 6 Tons Scrap Cast Iron
 2 Tons Scrap Wrot. Iron
 142 Steel Brushes - Electric Sweeper
 564 S. H. Head Lights - Electric
 57 Stable Lanterns S.H.
 375 H.C. Wooden Poles
 280 Iron Poles
 400 Eveners & Whiffletrees
 257 Sash Frames a/c Cars
 80 Blinds a/c Cars
 116 Ventilators a/c Cars
 43 Sill Door Track
 14 Wire Lantern Guards
 162 Brass Reflector Rings
 32 Iron Door Handles
 78 Bemis Box Washers
 6 Bemis Box Feltings
 2 6" Barn Door Rollers
 92 Machine Bolts 3 1/2 x 1" S
 46 Burns & Silver Brake Staff Handles S.H. Horse Cars
 75 Lbs. Copper Bars 48" x 1 1/4 x 1/4"
 8 Open Car Seat Back Arms - Camb.
 10 Highland Horse car Door Tracks
 10 Pcs. D. & D. Snow Scraper Irons
 2 Box Car Step Hangers
 8 Brill Compositions 72 Lbs.
 82 Hirt Brake Lever Castings
 26 H.C. Sill Spring Cups 117 Lbs.
 60 Brake Shoe Links
 50 S.H. Car Box Covers
 22 Taunton Burs
 56 Large White Porcelain Shades
 25 Double Nut Locks
 10 Large Arc Light Globes

-67 Pcs. Barn Door Rolls or Hangers
 50 Pcs. Head Light Castings 34 Lbs. Brass
 50 Old Sand Boxes H. Cars
 15 Gear Wheels (Various Sizes)
 56 Spring Cup Castings 140 Lbs.
 3 Short Brass D. Bar Cages
 1800 Lbs. Nuts (Not Standard)
 60 Platform Gate Plates
 16 Box Car Step Hooks 4 x 3/8
 56 Whiffletree Ring Bolts
 11 Pcs. Turntable Track
 2 Large Pedestal Yokes
 154 H.C. Pole Chain Clevises
 130 Brill Box Car Toe Guards 715 Lbs.
 61 Lbs. Open Car Grab Handles
 15 Porcelain Lamp Shades
 50 Pcs. Castings C 104 750 Lbs.
 50 " " C 262
 15 " " C 73
 17 " " C 133 110 1/2 Lbs.
 35 H.C. Wheel Covers
 170 H.C. Truss Bolts
 22 Wheels P. 64
 19 " C.159
 112 Small Snow Digger Irons 252 Lbs.
 20 Large " " 600 "
 154 Pole  Horse Cars
 468 Plates 
 16 24" Wheels
 152 Irons for Cars
 67 Old Sand Box Springs - Large
 150 " " " Tappers
 550 Small Truss Plugs
 123 Open Car Handles, Mal., 246 Lbs.
 28 Horse Car Step Irons
 3 Rocker Plates H.91
 143 Pcs. Malleable Iron H.C. Grab Handles 215 Lbs.
 30 Lbs. S.H. Composition Keys
 72 Lbs. Castings, Truss Pockets
 55 Pcs. Bonnet Braces, Old Style
 270 Platform Plates
 175 Lbs. Plate Castings
 200 Ventilator Glass (Old)
 1050 Head Light Glass (Old) Ground
 148 Bull's Eyes (White)
 216 " " (Green)
 264 " " (Blue)
 200 Old Broken Light Glass
 12 Smith Chimney Top Reflectors

TOTAL SEPT. 1 -----	1500.00
MATERIAL USED DURING SEPT. -----	253.06
	<hr/>
TOTAL OLD MATERIAL - BARTLETT ST. SHOPS - SEPT. 30, 1897 ----	1246.94


-:- LINE STOREROOM -:-

10 Augers 1 1/16" Ship	@ .89	8.90
4 Arms Wood T.	" .50	2.00
16 Arms Fork for Drilling Machine	" 3.33	53.28
12 Arresters Lightning Westinghouse	" 3.00	36.00
800 Lbs. Asphaltum	" 35.00 Per Ton	14.00
14 Ft. Ash 12" x 7/8"	" .06	.84
256 Lbs. Acid Mur. Raw	" .01 1/2	3.84
10 Gal. Acid Mur. Cut	" .50	5.00
2 Lightning Arresters T.H.	" 3.00	6.00
15 Arms 8 Ft. Light Wood	" .75	11.25
148 " 6 " " "	" .50	74.00
17 " 8 " Oak "	" 1.00	17.00
407 " 6 " " "	" .75	305.25
21 Prs. Arms Spec. #4 - 4 Pin Iron	" 4.08	85.68
65 1/2 Prs. Arms Spec. #3 - 4 Pin Iron	" 3.76	246.28
		<hr/>

Carried Forward

869.32


Brought Forward			869.32
47	Prs. Arms Spec. #2 - 4 Pin Iron	@ 3.40	159.80
40	" " " #1 - 4 " "	" 3.14	125.60
145	Arms 6 Ft. Pine S.H.	" .50	72.50
76	" 8 " " "	" .75	57.00
17	" 6 " " Light S.H.	" .50	8.50
7	" 8 " " " "	" .75	5.25
12	" 7 " 9" Pine New	" 1.00	12.00
81	Arms Spruce for Pits in C.H.	" .30	24.30
5	" " 3 1/2 x 3 1/2 x 7	" .40	2.00
43	1/2 Prs. Arms #1 - 2 Pin	" 1.94	84.39
87	" " #2 - 2 "	" 1.99	173.13
9	" " #4 - 2 "	" 2.72	24.48
38	" " #1 - 4 "	" 1.65	62.70
153	1/2 " #2 - 4 "	" 1.09	167.32
23	" #3 - 4 "	" 2.13	48.99
30	" #4 - 4 "	" 2.28	68.40
23	" #3 Bracket Double	" 6.00	138.00
3	" #4 " "	" 7.00	21.00
11	Brackets #4 Mall. Iron	" .13	1.43
50	Blocks 2 Pin Service 12"	" .15	7.50
1	Lb. Burs #3 Copper	" .18	.18
1	Button Metal Push	" .15	.15
5	Button Ash Push - Plain	" .08	.40
80	Block Peanut	" .20 Pr.C.	.16
7	Blocks 6 x 4 x 1 Hd. Rubber	" 1.14	7.98
2	" 8 x 6 x 1 " "	" 2.00	4.00
21	Doz. Bindong Stays #16	" .20 Pr. Doz.	4.20
3	Bands 10" Wood Pole	" 1.00	3.00
28	" #2 Pole	" .85	23.80
6	" #4 "	" .87	5.22
2	Empty Gasolene Barrels	" .80	1.60
10	Bands #3 Pole	" .87	8.70
4	" 7" Wood Pole Twisted	" 1.00	4.00
3	" 9" " " "	" 1.00	3.00
1	" 15" " " "	" 1.00	1.00
5	" #2 Pole Light	" .85	4.25
8	" #4 " "	" .87	6.96
26	" #1 " "	" .80	20.80
2	" 12 1/4" Wood Pole	" 1.00	2.00
5	Bells 2 1/2" Ash	" .60	3.00
1	" 3 1/2" "	" 1.00	1.00
1	" 4" "	" 1.00	1.00
1	Band Pole #3	" .87	.87
2	" " #4	" .87	1.74
25	Batteries P & A Complete	" .35	8.75
1800	Bricks Hard Paving	" 11.00 Pr.M.	19.80
50	Blocks 1 Pin Service	" .15	7.50
50	" Maple 5" x 8" x 2"	" .25	12.50
4	" " 6" x 5" x 3"	" .25	1.00
1	Empty K. Oil Barrel.	" .80	.80
105	Blocks Maple for Bracket Arms	" .25	26.25
50	Lbs. Brass Scrap	" .07	3.50
4	Brackets - Corner- for Truss	" 1.60	6.40
6	Barckets Wood pole for Cables	" .07 3/4	.47
26	Maple Blocks 7 x 6 x 3	" .25	6.50
11	" " 9 x 9 x 3	" .25	2.75
7	" " 8 x 8 x 3	" .25	1.75
1	" " 13 x 8 x 3	" .25	.25
1	" " 12 x 12 x 3	" .25	.25
11	Brackets Wood pole 2 Hole Cable	" .15	1.65
7	Contact Switch Boxes	" 1.50	10.50
7	Bonds 40 - 42" Chicago Solid	" .50	3.50
11	Horse Shoe Bonds	" .35	3.85
2	Boxes Plug Ext. Light for C.H. Pits	" 5.28	10.56
40	Brackets 1 Hole Cable	" .07 3/4	3.10
187	" 3 1/2"	" .20	37.40
305	" 4 1/2"	" .20	61.00
272	" 5 1/2"	" .20	54.40
286	" 6 1/2"	" .20	57.20
216	" 7 1/2"	" .20	43.20
14	Balls 5 Light Clusters	" .75	10.50
2	" 3 " "	" .50	1.00
124	Bushings 20 x 3/8"	" .08 1/4	10.23
50	" 20 x 1/4"	" .10	5.00
7	" Floor Glass	" .07	.49
16	" " 2 1/2"	" .05	.80
Carried Forward			2655.47



Brought Forward			2655.47
3	Bushings Floor 3"	@ .05	.15
167	Bases Ed. Wall Socket	" .05	8.35
206	Blocks 4" Slate Fuse	" .60	123.60
4	Bushings Wood	" .08	.32
111	Switch Bases	" .12	13.32
40	Blocks 2" Slate Fuse	" .20	8.00
5	" 10" " "	" .70	3.50
4	" 8" " "	" .65	2.60
12	" 12" " "	" .80	9.60
59	Bushings 3 1/2 x 3/4 P & S	" 1.36 Pr.C.	.80
14	" 12 x 3/4	" .06 3/4	.95
1	" 3 1/2 x 1 3/8	" .05	.05
106	" 12 x 3/8	" .04 3/4	5.04
48	" Curve P & S	" .08	3.84
67	" 6 x 3/8 P & S	" .02 1/2	1.68
697	" 013	" .01 1/5	8.36
83	" Drip	" .05 3/4	4.77
4	Iron Tamp Bars (No Handle)	" 2.00	8.00
2	Boards Cable House 5 Glass	" 1.60	3.20
5	" " " 6 "	" 1.82	9.10
1	" " " 7 "	" 2.04	2.04
1	" " " 8 "	" 2.26	2.26
24	Blocks Oak 18 x 5 1/2 x 1 1/4"	" .25	6.00
4	Mesco Batteries	" .25	1.00
3	Bits 9/16	" .16	.48
2	" 6/16	" .11	.22
4	" 14/16	" .24	.96
6	Mane Brushes	" 4.25 Pr.Dz.	2.13
44	Brushes #8 King Wall	" .70	30.80
1	" #8 Sash	" .17	.17
6	" Steel Wire	" .32	1.92
12	Batteries 6 x 8 Gravity	" 1.50	18.00
6	1/4 Lbs. Buffers Rubber	" .40	2.50
3	Batteries Little Giant	" .35	1.05
7	Rubber Bulbs	" .20	1.40
1697	Lbs. Light Iron Braces	" .02 1/2	42.43
238	Braces 30" Heavy Iron	" .16 Ea.	38.08
169	" 40" " " 3 Hole	" .16 "	27.04
36	" Spec. Twisted Iron	" .48 "	17.28
183	" 20" Heavy Iron	" .10 "	18.30
196	" 42" " "	" .16	31.36
262	Bonds 2/0 - 42" Lace	" .60	157.20
1227	" 2/0 - 36" "	" .55	674.85
30	" 2/0 - 24" "	" .30	9.00
1500	" 4/0 - 12" Flexible	" .30	450.00
1920	" 4/0 - 42" Solid	" .50	960.00
31	" 4/0 - 35" "	" .40	12.40
191	" 4/0 - 24" "	" .35	66.85
37	Transfer Table Blocks	" .10	3.70
15	Small pole Brackets	" .13	1.95
4	Corn Brooms	" 2.25 Pr.Doiz.	.75
3	Boxes 1 Pt. Large Switch	" 3.90	11.70
22	" 2 " " "	" 4.15	91.30
16	" 3 " " "	" 5.25	84.00
3	" 4 " " "	" 5.35	16.05
5	" 4 " " " Spec.	" 5.35	26.75
5	" 1 " Small "	" 3.00	15.00
6	" 2 " " "	" 3.50	21.00
12	" Small for Lights	" 1.25	15.00
4	Bands Brass pole 8 1/2 Warren Bridge	" .75	3.00
1	Band Bracket Arm Brass	" .50	.50
12	Bags Hall Feed	" 8.00 Pr.Doiz.	8.00
23	Bottles 1 Qt. Acid	" .10	2.30
14	Brackets Large Cable	" .25	3.50
4	Bushings P & S 24 x 1 3/8	" .15	.60
1281	Lbs. Brads Light Iron 17"	" .02 1/2	32.03
3	Braces 48" Heavy Iron	" .20	.60
47	" 28" Light Iron Galv.	" .14	6.58
25	Bushings Bell Hanger Brass	" .40	10.00
214	" " " " W.E.	" .40	85.60
374	Brackets Wood Pin	" .02 1/2	9.35
14	Blocks Wood for Conduit Light Arresters	" .07 3/4	1.09
480	Bolts Machine 1 1/4 x 5/16	" .35 Pr.C.	1.68
297	" " 1 1/4 x 3/8	" .40	1.19

Carried Forward

5899.64




Brought Forward

5899.64

160	Bolts Machine	1	1/2 x 3/8	@	.43	Pr. C.	.69
600	"	1	3/4 x 3/8	"	.44	"	2.64
768	"	2	1/2 x 3/8	"	.48	"	3.69
509	"	3	1/2 x 3/8	"	.52	"	2.65
46	"	3	1/2 x 1/4	"	.52	"	.24
344	"	2	x 1/2	"	.69	"	2.37
2967	"	2	1/2 x 1/2	"	.72	"	21.36
2779	"	3	x 1/2	"	.76	"	21.12
864	"	3	1/2 x 1/2	"	.80	"	6.91
800	"	4	1/2 x 1/2	"	.87	"	6.96
592	"	5	x 1/2	"	.90	"	5.33
12	"	7	x 1/2	"	1.05	"	.13
148	"	8	x 1/2	"	1.12	"	1.66
5	"	11	x 1/2	"	1.33	"	.07
40	"	12	x 1/2	"	1.40	"	.56
134	"	13	x 1/2	"	1.48	"	1.98
100	"	14	x 1/2	"	1.55	"	1.55
154	"	15	x 1/2	"	1.62	"	2.49
62	"	16	x 1/2	"	1.69	"	1.05
77	"	17	x 1/2	"	1.76	"	1.36
80	"	18	x 1/2	"	1.83	"	1.46
79	"	20	x 1/2	"	1.98	"	1.56
41	"	22	x 1/2	"	2.12	"	.87
120	"	24	x 1/2	"	2.26	"	2.71
2697	"	2	x 5/8	"	1.00	"	26.97
27	"	2	1/2 x 5/8	"	1.05	"	.28
467	"	2	3/4 x 5/8	"	1.07	"	5.00
182	"	3	x 5/8	"	1.10	"	2.00
312	"	3	1/2 x 5/8	"	1.16	"	3.62
41	"	4	x 5/8	"	1.21	"	.50
200	"	4	1/2 x 5/8	"	1.26	"	2.52
21	"	5	x 5/8	"	1.32	"	.28
367	"	6	x 5/8	"	1.42	"	5.21
157	"	7	x 5/8	"	1.53	"	2.40
12	"	9	x 5/8	"	1.75	"	.21
22	"	20	x 5/9	"	2.93	"	.64
38	"	24	x 5/8	"	3.07	"	1.17
33	"	1	3/4 x 3/4	"	1.34	"	.44
25	"	2	x 3/4	"	1.37	"	.34
579	"	2	1/2 x 3/4	"	1.45	"	8.40
214	"	2	3/4 x 3/4	"	1.49	"	3.19
124	"	3	x 3/4	"	1.53	"	1.90
40	"	3	1/2 x 3/4	"	1.61	"	.64
214	"	4	x 3/4	"	1.70	"	3.64
4	"	5	x 3/4	"	1.85	"	.07
5	"	6	x 3/4	"	2.01	"	.10
10	"	7	x 3/4	"	2.16	"	.22
2	Bolts Eye with Brooklyn Strains	10	x 5/8	"	1.15		2.30
10	"	12	x 5/8	"	1.15		11.50
140	Bolts Carriage	3	1/2 x 5/16	"	.60	Per C.	.84
37	"	4	x 5/16	"	.63	"	.23
120	"	4	x 3/8	"	.79	"	.95
30	"	5	1/2 x 3/8	"	.94	"	.28
47	"	2	1/2 x 1/4	"	.43	"	.20
77	"	3	x 1/4	"	.45	"	.35
17	"	3	1/4 x 1/4	"	.46	"	.07
30	"	3	1/2 x 1/4"	"	.47	"	.14
80	"	5	x 1/2"	"	1.61	"	1.29
64	"	5	1/2 x 1/2"	"	1.68	"	1.08
108	"	6	1/2 x 1/2	"	1.81	"	1.95
5	"	8	x 1/2"	"	2.01	"	.10
377	Bolts Butt	1	1/4 x 1/2	"	.01	1/4 Ea.	4.71
851	"	1	1/2 x 5/8	"	.01	1/2 "	12.77
377	"	1	3/4 x 3/4	"	.02	1/8 "	8.01
1	"	Steel	52 x 5/8	"	.30		.30
4	"	"	60 x 7/8	"	.40	"	1.60
2550	"	Hex.	1 x 5/16	"	.40	Per C.	10.20
186	"	"	3 x 5/8	"	1.14	"	2.12
688	"	"	3 1/2 x 5/8	"	1.19	"	8.19
1769	"	"	2 1/2 x 3/4	"	1.58	"	27.95
19	"	"	3 1/2 x 3/4	"	1.65	"	.31
8	"	Wedge	5 x 1/2	"	.06	Ea.	.48
106	"	Stove	1 3/4 x 1/4	"	.30	Per C.	.32
8	"	Expansion	7 x 7/8	"	.15	Ea.	1.20

Carried Forward

6160.23



Brought Forward

6160.23

2	Bolts Expansion	8 x 7/8	@	.18	.36
1158	Bolts Spec. Sq. Hd.	2 7/8 x 1/2	"	.03	34.74
65	Bolts L.	2 1/2 x 1/2	"	.04	2.60
57	"	3 1/2 x 5/8	"	.06	3.42
173	Bolts Machine	7 1/2 x 3/4	"	2.25 Per C.	3.89
214	"	8 1/2	"	2.41 "	5.16
151	"	10	"	2.63 "	3.97
16	"	11	"	2.76 "	.44
121	"	12	"	2.88 "	3.48
51	"	13	"	3.03 "	1.55
321	"	14	"	3.19 "	10.24
90	"	15	"	3.35 "	3.02
184	"	16	"	3.51 "	6.46
117	"	18	"	3.80 "	4.45
44	"	20	"	4.12 "	1.81
92	"	22	"	7.20 "	6.62
124	"	24	"	7.50 "	9.30
8	"	25	"	7.78 "	.62
49	"	26	"	8.06 "	3.95
78	"	28	"	8.70 "	6.79
27	"	30	"	9.00 "	2.43
38	"	32	"	9.50 "	3.61
4	"	33	"	.13 1/2 Ea.	.54
27	"	36	"	.14 3/4 "	3.98
10	"	3 x 11/16	"	2.50 Per C.	.25
6	"	2 3/4 x 7/8	"	2.12 "	.13
10	"	4 1/2 x 7/8	"	2.45 "	.25
5	"	5 x 7/8	"	2.56 "	.13
13	"	4 x 1"	"	3.31 "	.43
2	"	14 x 1"	"	6.19 "	.12
34	Bolts Eye & S Hooks	10 x 5/8	"	.23	7.82
45	"	11 x 5/8	"	.23	10.35
96	"	12 x 5/8	"	.23	22.08
64	"	13 x 5/8	"	.23	14.72
20	"	17 x 5/8	"	.23	4.60
3	Chisels	1 1/2" Wood	"	.33	.99
16	Cutter Wheels	#3 Saunders	"	.16	2.56
7	"	#3 Walworth	"	.16	1.12
73	Bolts Eye	5 x 1/2	"	.04 Ea.	2.92
924	"	5 1/2 x 1/2	"	.04 "	36.96
88	"	6 x 1/2	"	.04 "	3.52
18	"	6 1/2 x 1/2	"	.04 "	.72
356	"	7 x 1/2	"	.04 "	14.24
482	"	7 1/2 x 1/2	"	.04 "	19.28
147	"	8 x 1/2	"	.04 "	5.88
42	"	10 x 1/2	"	.08 "	3.36
17	"	12 x 1/2	"	.09 "	1.53
3	"	6 x 5/8	"	.05 "	.15
10	"	10 x 5/8	"	.15 "	1.50
13	"	12 x 5/8	"	.15 "	1.95
24	"	15 x 5/8	"	.15 "	3.60
12	"	7 x 3/4	"	.13 "	1.56
4	"	8 x 3/4	"	.13 "	.52
1	Qr. Cloth Crocus		"	.40	.40
371	Connections #2	28" D. Rivet	"	.12	44.52
165	"	36" " "	"	.12	19.80
350	"	30" " "	"	.12	42.00
100	"	20" Single Rivet	"	.10	10.00
64	"	54" D. "	"	.14	8.96
213	"	42" " "	"	.14	29.82
30	"	15" " "	"	.11	3.30
3766	"	#1 Straight	"	.11	414.26
1828	"	#2 "	"	.11	201.08
50	"	#2 54" D. Rivet	"	.14	7.00
1	Pair Clippers #2	Easy Bolt	"	5.60	5.60
1066	Clamps #1 Plain		"	.09	95.94
2824	"	#2 "	"	.09	254.16
246	"	#3 "	"	.09	22.14
120	"	#4 "	"	.09	10.80
233	"	#1 Link	"	.46	107.18
513	"	#2 "	"	.46	235.98
149	"	#3 "	"	.46	68.54
177	"	#4 "	"	.46	81.42
450	Ft. Cable Rheo.		"	.01 3/4	7.88
10	Doz. Cages Wire Lamp		"	.96	9.60

Carried Forward

8127.28

1. The first part of the document is a list of names and addresses.

2. The second part of the document is a list of names and addresses.

3. The third part of the document is a list of names and addresses.

4. The fourth part of the document is a list of names and addresses.

5. The fifth part of the document is a list of names and addresses.

6. The sixth part of the document is a list of names and addresses.

7. The seventh part of the document is a list of names and addresses.

8. The eighth part of the document is a list of names and addresses.

9. The ninth part of the document is a list of names and addresses.

10. The tenth part of the document is a list of names and addresses.

Brought Forward			8127.28
500	Carbons 12" x 5/8	@ .02 1/2	12.50
2782	" 12" x 1/2	" .02 2/5	66.77
22	Lbs. Cable Rheo. 3/16	" .34 1/2	7.59
810	Cleats Small Wood Spec.	" .01 1/2	12.15
1	Casting Brass Arm for Dover St. Bridge	" 1.00	1.00
42	Couplings R & L 3"	" .20	8.40
27	Caps 3" Pipe with Sq. Hd.	" .11	2.97
3	Couplings 3" Brass Pipe & Cable Comp.	" 1.25	3.75
20	Cable Clamps	" .15	3.00
20	Centres & Ins. for Ins. Joints U.R.	" 1.75	35.00
25	Couplings 3" Reamed	" .20	5.00
49	" 3" Pipe	" .20	9.80
94	Cleaves Guard Wire Lag	" .24	22.56
302	Castings Car House	" .05	15.10
22	Clamps Drilling Machine	" 2.67	58.74
27	" Side Feed for Ins. Joints	" .50	13.50
73	Castings Car House, Round	" .05	3.65
3912	Sets Cleats #4 Duggan	" .01 1/2	58.68
674	" Circuit Breakers #8 P. & S.	" .03	20.22
38	" " " Clamps	" .38	14.44
179	Clevice Irons - Flat	" .24	42.96
172	Centres Wood O.S.	" .25	43.00
1047	Cleats #5 Duggan	" .02 1/2	26.18
6	Sets Clamps for Truss Frames	" .05	.30
62	Caps W.E. St. Line Hanger	" .10	6.20
9	Clamps #126 for No. Ave. R.R. Crossing	" .25	2.25
1637	Clips Spec. Toe	" .06 1/2	106.41
569	Castings Spec. Car House	" .05	28.45
400	Bu. Charcoal	" .10	40.00
2	Clamps 6 1/2 x 2 1/2 x 5/8	" .50	1.00
16	" Bridge Pole 6 1/2"	" 1.35	21.60
12	" " " 7 1/2"	" 1.35	16.20
24	" " " 8 1/2"	" 1.35	32.40
28	Crossings R.A. Solid Andersons	" 1.75	49.00
22	" " " "	" 2.50	55.00
4	Contact Bridge Short	" 1.50	6.00
4	" " Long	" 2.00	8.00
9	Castings Pole 5 1/2" for Bracket Arms	" 1.80	16.20
9	" Corner G. #169	" 1.60	14.40
2	" Brass G. 24	" 1.75	3.50
2	" " G. 48	" 4.26	8.52
10	Clamps U Shape with Plates for Truss Rails	" .10	1.00
34	Sets Porcelain Cleats	" .02 1/2	.85
1113	Small Wood Cleats	" .50 Per C.	5.57
72	Sets Cleats 2 Wire Porcelain	" .04 1/2	3.24
208	" " M3 "	" .04 1/2	9.36
181	" " 3 Wire "	" .04 1/2	8.15
36	Castings for 5 Light Clusters	" .10	3.60
2	Cut Outs R.W. Bracket with 12" Goose Necks	" .30 1/2	.61
3125	Ft. Cord Cotton Lamp	" .01	31.25
9	Doz. Sperm Candles	" .40 Per Doz.	3.60
79	Switch Box Catches	" .05	3.95
3	Brass Canopies	" .15	.45
30	Two Way Connections	" .05	1.50
4	3/4 Lbs. Stanley's Compound	" 1.68	7.98
4	Brass Catches (Closet)	" .08	.32
3/4	Lbs. Chatterton's Compound	" 1.80	1.35
1	Cut Out, Double Pole, Single Branch, Ed. Plug	"	.90
4	" " " Main Ed. Plug	" .90	3.60
1	" " " Main Branch	"	.30
1	" " " Sawyer Branch	"	.36
426	Clevice Irons	" .24	102.24
2	Lamp Chimneys	" .07	.14
34	Small Brass Cleats	" .06 per Doz.	.17
115	Ft. Cord #14 Cotton Lamp	" .01	1.15
5	Empty Carboys	" 1.50	7.50
23	Clamps 4 Bolt	" 2.00	46.00
13	Come Alongs Spec.	" 2.50	32.50
67	Centres Wood M.R.	" .25	16.75
18	Hoffman Cement Barrels	" 1.09	19.62
44	Portland " "	" 2.10	92.40
21	" Alsen Cement Barrels	" 2.60	54.60
77	Crossings R.A. O.S.	" 1.00	77.00
23	Connections Sprague 24"	" .11	2.53
22	" " 36"	" .11	2.42

Carried Forward

9572.63

1890

1891

1892

1893

...

...

...

...

...

...

...

...

...

...

...

Brought Forward			9572.63
68	Connections Sprague 12"	@ .11	7.48
110	" " 18" D.R.	" .12	13.20
4	Castings for Bracket Arms #3 - 6 1/2"	" 1.90	7.60
2	" " " " #3 - 5 1/2"	" 1.80	3.60
50	Cast Iron End Pieces for 1 1/2" Pipe	" .25	12.50
27	Castings 4 1/2" for #2 Bracket Arms	" 1.65	44.55
19	" 5 1/2" " #2 " "	" 1.80	34.20
56	" Centre for Bracket Arms	" 1.90	106.40
27	" For Wood Blocks & Hangers	" .50	13.50
2	" G 211 or 212	" 1.50	3.00
1	1/4 Tons Coal Stove	" 5.00	6.25
4	Clevace Irons Comp.	" .28	1.12
2	Clusters 5 Light Track	" 4.50	9.00
3	" 5 " W.P.	" 3.90	11.70
60	Drills 13/32	" .16 1/4	9.75
68	" 1/2	" .22	14.96
108	" 9/16 Twist 1/2" Shank	" .39	42.12
65	" 3/4" " 1/2 "	" .60	39.00
16	" 17/32 Sq. Shank	" .75	12.00
99	Diagonals Spec. 7" Plate	" 1.30	128.70
21	" " 9" "	" 2.45	51.45
22	" Anderson	" 2.75	60.50
5	" 7" Spec. for Subway	" 1.60	8.00
1	" 10" " " "	" 2.50	2.50
1	Drop Ash Elec. 3 Drop	" 1.00	1.00
3	Gals. Japan Dryer	" 1.20	3.60
30	Drivers 4/0 Bond	" .92	27.60
27	Drifts 4/0 " Long	" .54	14.58
51	" 4/0 " Short	" .44	22.44
30	" 2/0 "	" .49	14.70
20	Elbows 45°	" .09	1.80
97	Ears W.E. Splicing, Long	" .90	87.30
132	" W.E. Anchor D.G.	" .42	55.44
27	" 500,000 C.M. Feeder Comp.	" .50	13.50
121	" W.E. Deep Groove	" .25	30.25
29	" #126 Long Splicing	" .90	26.10
298	" W.E. #45 L.H.Thread	" .25	74.50
295	" Bartley Complete	" .25	73.75
89	" Anderson Spec. Clip Subway	" .27	24.03
159	" B. & M.	" .23	36.57
390	" #126	" .23	89.70
22	" 1/2 Bridge Splicing D.G.	" 1.00	22.00
42	" Bridge Splicing D.G.	" 1.00	42.00
74	" " " with Clips	" 1.00	74.00
25	" " " D.G.	" 1.00	25.00
121	" Anchor #126	" .42	50.82
138	" " B. & M.	" .42	57.96
58	" Splicing #126	" .60	34.80
148	" " B. & M.	" .60	88.80
100	Eyes for Spec. Brooklyn Strain Ins.	" .10	10.00
798	Ears B. & M. Deep Groove	" .25	199.50
7	" Subway Feeder	" .50	3.50
23	" Spec. Splicing for 1/0 Trolley & Fig.8	" .90	20.70
5	" Spec. Subway Splicing	" .75	3.75
4	" Hinge for 2 Insulations	" 3.50	14.00
1	" " " 1 "	" 3.50	3.50
2	" Long Bridge for Truss Solid	" 2.45	4.90
11	" Bridge G.14	" 2.45	26.95
11	" " G.18	" 2.75	30.25
8	" " G.18 with Contact Pins	" 2.75	22.00
6	" " G.18 with 1/2 Rd. Circle 6 1/2"	" 2.75	16.50
3	" " G.18 with 1/2 Rd. Circle 9"	" 3.00	9.00
2	" Left Hand Spring	" 3.50	7.00
3	" Right Hand Spring	" 3.50	10.50
13	Eyes for Spec. Brooklyn Strains with 3" Rings	" .10	1.30
12	Ears Spec. Side Feed	" .50	6.00
762	" Eureka	" .20	152.40
340	" W.E. Anchor	" .42	142.80
305	" W.E. #45	" .23	70.15
139	" W.E. Splicing	" .60	83.40
12	" Spec. Clip Made for Ohio Brass Co.	" .25	3.00
105	Extensions 6 Ft. #2 630 Ft.	" .16	100.80
7	" 5 " #2 35 "	" .16	5.60
116	" 7 " #2 812 "	" .16	129.92
15	" 3 " #2 45 "	" .16	7.20

Carried Forward


12292.57

Brought Forward						12292.57		
10	Extensions	4	Ft.	#2	40	Ft.	@ .16	6.40
122	"	2	"	#2	244	"	" .16	39.04
3	"	2 1/2	"	#2	7 1/2	"	" .16	1.20
11	"	2 1/2	"	#3	27 1/2	"	" .25	6.88
15	"	2	"	#3	30	"	" .25	7.50
22	"	3	"	#3	66	"	" .25	16.50
45	"	4	"	#3	180	"	" .25	45.00
10	"	2	"	#4	20	"	" .50	10.00
7	"	2 1/2	"	#4	17 1/2	"	" .50	8.75
38	"	3	"	#4	114	"	" .50	57.00
18	"	3 1/2	"	#4	63	"	" .50	31.50
200	"	4	"	#4	800	"	" .50	400.00
7	"	4 1/2	"	#4	31 1/2	"	" .50	15.75
151	"	6	"	#4	906	"	" .50	453.00
36	"	7	"	#4	252	"	" .50	126.00
4	"	4	"	#4	16	"	" .50	8.00
8	"	5	"	#3	40	"	" .25	10.00
29	"	6	"	#3	174	"	" .25	43.50
3	"	5	"	#3	15	"	" .25	3.75
10	"	7 1/2	"	#2	75	"	" .16	12.00
2	Files 14" Half Rd. Bastard						" .17	.34
1	" 14" Flat						" .20	.20
21	Charcoal Furnaces						" 1.25	26.25
21	Forgings for Ins. Joints for Bracket Lines						" .06	1.26
3	Standard Frogs H.G.B. Subway						" 1.60	4.80
12	Frogs Right Hand H.G.B. Subway						" 1.60	19.20
16	" Left " " " "						" 1.60	25.60
29	" " " " " "						" 1.60	46.40
33	" Right " " " "						" 1.60	52.80
28	" Three Way O.S.						" 2.50	70.00
82	Sticks Flex. Duncans Soldering						" .14	11.48
2	Furnaces H.J.G. Gasolene						" 3.50	7.00
11	Stencil Frames for Numbering Poles						" 1.50	16.50
64	Standard Frogs O.S.						" 1.20	76.80
51	" " Andersons						" 1.60	81.60
5	Frogs Right Hand Curve						" 1.20	6.00
6	" Left " " " "						" 1.20	7.20
120	" " " O.S.						" 1.20	144.00
132	" Right " " " "						" 1.20	158.40
2	Frames and Covers for Manhole							33.09
4	Frog Push Offs for Bracket Lines						" 1.50	6.00
41	Lbs. Gaskets - Rubber						" 1.50	61.50
7	Pairs Rubber Gloves						" 1.67	11.69
51	White Lantern Globes						" .55 Doz.	2.34
8	Red " " "						" 3.75 "	2.50
30	Arc Light Globes						" .30	9.00
8	Goose Necks for Clusters						" .75	6.00
25	Small Drilling Machine Gears						" .67	16.75
52	Large " " " "						" .93	48.36
684	Rubber Gaskets for Car House Hangers						" .02 1/2	17.10
2	Glass Globes for W.P. Street Hoods						" .50	1.00
427	Lbs. Wagon Grease						" .05	21.35
23	Charcoal Furnace Grates						" .25	5.75
6	Hammers 4 lb.						" .36 1/2	2.19
9	Drilling Machine Handles						" .90	8.10
5	Dia Ladder Hooks						" 1.00	5.00
263	S. Hooks 3/4"						" .10	26.30
6	Hangers B. & M. St. Line						" .35	2.10
3	" Swivel Bell for Charlestown Bracket Line						" 1.25	3.75
179	Handles Ext. Light						" .08	14.32
413	Hanger Tops for Bell Hangers						" .25	103.25
289	" Skirts						" .25	72.25
131	" Bridge						" .85	111.35
655	" St. Line Guard						" .20	131.00
484	" Cast Iron (Pipe)						" .30	145.20
5	Shade Holders 3 1/2"						" .06 1/2	.33
86	Hard Rubber Hooks						" .08	6.88
27	Hangers #8 Porcelain Guard						" .08 1/2	4.00
50	Soldering Iron Handles						" .10	5.00
7	Handles Iron for Tool Chests						" .12	.84
7	" 36" Hammer						" 1.61 Doz.	.94
3	" 24" "						" .10	.30
19	" 18" "						" .05	.95
10	Hinges 8" Strap						" .05	.50
4	Snap Hooks						" .50 Doz.	.17
64	Hoods & Plugs #4						" 1.12	71.68
Carried Forward								15309.00


Brought Forward			15309.00
67	Hoods & Plugs #3	@ .80	53.60
523	" " " #1	" .52	271.96
943	Hoods #1 without Plugs	" .28	264.04
158	Hood & Plugs #2	" .61	96.38
35	Ft. Hose 1 1/2" 3 Ply	" .17 1/4	6.04
14	Ft. Hose 2 1/2" Rubber	" .35	4.90
13	Gem Wire Holders	" .08 1/2	1.11
20	Ft. Hose 3/4 - 3 Ply	" .11 1/5	2.24
539	Hangers W.E. St. Line	" .85	458.15
354	Hoods #2 without Plugs	" .32	113.28
6	Irons, Soldering, Large	" 2.50	15.00
71	" Angle for Car House Pits	" .10	7.10
156	Lbs. Hoop Irons	" .02 1/2	3.90
247	Small Glass Insulations	" .03	7.41
74	Insulations White Porcelain	" .02	1.48
305	" Large Globe	" .48	146.40
113	" Spec.	" .95	107.35
130	" Split Porcelain #9243	" .12	15.60
135	" #126	" .50	67.50
25	" #126 Bottoms	" .25	6.25
21	" For Bell Hangers	" .50	10.50
160	" B. & M.	" .50	80.00
163	" #74 & 75	" .50	81.50
91	" Spec. Aetna Pin	" .95	86.45
15	" Brooklyn Strain with S. Hooks	" 1.02	15.30
10	" " " 8 x 5/8 Lags	" 1.10	11.00
11	" " " 3 x 5/8 Bolts	" 1.05	11.55
22	" Spec." " " 1 3/4 x 3/4 Bolts	" 2.20	48.40
15	" Small Brooklyn Strain with 4" Rings	" 1.02	15.30
59	" Car House Left Hand Thread	" .50	29.50
9	" Brooklyn Strain with 18" Eye Bolts	" 1.15	10.35
1	" " " " 6" " "	" 1.02	1.02
15	" " " " 20" " "	" 1.15	17.25
6	" " " " 12" " "	" 1.15	6.90
679	" Aetna Pin	" .40	271.60
157	" Small Side Feed	" .70	109.90
3	" Small Glass with 8 x 5/8 Lags	" .05	.15
6	Irons T. 3" x 1/2	" .25	1.50
409	" Single Tee	" .24	98.16
405	" Double Tee	" .24	97.20
39	Insulators Brooklyn Strain with 2 Hooks & 15 Bolts	" 1.25	48.75
962	" Car House	" .30	288.60
287	" Small Poney	" .02 1/4	6.46
2666	" Large Glass	" .22	586.52
567	" Brooklyn Strain	" .92	521.64
19	" Brooklyn Strain & 1 3/4 Eye Bolt	" 1.02	19.38
62	" Spec. Brooklyn Strain	" 2.10	130.20
3	Irons T.3"	" .25	.75
242	Insulators W.E.	" .30	72.60
73	" Spec. Brooklyn & Side Feed	" 2.95	215.35
38	" Spec. Side Feed	" 1.25	47.50
100	Sets Insulators Porcelain #9237	" .08 1/10	8.10
250	Insulators Small Poney Glass D.G.	" .02 1/4	5.63
10	Insulating Joints for Fig.8 Wire	" 6.00	60.00
4	" " U.R.	" 5.60	22.40
1	" " with 9 x 9 Block & Clamps	" 6.10	6.10
4	" " O.S.	" 5.75	23.00
4	" " Winsors	" 6.00	24.00
19	1 Gal. Jugs	" .14	2.66
63	Insulating Joints U.R.	" 5.60	352.80
3	Tea Kettles	" 1.07 1/2	3.23
6	Contact Bridge Knives	" 1.50	9.00
13	Ladles 3	" .25	3.25
9	" 3 1/2	" .30	2.70
1	Doz. Tubular Lanterns	" 3.75	3.75
440	White Lead	" .05	22.00
141	Red Lead	" .05	7.05
389	Lamps Ed. 16 C.P.	" .16 1/4	63.21
457	" T.H. "	" .17 1/2	79.98
217	Lbs. Sheet Lead	" .05 1/4	11.39
171	Lbs. Scrap Lead	" .05 1/4	8.98
25	Patent Links	" .08 1/2	2.13
7	Lights W.P. Street Hood Comp.	" 1.76	12.32
6	Blue Edison Lamps 16 C.P.	" .50	3.00
1	Bernstein Lamp 20 Amp.	" .50	.50

Carried Forward

20637.15




Brought Forward			20637.15
4	Lbs. Lamp Black	@ .08	.32
33	Locks Brass Sw. Box	" 1.25	41.25
15	" " Telephone Box	" 1.25	18.75
2	" " Pad for Sw. Box Keys	" 1.50	3.00
9	Bbls. Lime	" .90	8.10
3	Machines #2 Angular Drill	" 19.00	57.00
32	Ft. Maple 9 x 3 Birdeye	" .10	3.20
3644	" Moulding One Way	" .01 1/2	54.66
1494	" " Two "	" .02 1/2	37.35
844	" " Three "	" .03 1/2	29.54
346	" " Four "	" .04 1/2	15.57
84	" " One " Heavy	" .02	1.68
8	Lbs. Nails 8 Clinch	" .03	.24
220	" " 10 Wire	" .01 3/4	3.85
56	" " 8 "	" .01 3/4	.98
77	" " 20 "	" .01 3/4	1.35
77	" " 60 Cut	" .03 1/2	2.70
49	" " 40 "	" .03 1/2	1.72
56	" " 30 "	" .03 1/2	1.96
176	" " 20 "	" .03 1/2	6.16
8	" " 10 "	" .03 1/2	.28
23	Nipples Close 1 1/2"	" .03 1/2	.81
72	Lbs. Nuts 1/2 Square	" .12	8.64
78	" " 3/4 Hex.	" .09	7.02
35	" " 5/8 "	" .11	3.85
323	" " 5/8 Square	" .11	35.53
50	" " 7/8 "	" .07	3.50
90	" Nails 6 Penny Wire	" .01 3/4	1.58
132	" Nuts 1/2	" .12	15.84
88	" " 3/4 Square	" .09	7.92
20	Drapers Oilers	" .12 1/2	2.50
10	Gals. Ozite Compound	" .75	7.50
2	" Oil Rosin & Can		.95
91	" " Boiled Linseed	" .36	32.76
93	" " Raw Linseed	" .31	28.83
103	" " Kerosene	" .10	10.30
101	" " Gasolene	" .12	12.12
15	" " Machine	" .22	3.30
45	" " Turpentine	" .28	12.60
260	Ft. Pine Plank Planed 2"	" 52.00 Per M.	13.52
136	" " " " 3" x 2 1/2"	" 52.00	7.07
446	" " 4" x 7/8"	" 52.00	23.19
52	" " 10" x 3" planed	" 52.00	2.70
27	Solder Pots	" .43	11.61
23	4 Qt. Paint Pots	" .18	4.14
2	4" Solder Pots	" .35	.70
3	Gals. Green Paint - Samples	" 1.00	3.00
1273	Large Wood Pins	" .08 1/2	108.21
26	Pans #18 Sauce	" .14	3.64
1	Quire Sand Paper	" .09	.09
1000	Pins Locust Small Wood	" .01	10.00
464	" Extra Bottom Iron	" .23	106.72
16	Ft. Pipe 2" Akron Drain	" .10	1.60
12	" " 10" " "	" .20	2.40
8	" " 12" " "	" .26	2.08
38	" " 6" " "	" .09 1/10	3.46
18	" " 4" " "	" .08	1.44
40	" " 8" " "	" .14	5.60
8	Pipe Bends 10" 1/8	" .83	6.64
2	" " 6" 1/4"	" .38	.76
1	" " 6" 1/8"	" .38	.38
3	" " 8" 1/4"	" .54	1.62
3	" " 8" 1/8"	" .54	1.62
2	" " 4" 1/8"	" .21	.42
2	" " 4" 1/4"	" .21	.42
2	" " 12" 1/8"	" .98	1.96
2	" " 12" 1/4"	" .98	1.96
27	" " 3"	" .20	5.40
2	Pipes 12" x 3/4" Iron	" .04	.08
1	" 18" x 3/4" "	" .06	.06
116	Ft. Pipe W.I. 2 1/2"	" .13	15.08
2697	Protection Wood Cable	" .05	134.85
2061	" " "	" .05	103.05
148	Lbs. Paint Plastico	" .05 1/16	7.49
61	Lbs. Packing Rubber	" .13	7.93
Carried Forward			21723.25



Brought Forward			21723.25
419	Small Iron Pins	@ .22	92.18
85	Lbs. Pipe 1 1/4" Lead	" .03 3/4	3.19
183	1/2 Lbs. Pipe 2 1/2" Lead	" .03 3/4	6.88
137	Lbs. Pipe 1 1/2" Lead	" .03 3/4	5.14
40	Pull Offs B. & M. Single	" .35	14.00
47	" " " Double	" .35	16.45
147	Ext. Top Iron pins	" .40	58.80
6726	Porcelains #C	" .47	31.61
352	" #0	" .02	7.04
694	Bond Pins 4/0	" .03 3/4	26.03
470	Porcelains #F	" .03	14.10
2390	" #Z	" .02	47.80
479	Pull Offs Double Guard	" .20	95.80
1454	" " Single "	" .20	290.80
525	Porcelains #A	" .60	3.15
15	Pipe Bends 3" W.I.	" 2.53	37.95
310	Ft. Pipe 3" Cement Lined 3 Ft. Lengths	" .07	21.70
920	" " 3" " "	" .07	64.40
70	" " 3" W.I. in 5 Ft. Lengths	" .14	9.80
4	Plates Beam 22" Hook Ends	" .34	1.36
5	" " 18"	" .34	1.70
11	" " 12"	" .34	3.74
6	" " 16"	" .34	2.04
49	Plugs #3	" .39	19.11
127	" #2	" .29	36.83
107	" #1	" .24	25.68
754	Ft. Pipe 3" W.I.	" .14	105.56
205	Pull Offs W.E. Single	" .97	198.85
318	" " " Double	" 1.05	333.90
271	" " Frog	" .50	135.50
203	" " W.J.	" .50	101.50
4	Car House Wheel pit Pipes 9 x 1 1/2	" 2.35	9.40
61	Pipes 7' x 1 1/2 S.H. for Bracket Arms	" .13 Per Ft.	55.51
61	" 5' 3" x 1 1/2" S.H. for Bracket Arms	" .13 " "	41.63
7	Ext. Light Fibre Plugs for Car Houses	" 1.32	9.24
1000	Pins 4/0 Bond Short	" .03	30.00
13	Plugs Ed. Ext. Light	" .07	.91
19	Pans Bridge G.42	" 2.95	56.05
3	" " G.57	" 3.00	9.00
11	" " G.55	" 4.45	48.95
12	" " G.55 with Contact Arm	" 6.50	78.00
3	" " G.55 with Contact Pins	" 4.60	13.80
4	" " G.55 with 1/2 Rd. Circle	" 4.75	19.00
46	Plates Side Board	" .05	2.30
184	Small Wood Pins	" .01	1.84
128	" " " for Large Ins.	" .05 1/2	7.04
1	Bridge Pan	" 2.95	2.95
14	Plugs 20 Amp. Fuse	" .15	2.10
3	" 15 " "	" .12	.36
2	" 12 " "	" .09	.18
14	" 10 " "	" .07	.98
3	" C " "	" .05	.15
5	" " Bryant Att.	" .24	1.20
1000	Lbs. Green Paint	" .05	50.00
7947	" Scrap Poles	" .22 1/2 Cwt.	17.88
10	Gal. black Paint	" 1.00	10.00
40	3/4 Lbs. Pipe 4" Lead	" .05	2.04
35	Gals. standard Ins. Paint	" 1.05	36.75
38	" Red Paint	" 1.15	43.70
11	" Green Paint	" 1.00	11.00
10	Iron poles #1 S.H.	" 5.00	50.00
785	" " #2 "	" 10.75	8438.75
32	" " #3 "	" 14.75	472.00
100	" " #4 "	" 19.75	1975.00
60	" " #4 " 33 Ft.	" 20.00	1200.00
49	" " #3 New	" 24.00	1176.00
97	" " #5 "	" 43.00	4171.00
1	" " #3 40 Ft.	" 30.00	30.00
2	" " #4 Cut Off	" 12.00	24.00
6	" " #2 "	" 5.00	30.00
36	" " Phoenix Scrap	" 3.40	122.40
34	" " #1 Cut Off	" 2.00	68.00
37	" Hd. Pine 9 x 9 XX. S.H. 35 Ft.	" 2.00	74.00
2	" " " 9 x 9 " 30 "	" 2.00	4.00
1	" " " 9 x 9 " 42 "	" 2.00	2.00

Carried Forward


41934.95



Brought Forward						41934.95	
3	Poles Hd. Pine	9 x 9	S.H.	45 Ft.	@ 2.00		6.00
1	"	"	"	10 x 10	" 5.00		5.00
2	"	"	"	10 x 10	" 5.00		10.00
1	"	"	"	11 x 11	" 5.00		5.00
1	"	"	"	11 x 11	" 5.00		5.00
1	"	"	"	14 x 14	New 42 "	"12.00	12.00
148	Ft. Pine Vulcanized	4 x 4			" .04		5.92
3760	"	"	"	5 x 5	" .04		150.40
5513	"	"	"	6 x 5	" .04		220.52
7029	"	"	"	7 x 7	" .04		281.16
1	Pole Hd. Pine	12 x 12	33 Ft.	S.H.	" 5.00		5.00
1	"	"	14 x 14	40 "	" 5.00		5.00
1	"	"	14 x 14	60 "	"12.00		12.00
1	" Chestnut	30 Ft.	S.H.				2.00
4	"	"	35 "	"	" 2.00		8.00
1	"	"	40 "	"			2.00
1	"	"	53 "	"			2.00
449	Lbs. Rope	3/4"			" .06 1/2		29.19
189	"	7/8"			" .06 1/2		12.29
185	"	1 1/8"			" .06 1/2		12.03
179	"	5/8"			" .06 1/2		11.64
241	"	1/2"			" .06 1/2		15.67
130	"	3/8"			" .06 3/4		8.78
257	Oak Ladder Rungs				" .05		12.85
2	Rails Brass Truss	O.S.			" 3.00		6.00
24	Lbs. Rivets	2 1/2" x 3/8"			" .04 1/2		1.08
196	Rings	3" Female Pipe			" .06		11.76
772	Lbs. Rivets #1	- 1 3/8 x 1/2			" .12		92.64
548	" Rubber	1/4" Sheet			" .13		71.24
2	Rails Brass Truss	G.			" 3.50		7.00
23	Lbs. Rivets	2 1/2 x 5/16			" .04 1/2		1.04
3	Rings	6" Dia.			" .15		.45
63	Lbs. Rivets	2 1/4 x 3/8			" .04 1/2		2.84
10	"	3 x 5/16			" .04 1/2		.45
435	"	#2 - 31/32 x 7/16			" .12		52.20
20	Edison Receptacles				" .15		3.00
321	Plain ceiling Rosettes				" .05		16.05
154	K. W. Sq. Base Rosettes				" .10 1/2		16.17
51	Steel Rivets for U.R. Ins. Joints				" .01		.51
1	Lb. Rivets	1/8" x 1 Brass			" .18		.18
397	Ed. Socket Hd. Rubber Bottom Rings				" .01 1/2		5.96
7	Head Light Reflectors				" .15		1.05
49	Stay Rods for Bracket Arms	S.H.			" .05		2.45
64	Guy Rods for Bracket Arms	S.H.			" .15		9.60
1	Reel						.50
1	"						1.16
2	"				" 1.17		2.34
54	"				" 1.50		81.00
1	"						1.75
11	"				" 2.00		22.00
7	"				" 3.00		21.00
2	"				" 3.75		7.50
27	"				" 5.00		135.00
10	"				" 6.00		60.00
4	"				" 8.00		32.00
57	"				"10.00		570.00
1	"				"15.00		15.00
2	"				"20.00		40.00
284	Ft. Spruce	1 1/8"			"20.00		5.68
411	"	2 Plank Rough			"14.50		5.95
571	"	2 x 6			"14.50		8.28
551	"	2 1/2 x 1 1/2	Ladder Stock		"25.00		13.78
75	"	3 x 1 3/4	" "		"25.00		1.88
14	Drilling Machine Sockets				" .50		7.00
6	Pole Scrapers				" 1.00		6.00
4	Anderson's Frog Springers				" 2.00		8.00
4	Sets Stencils A. B. C.	12 Pieces			" .12 1/2		1.50
1722	Lbs. Solder				" .10		172.20
13	Long Handle Scoops				" .96		12.48
24	Long Handle Shovels				" .71		17.04
7	Spindles for drilling Machine				" 1.50		10.50
3	Copper L. Sleeves				" .15		.45
6486	Sleeves 2/0 CoP. Tinned				" .03		194.58
35	" Copper T				" .15		5.25
7	" Copper Y				" .15		1.05
31	" 3" Copper	1000000 C.M.			" .11 1/4		3.49

Carried Forward

44540.43




Brought Forward

44540.43

3	Sleeves 6" Copper 500000 C.M.	@	.24	.72
130	" 2 1/2" Copper cable	"	.07	9.10
138	" McIntyre Copper	"	.02	2.76
26	" 2 1/4 x 5/8	"	.32 1/2	8.45
7	" 2 1/2 x 3/4	"	.32 1/2	2.28
19	" 3 x 3/4	"	.32 1/2	6.18
10	" 4 1/4 x 1	"	.32 1/2	3.25
4	" 4 1/2 x 1 3/8	"	.32 1/2	1.30
27	Drilling Machine Screws	"	.25	6.75
78	Straps #2 Short	"	.09	7.02
44	" #2 "	"	.09	3.96
51	" #1 "	"	.09	4.59
77	" #3 "	"	.09	6.93
183	" #1 Long	"	.09	16.47
392	" #2 "	"	.09	35.28
239	" #3 "	"	.09	21.51
237	" #4 "	"	.09	21.33
323	Wood Pole Steps	"	.03 3/4	12.11
321	Large Iron Shims	"	.04	12.84
131	Small Iron Shims	"	.03	3.93
141	Steel Car House Studs	"	.25	35.25
169	Lbs. Solder Wiping	"	.10 1/2	17.75
1105	Sleeves 4" Copper 500000 C.M.	"	.12	132.60
552	Lbs. spelter	"	.04 1/2	24.84
2	Switches 4 Point Spec. Mfg.	"	.22.40	44.80
1	" 4 " " " O.S.	"	22.40	22.40
4	" 3 " " " O.S.	"	16.80	67.20
10	" 3 " " Anderson's	"	22.50	225.00
11	" 1 " " Mfg.	"	5.60	61.60
3	" 1 " " Mfg. with Hard Rubber Bases	"	7.00	21.00
2	" 1 " " Mfg. O.S.	"	5.60	11.20
16	" 2 " " Anderson's	"	15.00	240.00
7	" 2 " " Mfg. New	"	11.20	78.40
7	" 2 " Small O.S.	"	7.65	53.55
1	" 3 " " "	"	11.40	11.40
30	" 1 " " "	"	4.60	138.00
4	" Hill	"	1.00	4.00
14	" Bryant 30 Amp.	"	.90	12.60
270	Lbs. Staples Fence	"	.03	8.10
83	Staples Large Cable	"	.15	12.45
304	Lbs. Staples 2 1/2"	"	.13	39.52
133	Sockets Ed. Wall	"	.15	19.95
264	" W.P. Ed.	"	.15	39.60
13	Watchman Clock Springs	"	.15	1.95
4	Sockets Ed. Key Wall	"	.17 1/2	.70
3	" T.H. Key Wall	"	.17 1/2	.53
26	" Ed. Key	"	.27 1/2	7.15
21	Shades 2 1/4" x 6 Flat Fluted	"	1.25	2.19
43	Sockets T.H. Keyless Wall K.W. Sq. Base	"	.25	10.75
7	Switches Hart 30 Amp.	"	.60	4.20
1	" Station 30 Amp. Double Throw	"	6.00	6.00
1	" " 130 " D.T.D.P. 600 Volts	"	10.00	10.00
3	Bars Castile Soap	"	.25	.75
2	Switches #5362 - 300 Amp. S.P.D.T. Style #3	"	20.00	40.00
1	" #5358 - 300 " " " " "	"	12.50	12.50
6	" #5379 - 75 " " " " "	"	13.75	82.50
6	" #5364 - 50 " " S.T. " "	"	10.00	60.00
61	Sockets Perkins T.H. Sq. Base Keyless Wall	"	.25	15.25
1	Shade 18" Porcelain	"	.50	.50
278	Sockets Edison	"	.15	41.70
1	Shade 7" Green Flash	"	.50	.50
21	Sockets #2 Pole	"	.82	17.22
6	" #3 "	"	1.01	6.06
5	" #4 "	"	1.26 1/2	6.33
1	" For Chelsea Bridge	"	1.50	1.50
186	Lbs. Salamoniac	"	.07 1/2	13.95
143	Shims #2	"	.25	35.75
69	" #4	"	.25	17.25
288	" #3	"	.25	72.00
7	Shades 18" Tin	"	.18	1.26
2	" 10" "	"	.10	.20
103	Screws 1 3/4 - #14 Flat Hd. Brass Mch. with Hex.Nuts	"	.03	3.09
11	Gro. Screws 3/4 - #14 Flat Hd. Brass Machine	"	.59	6.49
1/2	" " 1/4 - #10 Rd. Hd. " "	"	.29	.15
2	" " 1/4 - #6 " " "	"	.16	.32
1	" " 3/4 - #20 Ft. Hd. " "	"	.89	.89
1/2	" " Flat Head Bt. 2 #6	"	.10 1/2	.05

Carried Forward

46528.08




Brought Forward

46528.08

1/2	Gro. Screws	Flat Head	Bt.	1 3/4	#17	@	.24	1/2	.12
1	"	"	"	2	20	"	.34		.34
3	"	"	"	1 3/4	8	"	.11		.33
4	"	"	"	1	12	"	.11		.44
3	"	"	"	1	8	"	.08		.24
1	"	"	"	2	15	"	.22		.22
57	"	"	"	1 1/2	12	"	.13		7.41
7 1/2"	"	"	"	2 3/4	16	"	.29	1/2	2.21
64	"	"	"	2	12	"	.15	1/2	9.92
20	"	"	"	1	10	"	.09		1.80
66	"	"	"	2 3/4	18	"	.36		23.76
7 1/2"	"	Round	"	Brass	1	"	.36	1/2	2.74
2	"	"	"	"	1	"	.34	1/2	.69
1/2	"	"	"	"	1/2	"	.16		.08
2	"	"	"	"	2 1/2	"	.75		1.50
3	"	"	"	"	1	"	.55		1.65
2	"	"	"	"	1 1/2	"	.75		1.50
1	"	"	"	"	1 3/4	"	.85	1/2	.86
1	"	"	"	"	2	"	.49		.49
1	"	"	"	"	1	"	.25	1/2	.26
1/2	"	"	"	Blue	1 1/2	"	.09		.05
3	"	"	"	"	1 3/4	"	.23		.69
3	"	"	"	"	2 3/4	"	.18		.54
6	"	"	"	"	2 1/2	"	.17		1.02
1/2	"	"	"	"	3	"	.72		.36
2	"	"	"	"	3	"	.37		.74
23	"	"	"	"	2	"	.12		2.76
7	"	"	"	"	2	"	.20		1.40
10	"	"	"	"	1 1/4	"	.08		.80
56	Screws	Eye Lag	8 x 5/8			"	.06		3.36
29	"	"	8 x 3/4			"	.08		2.32
94	"	"	8 x 7/8			"	.10		9.40
273	"	Cap	1 3/4 x 7/16			"	2.80	Per C.	7.64
34	"	"	1 x 3/8			"	2.00	"	.68
25	"	"	1 1/2 x 1/2			"	3.15	"	.79
1555	"	"	2 1/2 x 1/2			"	4.00	"	62.20
51	"	Set	1 1/4 x 7/16			"	1.68	"	.86
30	"	"	1 1/4 x 3/4			"	4.20	"	1.26
575	"	Switch Box				"	.06	"	34.50
96	"	Lag	3 1/2 x 5/16			"	.49	"	.47
70	"	"	2 1/4 x 3/8			"	.52		.36
86	"	"	4 x 3/8			"	.65		.56
70	"	"	4 1/2 - 3/8			"	.68		.48
5	"	"	5 3/8			"	.70		.04
470	"	"	2 1/2			"	.69		3.24
434	"	"	3 1/2			"	.79		3.43
29	"	"	3 1/2			"	.85		.25
652	"	"	4 1/2			"	.90		5.87
145	"	"	4 1/2			"	.94		1.36
93	"	"	5 1/2			"	1.00		.93
5	"	"	5 1/2			"	1.05		.05
5	"	"	10			"	1.51		.08
136	"	"	3 5/8			"	1.00		1.36
1050	"	"	3 1/2 5/8			"	1.08		11.34
305	"	"	5 x 5/8			"	1.30		3.97
25	"	"	6 5/8			"	1.45		.36
612	"	"	7 5/8			"	1.62		9.91
1014	"	"	8 5/8			"	1.77		17.95
262	"	"	9 5/8			"	1.91		5.00
370	"	"	10 5/8			"	2.08		7.70
102	"	"	8 3/4			"	2.58		2.63
747	"	"	10 3/4			"	3.03		22.63
2	"	"	18 3/4			"	5.62		.11
10	"	"	6 7/8			"	3.01		.30
82	"	"	8 7/8			"	3.62		2.97
5	"	"	9 7/8			"	3.93		.20
8	"	"	14 1			"	7.45		.60
14	"	"	4 1/2 Galvanized			"	2.50		.35
29	"	"	7 5/8 "			"	4.00		1.16
3	Taper Taps	3/8"				"	.25		.75
2	"	1/2"				"	.28		.56
4	"	5/8"				"	.45		1.80
6	"	3/4"				"	.60		3.60
3	Trowels	6 Point				"	.20		.60
2	"	Plasters				"	.25		.50

Carried Forward


46829.48



Brought Forward			46829.48
370	1/2 Lbs. Black Grim. Tape	@ .35	129.68
100	" White " "	" .35	35.00
25	3/4 " Oko " "	" .58	14.94
7	Turnbuckles 3/4" (Long)	" .45	3.15
58	Lbs. Tube 3/8" Hd. Rubber	" .36	20.88
6	Thimbles 5"	" .10	.60
7	" 1" x 3/4	" .05	.35
19	Turnbuckles 3/4"	" .45	8.55
8	" 3/4"	" .45	3.60
13	" 1/2"	" .23	2.99
15	" 5/8"	" .25	3.75
36	" 7/8"	" .37 1/2	13.50
14	" 5/8"	" .25	3.50
6	Terminals 1/0	" .18	1.08
13	" Cable 1" Offset	" .75	9.75
66	" 300000 C.M.	" .50	33.00
45	" 4/0	" .35	15.75
87	" 50000 C.M.	" .65	56.55
2	Sewer Traps 10"	" 7.35	14.70
164	Lbs. Tube Brass 1 5/8"	" .17	27.88
49	Lbs. Tin Packing	" .06	2.94
55	Tubes for Sw. Boxes	" .25	13.75
9	Double Cable Terminals with 3/4" Bolt	" 1.25	11.25
10	Turnbuckles 3/8"	" .18	1.80
8	Lbs. Tacks #E Double Pointed	" .12 1/2	1.00
50	Ft. Tube 9/16 Soft Rubber	" .06	3.00
135	" " 3/8 " "	" .05	6.75
145	Zinc Tags Marked W.E. St. Ry. Power & Battery Circuit	" .03	4.35
37	Hd. Rubber Terminals 500000 C.M.	" .50	18.50
12	" " " 1000000 C.M.	" .75	9.00
3	3/4 Lbs. Mutton Tallow	" .10	.38
424	Trolley Tubings	" .12	50.88
11	Ft. Tube 1 5/8 Red Fibre 5 Lbs.	" .36	1.80
43	Lbs. Copper Tube 1 1/16"	" .27	11.61
2	Trusses Comp. for Cragies Bridge	" 43.00	86.00
1	Gal. Black Varnish	" .20	.20
9	Drilling Machine Feed Wheels	" .90	8.10
26	Square Washers 2 1/2 x 2 1/2 x 3/4	" .02 3/4	.72
275	Lbs. Sq. " 2 x 2 x 1/4	" .03 1/2	9.63
176	" " 1/2" Rd. Spec.	" .06	10.56
599	Square " 3" x 3" x 3/8"	" .02 3/4	16.47
11	" " 8 x 8 x 1/4	" .20	2.20
83	" " 3 x 3 x 1/4	" .02 3/4	2.28
54	Lbs. " 3/8" Rd.	" .03 1/2	1.89
402	" " 3/8" "	" .03 1/2	14.07
118	" " 7/8" "	" .03 1/2	4.13
7000	" " Leather	" 2.25 Per M.	15.75
10	Lbs. " " Leather for W.E.St. Line Hangers	" .40	4.00
9	Cotton Lamp Wicking Balls	" .05	.45
35	Lbs. Cotton Waste	" .06	2.10
144	Lbs. Washers 3/4" Rd.	" .03 1/2	5.04
1405	Ft. Wood Grooved for 500000 C.M.	" .02 2/5	33.72
878	" " " " 4/0	" .02	17.56
720	" " " " Span Wire	" .02	14.40
14	Prs. " " " 300000 6 M. 8 Ft.	" 1.13 1/2	15.89
5	" " " " 500000 C.M. 2 Wires 8 Ft.	" 1.13 1/2	5.68
7	" " " " 500000 C.M. 3 Wires 8 Ft.	" 1.17	8.19
3	Stillson Wrenches 18"	" 1.60	4.80
33	Lbs. Parafine Wax	" .12	3.96
1	Gro. Lantern Wicks	" .28	.28
164	Lbs. Wire #12 Iron	" .04	6.56
112	Ft. " #10 Grim White Ins.	" 16.00 Per M.	1.79
1556	" " #12 " " "	" 12.25	19.06
235	" " # 8 " " "	" 19.50	4.58
26	" " #10 " Black "	" .02	.52
63	Lbs. " 1/0 Solid	" .12 1/2	7.88
124	" " 1/0 Cable	" .12 1/2	15.50
150	" " # 6 W.P. S.H.	" .08	12.00
83	" " #12 " "	" .08	6.64
94	" " # 9 Iron Insulated	" .03 1/2	3.29
13556	" " B.B. Trolley	" .13 1/2	1830.06
2335	" " 4/0 Solid Ins.	" .14 3/4	344.41
1643	" " S.B. Trolley	" .15 3/4	258.77
899	" " Soft Drawn Trolley	" .13 1/2	121.37
544	Ft. " 300000 C.M. Flexible	" .45	244.80
1008	" " 500000 C.M. Flexible	" .70	705.60

Carried Forward


51236.59



Brought Forward		51236.59
1155 Ft.	Wire 4/0 Flexible	@ .38 88/100 449.06
2893 Lbs.	" Figure 8 Trolley	" .13 1/2 390.56
412 Ft.	" 1/0 Flexible	" .24 98.88
539 "	" 300000 O.K. Rubber Cov. Wire	" .90 485.10
398 Lbs.	" Stone Plate	" .05 1/2 21.89
4995 Ft.	" #12 Oko Wire	" 11.65 58.19
5064 "	" #14 Oko Wire	" 8.95 45.32
2376 Lbs.	" #11 - 3 Ply Iron	" .03 1/4 77.22
2179 "	" # 9 - 3 Ply Iron Wire	" .03 1/4 70.82
51 "	" #16 Office	" .20 10.20
102 "	" #10 W.P.	" .14 14.28
217 "	" #12 "	" .14 30.38
80 "	" # 8 "	" .14 11.20
228 "	" #14 "	" .18 3/4 42.75
894 "	" # 4 Bronze	" .15 3/4 140.81
2437 "	" #10 Iron	" .03 1/2 85.30
3089 "	" # 4 "	" .03 92.67
4822 "	" # 5 "	" .03 144.66
3150 "	" 1/0 "	" .03 94.50
70 "	" # 8 "	" .03 1/2 2.45
2495 "	" # 4 Cop. Tinned	" .15 1/4 380.49
7000 "	" B.B. Trolley in Coils	" .13 910.00
8851 "	" 4/0 Cop. Tinned	" .15 1/4 1349.78
3263 "	" #6 " "	" .15 1/4 497.61
1410 "	" 2/0 " "	" .15 1/4 215.03
1000 "	" Heavy Cable Guy	" .03 1/2 35.00
150 Ft.	" 100000 C.M. Cable Sub. Mar. S.H.	" .47 70.50
178 "	" #16 Lead Covered S.H.	" .07 12.46
908 Lbs.	" 500000 C.M. S.H.	" .08 72.64
356 "	" 1000000 C.M. S.H.	" .08 28.48
1824 "	" #2/0 Solid S.H.	" .08 145.92
115 "	" 2/0 Cable S.H.	" .08 9.20
1824 "	" 1/0 Solid S.H.	" .08 145.92
438 "	" 4/0 Solid S.H.	" .08 35.04
590 "	" 4/0 Cable S.H.	" .08 47.20
580 "	" Scrap Feed Wire	" .08 46.40
150 "	" #2 Solid Wire S.H.	" .08 12.00
1085 Ft.	" 500000 C.M. Sub.Mar. Cable	" .82 889.70
183 "	" #10 Grimshaw	" .02 3.66
114 "	" #14 Twine	" .04 1/4 4.85
317 "	" #14 Grimshaw	" .01 3.17
67 "	" #12 "	" 11.65 Per M. .78
40 "	" # 6 "	" .026 1.04
30 "	" 2/0 Oko Rubber Covered	" .16 4.80
23 "	" 1/0 " " "	" .16 3.68
5000 "	" #10 " " "	" 14.75 Per M. 73.75
12 Lbs.	" #10 W.P. New	" .14 1.68
29 "	" #16 W.P. S.H.	" .08 2.32
350 Ft.	" #14 Ok Rubber Ins. Wire	" 8.95 Per M. 3.13
320 Lbs.	" W.B. S.H.	" .08 25.60
1610 Ft.	" #8 Ok Rubber Ins.	" 19.50 Per M. 31.40
67 Lbs.	" #12 & 14 W.P.	" .14 9.38
42 "	" #12 Iron Insulated	" .03 1/2 1.47
116 Ft. 3"	" W.P.	" .01 1.16
9 " 2 1/2"	Wire W.P.	" .01 .09
70 Lbs. Wire	#12 W.P.	" .14 9.80
937 Ft.	" # 4 Pare Telephone Cable Lead Covered S.H.	" .08 3/8 78.47
785 "	" 500000 C.M. Norwich Cable L.C. S.H.	" .40 314.00
1635 "	" 500000 C.M. Standard Cable L.C. SH.H.	" .40 654.00
2118 "	" 500000 " " " " New	" .40 7/10 862.03
1000 "	" 500000 " National Cable L.C. New	" .39 7/10 397.00
500 "	" 1000000 " Standard Cable L.C. New	" .79 395.00
4441 Lbs.	" 4/0 Flex. Cable	" .16 1/2 732.77
58 "	" Scrap Copper	" .08 4.64
96582 "	" 500000 C.M. Feed	" .15 3/4 15211.67
34672 "	" 500000 C.M. Bare	" .15 3/4 5460.84
9788 "	" 1000000 C.M. Feed	" .15 3/4 1541.61
38 "	Spun Yarn	" .10 1/4 3.90
76	Battery Zincs	" .03 2.28

Carried Forward

84346.17



Brought Forward

84346.17

SECOND HAND MATERIAL

8	Switches	1	Point	Light	Small)
1	"	1	"	Large	O.S.)
10	"	2	"	Small)
6	"	2	"	Large)
4	"	3	"	Small)
3	"	3	"	Large)
2	"	4	"	Small)
4	"	4	"	Large)
1	"	5	"	")
1	"	6	"	")
1	"	6	"	Small)
1	"	8	"	Large)
1	"	11	"	Small)
1	"	12	"	")
1	"	15	"	")
230	Sockets		Edison)
112	Switches		Bryant)
2	"	1	Point	Small)
7	"	1	"	")
8	"	4	"	")
3	"	6	"	")
3	"	8	"	")
49	"		Hill)
3	"		Single Pole	Small)
5	Irons	T	28)
2	"	"	20")
1	"	"	24")
1	"	"	28")
1	"	"	30")
2	"	"	15")
2	"	"	12")
241	Brackets		Wood Pole)
4	Brass		Truss Rails)
90	Lbs. Wire	7	Strand Guy	Iron)
10	Bridge		Hangers)
3	Iron		Trusses)
112	Collars	1/0	Side Feed)
170	Covers	T.H.	Insulating Joint)
148	Skirts	St.	Line Bell Hangers)

300.00

TOTAL SEPT. 1 -----
MATERIAL RECEIVED & CHARGED DURING SEPT. -----

84646.17
6706.96

MATERIAL USED DURING SEPTEMBER -----
TOTAL SEPT. 30, 1897 --LINE CONST. STOREROOM -----


91353.13
18754.53
72598.60

--- STOREROOM ---

523	Lbs. Asbestos	1/64	@	.04	20.92
238	"	1/32	"	.04	9.52
600	"	1/16	"	.04	24.00
132	"	3/32	"	.04	5.28
153	"	1/8	"	.04	6.12
52	Pcs. Ash	10" x 8" x 7/8"	"	.10	5.20
15	Rheostat	Arms	"	.80	12.00
10	Seat	Arms	"	1.85	18.50
3	S. Plow	Digger Arms	"	4.50	13.50
12	Westinghouse	Lightning Arresters	"	5.00	60.00
7	Adzes		"	1.08	7.56
44	Open Car	Seat Arms	"	1.65	72.60
2	Long	Handle Axes	"	.75	1.50
18	Lbs. Sulphuric	Acid	"	.08	1.44
2	"	Aluminum	"	2.00	4.00
50	Gals. Alcohol		"	2.34	117.00
46	1/2 Gals. Wood	Alcohol	"	1.45	67.43
14	4 Lt. Cluster	Balls	"	.60	8.40
1	2 Lt. Cluster	Ball	"		.40
7	Ash	Push Buttons	"	.08	.56

Carried Forward


455.93



Brought Forward			455.93
145	Buttons St. Louis	@ .12	17.40
49	" Pearl	" .15	7.35
1	" Laconia		.15
31	Bearings W.P. Arma. G.E.	" 1.30	40.30
124	" " " C.E.	" .70	86.80
11	" F.30 G.E.	" 2.00	22.00
11	" " C.E.	" 1.75	19.25
5	" Westg.	" 2.00	10.00
15	" Pig Nose Journal	" 1.10	16.50
117	Bon Ami Cakes	" .07	8.19
18	Lbs. Bronze Phos. 6"	" .51	9.18
53	" " Spring 1 1/4	" .30	15.90
162	" Brass " 1 1/2	" .13	21.06
297	" Bronze phos. 1 3/8	" .51	151.47
41	Steel Balls 1 1/4	" 3.00 Per C.	1.23
6747	" " 1/2	" 2.80 "	188.92
70	Lbs. Brass 3/4 x 3/16	" .13	9.10
60	" " 1 1/4 x 1/4	" .13	7.80
85	Bushings Top Ed. Socket	" .00 1/2 Ea.	.43
143	" Bottom Ed. Socket	" .03	4.29
6	Lbs. Burs Copper #3	" .20	1.20
3	" " " #8	" .20	.60
45	" " Iron #3	" .09	4.05
5	" " " #6	" .09	.45
33	" " " #8	" .09	2.97
20	Brads Wire 1 1/4 #14	" .04	.80
40	" " 1 1/2 #14	" .04	1.60
25	" " 2 #14	" .05	1.25
18	" " 2 1/2 #14	" .05	.90
5	" " 1 #16	" .05	.25
6	" " 1/2 #20	" .06	.36
5	Horse Shoe Buttresses	" 1.00	5.00
16	Boards K. Connecting	" .33	5.28
17	" K2 "	" .33	5.61
13	1 Bu. Baskets	" .75	9.75
310	Vulc. Bushings for Resist.	" .07 1/2	23.25
4	Brass Tops for Contr.	" 7.04	28.16
1	Bar #2 Hayden Wrench		.50
106	Electric King Bells	" .50	53.00
50	Wood Reverse Sw. Bases	" .37	18.50
24	Bushings Hd. Rubber Contr. #13635	" .25	6.00
17	Shunt Division Bars	" .10	1.70
1218	Rheo. Bushings 51 B. Vulc. Small	" .10	121.80
25	Small Slate Fuse Blocks	" .20	5.00
41	Bottles Blacking D. & M.	" .25	10.25
1	Brush 4" Camel's Hair		.75
30	Doz. Com. Brooms	" 2.25	67.50
44	W.P. Brush Holder Blocks	" .10	4.40
120	Fuse Blocks 3" Small Porc.	" .13	15.60
1/2	Gro. Buckles 3/4" Skate	" .75	.38
50	Doz. " 1" "	" 1.50 Gro.	6.25
6	Gro. " 1" Loop	" .50	3.00
11	Doz. " 1" Harness	" .10	1.10
1	Gro. " 1" Japaned		1.63
2	" " 1 1/4" "	" 2.10	4.20
2	" " 1 1/2" "	" 2.25	4.50
2	" " 1 3/4" "	" 2.50	5.00
1	" " 2" "		4.00
2	" " Large Brass		.50
2	Pr. Bridle Blinders	" .50	1.00
63	yds. Binding for Horse Blankets	" .02	1.26
5	Bottles Harness Blacking	" .25	1.25
1	Woolen Horse Blanket		2.00
2	Bits Mace #2	" .25	.50
102	Lbs. Pinch Bars	" .02 3/4	2.80
148	Yards Burlap 40" Wide	" .08	11.84
3	Bends Return Iron 1/2	" .03	.09
25	" " " 3/4	" .07	1.75
26	" " " 1"	" .09	2.34
25	" " " 1 1/4"	" .11	2.75
244	Brackets Span Lamp	" .15	36.60
8	Brasses Journal Transfer Table	" 1.50	12.00
49	" W.P. Arma. C.E.	" .70	34.30
43	" " " G.E.	" 1.30	55.90
7	" Walker G.E.	" 3.00	21.00
6	" " C.E.	" 2.00	12.00
21	" G.E. 800 G.F.	" 2.50	52.50

Carried Forward


1772.17



Brought Forward			1772.17
15	Brasses G.F.800 C.F.	@ 2.00	30.00
30	" 12 A G.F. 1897	" 2.00	60.00
34	" " C.F. "	" 1.85	62.90
191	" Westg.12 Arma. G.F.	" 1.50	286.50
16	" " 12 A "	" 2.75	44.00
4	" F.30 A " G.F.	" 2.00	8.00
2	" F.30 " C.F.	" 1.75	3.50
15	" " " G.F.	" 2.00	30.00
3	" " " Int.	" 2.00	6.00
10	" " " A.	" 1.50	15.00
1/2	Doz. Marking Brushes	" .45	.23
14	1/2 Doz. Dandruff Brushes	" 4.25	61.63
1	3" Tube Brush		1.50
110	Brushes Car Wash	"10.15 Doz.	93.04
2	Doz. Brushes Pointed Wash	" .35 Ea.	8.40
1 1/2	" " #8 King Wall	" .70 "	12.60
3	" " 1/0 Russia	" 3.60 Doz.	10.80
3	" " #5 Sash Tool	" .10 Ea.	3.60
3 3/4	" " #8 Sash Tool	" 1.80 Doz.	6.75
2 1/2	" " 1 1/2 Varnish	" 4.20 "	10.50
3/4	" " 2" Varnish	" 5.00 "	3.75
272	Plush Buttons	" .10 Per C.	.27
7 1/2	Doz. Push Brooms	" 4.50 Doz.	33.75
3 1/2	" Track Brooms	" 3.75 "	13.13
1/2	Block Westg. Pillar & G.F. Brass	"10.13	5.07
3	Backs K 2 Contr.	" 6.75	20.25
14	" K "	" 6.75	94.50
56	Cushion Beaters	" .03	1.68
15 1/2	Ft. Belt 6" Leather	" .57 Ft.	8.83
8	Chisel Bars 8l Lbs.	" .50 Ea.	4.00
6	Oil Bibbs 1"	" .75	4.50
12	Brass Bibs 3/4"	" .87	10.44
11	" " 1"	" 1.00	11.00
3	Transfer Table Journal Boxes J 36	" 5.00	15.00
3	" " " " " J 34	" 5.00	15.00
7	S. Plow Journal Boxes H - 3	" 4.00	28.00
4	Pignose " " H -14	" 3.50	14.00
24	H.17 " "	" 3.50	84.00
12	H.16 " "	" 3.50	42.00
1	H.20 " "		3.50
11	Boxes Rob. Rad. Journal Centre Top Halves	" 1.00	11.00
16	Brasses Axle 3 3/4	" 3.00	48.00
10	" " 3 3/8	" 3.00	30.00
67	" " 3 1/4	" 3.00	201.00
33	" " 3 3/4	" 3.00	99.00
48	" 12A Axle 1897	" 2.50	120.00
39	" " 3 3/4	" 3.00	117.00
49	" G.F. 800 Axles	" 3.00	147.00
20	" Walker "	" 4.25	85.00
926	Bushings Trolley Wheel	" .08	74.08
16	Brush Holders 12 A	" 1.75	28.00
13	" " 12	" 1.75	22.75
29	" " W. P.	" 2.00	58.00
35	" " G.F.800	" 3.50	122.50
24	" " Walker	" 3.00	72.00
2	" " B.&K.	" 1.50	3.00
331	Reverse Blades	" .35	115.85
12	Doz. Hack Saw 8" Blades	" .44	5.28
45	" " " 9" "	" .47	21.15
32	" " " 10" "	" .57	18.24
47	Lbs. Rubber Buffers	" .40	18.80
158	Journal Brasses H - 20 Box	" 1.10	173.80
11	Tool Bags	" .10	1.10
12	Brasses H - 55	" 1.10	13.20
8	Wire Brushes	" .25	2.00
6	S. Plow Journal Brasses	" 1.95	11.70
2	Angle Braces	" 2.20	4.40
9	Bit "	" 1.25	11.25
51	Journal Brasses H - 65	" 1.10	56.10
789	Resistance Brick	" .10	78.90
9	Burners 2 Spring	" 2.64 Doz.	1.98
114	St. L. Reg. U.S. Backs	" 1.50	171.00
17	Lantern Burners	" .50 Doz.	.71
13	Jones Bonnet Brackets	" .50	6.50
12	White Wash Brushes	" 1.38	16.56
31	Horse Brushes	" 1.25	38.75

Carried Forward

4945.39



Brought Forward			4945.39
152	Lightning Arrester Boxes	@ .50	76.00
2	Whisk Brooms	" 1.08	.18
152	Westg. Steel Motor Bushings	" .15	22.80
25	Signal Bells	" 1.65	41.25
207	Bushings 51 A Rheostat	" .10	20.70
75	" 51 B. "	" .35	26.25
545	" Fibre "	" .01 1/2	8.18
19	Brasses W.F.R. Centre Journal	" 1.10	20.90
24	" R.R.	" 1.10	26.40
10	Bushings Westg. Wood	" .03	.30
49	" " B.H. Vulc.	" 1.16	56.84
3	Bolsters W.F. Sw.	" 9.00	27.00
6	Boxes R.R. Jour. Cent.	" 5.00	30.00
2	Wood Wheel-barrows	" 2.50	5.00
2	Steel " "	" 10.00	20.00
5	Boxes S. Plow Jour. Shaft	" 4.00	20.00
11	" Draw Bar Spring	" 1.65	18.15
26	Lbs. Board press	" .08 1/2	2.21
174	" " Fuller	" .12	20.88
3	Body Bolsters W.F. Sw.	" 9.00	27.00
90	Lbs. Borax	" .07 1/2	6.75
3	Bed Blankets	" 1.50	4.50
32	Westg. Mica Bands	" .88	28.16
47	Bands G.E.800 Wide Mica	" .48	22.56
62	" 800 Narrow Mica	" .48	29.76
45	Little Giant Batteries	" .60	27.00
15	Hair Floor Brushes	" 1.38 Ea.	20.70
4	Stove " "	" .25 "	1.00
18	Scrub " "	" .10 "	1.80
9	Counter Dust Brushes	" .33 "	2.97
4	Bellows 8"	" 1.50	6.00
3	" 14"	" 2.00	6.00
22	Lbs. Rubber Buffers for R.R. Truck	" .40	8.80
9	Bottles for Fire Extinguishing	" .05	.45
45	Mesco Dry Batteries	" .23	10.35
75	Bushings Iron 1/4 x 1/8	" .008	.60
28	" " 1/2 x 1/8	" .008	.22
14	" " 3/8 x 1/4	" .008	.11
40	" " 1/2 x 1/2	" .008	.32
199	" " 3/4 x 1/4	" .01	1.99
32	" " 1 x 1/4	" .012	.38
12	" " 1 1/4 x 1/4	" .014	.17
21	" " 1/2 x 3/8	" .008	.17
53	" " 1/8 x 3/8	" .008	.42
41	" " 3/4 x 3/8	" .01	.41
12	" " 1 x 3/8	" .012	.14
41	" " 1 1/4 x 3/8	" .014	.57
20	" " 1 1/2 x 3/8	" .018	.36
45	" " 2 x 3/8	" .028	1.26
14	" " 3/4 x 1/2	" .01	.14
29	" " 1 x 1/2	" .012	.35
1	" " 1 1/4 x 1/2	" .014	.01
15	" " 1 1/2 x 1/2	" .018	.27
28	" " 2 x 1/2	" .028	.78
10	" " 2 1/2 x 1/2	" .042	.42
1	" " 3 x 1/2	" .06	.06
17	" " 1 x 3/4	" .01	.17
3	" " 1 1/4 x 3/4	" .014	.04
1	" " 1 1/2 x 3/4	" .018	.02
13	" " 2 x 3/4	" .03	.39
9	" " 1 1/4 x 1	" .014	.13
26	" " 1 1/2 x 1	" .018	.47
2	" " 2 1/2 x 1	" .042	.08
10	" " 2 1/4 x 1 1/4	" .04	.40
7	" " 2 1/2 x 2	" .042	.29
1	" " 5 x 2	" .19	.19
1	" " 7 x 2	" .37	.37
10	" " Floor 3/4"	" .02	.20
7	" " " 1 1/2"	" .05	.35
21	" Brass 2 1/2 x 1/2	" .17	3.57
2	" " 2 x 1 1/2	" .13	.26
2	" " 1 1/2 x 1 1/4	" .10	.20
5	" " 1 1/2 x 3/4	" .10	.50
1	" " 2 x 1	" .13	.13
1	" " 2 x 1 1/4	" .13	.13
8	" " 1 1/4 x 1	" .08	.64

Carried Forward

5609.91



Brought Forward

5609.91

3	Bushings Brass	1	1/4 x 3/4	@	.08	.24
9	"	"	1/4 x 1/8	"	.02	.18
4	"	"	3/8 x 1/4	"	.02	.08
1	1/4 Doz. Auger Bits		4/16	"	1.20	1.50
2	1/12	"	5/16	"	1.36	2.83
1	1/6	"	6/16	"	1.52	1.77
3/4	"	"	7/16	"	1.76	1.32
1	5/12	"	8/16	"	1.92	2.72
2	5/12	"	9/16	"	2.08	5.03
3	1/3	"	10/16	"	2.24	7.47
1	1/4	"	11/16	"	2.44	3.05
5	1/12	"	12/16	"	2.64	13.42
1	"	"	13/16	"	2.88	2.88
1	1/2	"	14/16	"	3.12	4.68
2	1/4	"	15/16	"	3.36	7.56
3/4	"	"	1	"	3.60	2.70
1/2	"	"	18/16	"	4.08	2.04
1/2	"	"	20/16	"	4.56	2.28
3	5/12	"	22/16	"	5.04	17.22
6	"	Car	4/16	"	2.40	1.20
4	"	"	10/16	"	4.48	1.49
12	"	"	8/16	"	3.84	3.84
5	"	"	9/16	"	4.16	1.73
11	"	"	1"	"	7.20	6.60
8	"	"	18/16	"	8.16	5.44
26	"	German	#6	"	.48	1.04
294	Machine Bolts		3/8 x 1/4	"	.25	.74
344	"	"	1 1/2 x 1/4	"	.62	2.13
452	"	"	1 1/4 x 3/8	"	.41	1.85
200	"	"	1 1/2 x 3/8	"	.43	.86
747	"	"	1 3/4 x 3/8	"	.44	3.29
152	"	"	2 x 3/8	"	.45	.68
493	"	"	2 1/2 x 3/8	"	.48	2.37
333	"	"	3 x 3/8	"	.50	1.66
477	"	"	3 1/2 x 3/8	"	.52	2.48
290	"	"	4 x 3/8	"	.54	1.57
273	"	"	1 1/4 x 5/16	"	.35	.96
250	"	"	1 1/2 x 5/16	"	.36	.90
1800	"	"	2 x 5/16	"	.38	6.84
300	"	"	2 1/2 x 5/16	"	.40	1.20
430	"	"	3 1/2 x 5/16	"	.44	1.89
866	"	"	1 1/2 x 5/16	C.H.Hds.	.72	6.24
450	"	"	1 3/4 x 5/16	"	.72	3.24
278	"	"	2 x 5/16	"	.74	2.06
142	"	"	9 x 1/2	"	3.10	4.40
300	"	"	1 1/2 x 1/2	"	.65	1.95
462	"	"	1 3/4 x 1/2	"	.67	3.09
915	"	"	2 x 1/2	"	.69	6.31
508	"	"	2 1/2 x 1/2	"	.72	3.66
1108	"	"	3 x 1/2	"	.76	8.42
976	"	"	3 1/2 x 1/2	"	.80	7.81
548	"	"	4 x 1/2	"	.83	4.55
330	"	"	4 1/2 x 1/2	"	.87	2.87
846	"	"	5 x 1/2	"	.90	7.61
1000	"	"	5 1/2 x 1/2	"	.94	9.40
267	"	"	6 x 1/2	"	.98	2.62
554	"	"	6 1/2 x 1/2	"	1.01	5.60
125	"	"	7 x 1/2	"	1.05	1.31
500	"	"	7 1/2 x 1/2	"	1.08	5.40
500	"	"	8 x 1/2	"	1.12	5.60
519	"	"	8 1/2 x 1/2	"	1.15	5.97
36	"	"	9 1/2 x 1/2	"	3.20	1.15
171	"	"	10 1/2 x 1/2	"	3.90	6.67
980	"	"	1 3/4 x 5/8	"	.97	9.51
1000	"	"	2 x 5/8	"	1.00	10.00
1055	"	"	2 1/2 x 5/8	"	1.05	11.08
837	"	"	3 x 5/8	"	1.10	9.21
1062	"	"	3 1/2 x 5/8	"	1.16	12.32
934	"	"	4 x 5/8	"	1.21	11.30
351	"	"	4 1/2 x 5/8	"	1.26	4.42
451	"	"	5 x 5/8	"	1.32	5.95
1300	"	"	5 1/2 x 5/8	"	1.37	17.81
475	"	"	6 x 5/8	"	1.42	6.75
400	"	"	6 1/2 x 5/8	"	1.48	5.92
32	"	"	7 x 5/8	"	1.53	.49
1181	"	"	7 1/2 x 5/8	"	1.58	18.66

Carried Forward

5968.99

1. The first part of the document is a list of names and addresses.

2. The second part of the document is a list of names and addresses.

3. The third part of the document is a list of names and addresses.

4. The fourth part of the document is a list of names and addresses.

5. The fifth part of the document is a list of names and addresses.

Brought Forward			5968.99
423	Machine Bolts	8 x 5/8	@ 1.64 6.94
3	"	8 1/2 x 5/8	" 1.69 .05
562	"	9 x 5/8	" 1.75 9.84
290	"	10 x 5/8	" 1.86 5.39
424	"	10 1/2 x 5/8	" 1.91 8.10
152	"	10 1/2 x 5/8 Count. Sk. Hd.	" 2.25 3.42
286	"	1 1/2 x 3/4	" 1.30 3.72
104	"	2 x 3/4	" 1.37 1.42
357	"	2 1/2 x 3/4	" 1.45 5.18
24	"	3 x 3/4	" 1.53 .37
200	"	3 1/2 x 3/4	" 1.61 3.22
144	"	4 x 3/4	" 1.70 2.45
500	"	4 1/2 x 3/4	" 1.78 8.90
389	"	5 x 3/4	" 1.85 7.20
90	"	5 1/2 x 3/4	" 1.93 1.74
410	"	6 x 3/4	" 2.01 8.24
200	"	6 1/2 x 3/4	" 2.09 4.18
484	"	7 x 3/4	" 2.16 10.45
202	"	7 1/2 x 3/4	" 2.25 4.55
368	"	8 x 3/4	" 2.33 8.57
1500	"	8 1/2 x 3/4	" 2.41 36.15
150	"	9 x 3/4	" 2.49 3.74
868	"	9 1/2 x 3/4	" 2.56 22.22
177	"	10 x 3/4	" 2.63 4.66
82	"	2 1/2 x 3/4 Hex.Hd. & Nut	" 1.74 1.43
345	"	4 1/2 x 3/4 Hex.Drilled	" 2.89 9.97
100	"	4 1/2 x 7/8	" 2.45 2.45
172	"	5 1/2 x 7/8 Hex.	" 2.93 5.04
38	"	12 x 7/8	" 4.07 1.55
575	"	4 1/2 x 7/8	" 3.69 21.22
86	"	5 x 7/8	" 3.82 3.28
82	"	5 1/2 x 7/8	" 3.95 3.24
49	"	2 x 1 1/4	" 3.25 1.59
123	"	8 1/2 x 1"	" 4.61 5.67
70	"	11 1/2 x 1"	" 5.48 3.84
71	"	12 x 1"	" 5.62 3.99
145	"	10 1/2 x 1"	" 5.18 7.51
92	"	13 x 1"	" 5.91 5.44
72	"	9 1/2 x 1"	" 4.90 3.53
86	"	14 x 1"	" 6.19 5.32
88	"	2 x 1"	" 2.73 2.40
50	Carriage Bolts	1 1/2 x 1/4	" .38 .19
140	"	2 x 1/4	" .41 .57
50	"	2 1/2 x 1/4	" .43 .22
290	"	3 x 1/4	" .45 1.31
350	"	3 1/4 x 1/4	" .46 1.61
80	"	4 x 1/4	" .50 .40
828	"	1 1/2 x 5/16	" .48 3.97
237	"	2 x 5/16	" .49 1.16
297	"	2 1/2 x 5/16	" .53 1.57
535	"	3 x 5/16	" .56 3.00
150	"	3 1/2 x 5/16	" .60 .90
200	"	4 x 5/16	" .63 1.26
150	"	4 1/2 x 5/16	" .68 1.02
400	"	5 x 5/16	" .72 2.88
344	"	5 1/2 x 5/16	" .76 2.61
324	"	2 3/4 x 5/16	" .55 1.78
474	"	1 1/4 x 3/8	" .60 2.84
741	"	1 1/2 x 3/8	" .60 4.45
616	"	1 3/4 x 3/8	" .60 3.70
80	"	2 x 3/8	" .60 .48
782	"	2 1/2 x 3/8	" .65 5.08
366	"	3 x 3/8	" .70 2.56
450	"	3 1/2 x 3/8	" .74 3.33
347	"	4 x 3/8	" .79 2.74
408	"	4 1/2 x 3/8	" .84 3.43
1397	"	5 x 3/8	" .88 12.29
1278	"	5 1/2 x 3/8	" .94 12.01
327	"	6 x 3/8	" .98 3.20
93	"	6 1/2 x 3/8	" 1.03 .96
307	"	7 1/2 x 3/8	" 1.13 3.47
810	"	8 x 3/8	" 1.18 9.56
689	"	9 x 3/8	" 1.27 8.75
102	"	2 x 1/2	" 1.21 1.23
574	"	2 1/2 x 1/2	" 1.28 7.35
957	"	3 x 1/2	" 1.34 12.82
Carried Forward			6351.86



Brought Forward

6351.86

194	Bolts Carriage	3 1/2 x 1/2	@ 1.41	2.74
304	"	4 x 1/2	" 1.48	4.50
2400	"	4 1/2 x 1/2	" 1.55	37.20
185	"	5 x 1/2	" 1.61	2.98
2368	"	5 1/2 x 1/2	" 1.68	39.78
377	"	6 x 1/2	" 1.75	6.60
74	"	6 1/2 x 1/2	" 1.81	1.34
1385	"	7 x 1/2	" 1.88	26.04
1100	"	7 1/2 x 1/2	" 1.95	21.45
1866	"	8 x 1/2	" 2.01	37.51
654	"	8 1/2 x 1/2	" 2.08	13.60
1228	"	9 x 1/2	" 2.14	26.28
1536	"	9 1/2 x 1/2	" 2.22	34.10
1470	"	10 x 1/2	" 2.28	33.52
44	"	10 1/2 x 1/2	" 2.35	1.03
5882	"	2 1/2 x 5/8	" 1.48	87.04
279	"	4 1/2 x 5/8	" 2.75	7.67
70	"	7 1/2 x 5/8	" 4.20	2.94
230	"	8 x 5/8	" 4.60	10.58
88	"	7 x 5/8	" 4.00	3.52
194	"	3 1/2 x 5/8	" 2.50	4.85
500	R.H. Stove	1/2 x 1/4	" .26	1.30
5000	"	3/4 x 1/4	" .26	13.00
300	"	1 1/4 x 1/4	" .28	.84
200	"	1 1/2 x 1/4	" .30	.60
500	"	2 x 1/4	" .33	1.65
500	"	2 1/4 x 1/4	" .34	1.70
500	"	2 1/2 x 1/4	" .36	1.80
450	"	3 x 1/4	" .38	1.71
1000	"	3/4 x 3/16	" .23	2.30
200	"	1 x 3/16	" .25	.50
200	"	1 1/2 x 3/16	" .27	.54
9700	"	2 x 3/16	" .30	29.10
100	"	1 1/2 x 3/8	" .45	.45
100	"	2 x 3/8	" .79	.79
300	F.H.	3/4 x 1/4	" .18	.54
200	"	1 x 1/4	" .19	.38
200	"	1 1/4 x 1/4	" .20	.40
100	"	1 1/2 x 1/4	" .22	.22
100	"	2 x 1/4	" .25	.25
100	"	3 X 1/4	" .30	.30
400	"	3/4 x 5/16	" .19	.76
14	Eye T.H. Trolley Cam		" .15	2.10
258	W.F.R. 13 1/2 x 1		" .15	38.70
34	W.P. Motor Eye		" .10	3.40
6	For H 187 Castings		" .04	.24
50	King		" .15	7.50
91	6 A Stud		" .30	27.30
88	W.P. Arma. Cap.		" .20	17.60
7	westinghouse Pillar Blocks		" .18	1.26
19	G.F.800 Finished		" .45	8.55
23	R.R.Pedestal		" .30	6.90
41	#57 Pedestal		" .30	12.30
12	Finished 6 1/2 x 1 1/4		" .20	2.40
45	F.30 Arma. Cap		" .15	6.75
135	6 A Pedestal		" .30	40.50
130	F.30 Cushions		" .15	19.50
140	W.P.Motor Axle 7/8		" .15	21.00
29	Westinghouse Motor 17 x 1		" .20	5.80
15	Toggle 6 A		" .30	4.50
83	Westinghouse Motor 12 x 7/8		" .15	12.45
117	Snow Scraper 5 1/2 x 5/8		" .03	3.51
171	Motor Axle 1"		" .15	25.65
128	Stud 3 1/2 x 3/4		" .10	12.80
165	" 4 1/2 x 7/8		" .10	16.50
40	" 6 x 7/8		" .15	6.00
42	" 6 x 1		" .15	6.30
154	Harness Eye		" .01	1.54
2	Gro.Bolts 1 1/4" Halter		" .75	1.50
261	" Brass Reverse Sw.		" .10	26.10
108	" Steel Reverse Sw.		" .05	5.40
245	" Stud Reverse Sw.		" .04	9.80
11	" snow Scraper Eye		" .60	6.60
6	Castings B. 3 Wood Gate		" .10	.60
22	" B.36		" .17	3.74
22	" B.37		" .13	2.86

Carried Forward

7183.91

Brought Forward		7183.91	
84	Castings B.38	@ .10	8.40
66	" B.39	" .10	6.60
294	" B.40 - 41	" .15	44.10
305	" C.211 - 457 1/2 Lbs.	" .02 1/2 Ea.	11.45
5	" D.42 S. Plow	" 3.50	17.50
2	" H.71 Journal Box Cover	" .08	.16
34	" H.126	" .25	8.50
12	" H.165	" .20	2.40
3	" H.169	" .64	1.92
127	" H.176	" .25	31.75
72	" H.175	" .20	14.40
11	" H.181 Mall.	" .35	3.85
48	" H.150 "	" .30	14.40
8	" H.187	" 1.00	8.00
10	" H.287	" .40	4.00
6	" H.300 S. Plow	" .20	1.20
26	" H.314	" .75	19.50
34	" H.327 Iron Snow Plow	" .15	5.10
5	" H.329 Snow Plow	" .50	2.50
19	" H.332	" .15	2.85
16	" H.495 Brass	" 1.00	16.00
5	" H.496 Brass	" 1.55	7.75
21	" H.499	" .10	2.10
1	" H.570 R.R.Cge.	"	1.25
22	" H.710 Cup R.R.	" .10	2.20
7	" H.756	" .05	.35
5	" H.900	" 1.30	6.50
1	" S.T. 27 - 8	"	2.00
28	" S.T. 27- 12 -- 27-11	" .60	16.80
23	" 6 A 7	" .10	2.30
71	" U.R. Rad.	" .40	28.40
2	" 1 A 1 R.R.	" 2.00	4.00
6	" 2 F. 3 R.R.	" 7.00	42.00
19	" 6 A Bemis Corner	" .60	11.40
22	" 6 A 2 Bemis Corner	" 2.50	55.00
45	" 6 A 8 Bemis	" .80	36.00
15	" 6 A 9	" .25	3.75
39	" 6 A 32	" .35	13.65
105	" 6 A 33	" .35	36.75
24	" #22 Wood Gate	" .15	3.60
41	" #24 " "	" .15	6.15
18	" #38 " "	" .10	1.80
55	" #147 Brake Beam - 148 Brake Beam	" .25	13.75
114	Couplings Iron 1/2	" .014	1.60
13	" " 3/8	" .008	.10
57	" " 1/4	" .006	.34
71	" " 3/4	" .02	1.42
65	" " 1	" .028	1.82
19	" " 1 1/4	" .04	.76
26	" " 1 1/2	" .05	1.30
24	" " 2	" .07	1.68
17	" " 4	" .15	2.55
1	" " 3	" .10	.10
2	" " 3 1/2	" .12	.24
9	" " 5	" .25	2.25
22	" " 1 x 1/2	" .028	.62
46	" " 1/2 x 3/8	" .014	.64
44	" " 1/4 x 1/8	" .01	.44
44	" " 3/8 x 1/4	" .01	.44
105	" " 1/2 x 1/4	" .014	1.47
47	" " 3/4 x 1/4	" .02	.94
82	" " 3/4 x 3/8	" .02	1.64
15	" " 1/2 x 3/8	" .014	.21
70	" " 1 x 3/8	" .02	1.40
49	" " 1 x 1/4	" .02	.98
8	" " 1 x 3/4	" .025	.20
31	" " 1 1/4 x 1/2	" .04	1.24
36	" " 1 1/4 x 3/4	" .04	1.44
37	" " 1 1/4 x 1	" .04 1/2	1.67
10	" " 1 1/2 x 1/2	" .05	.50
7	" " 1 1/2 x 3/4	" .05	.35
14	" " 1 1/2 x 1	" .06	.84
1	" " 1 1/2 x 1 1/4	" .07	.07
8	" " 2 x 3/4	" .07	.56
17	" " 2 x 1 1/2	" .07 1/2	1.28
8	" " 3 x 1	" .10	.80
Carried Forward			7737.88

Brought Forward				7737.88
5	Couplings Iron	3 x 1 1/4	@ .12	.60
47	"	R.& L. 1	" .028	1.32
51	"	" 1 1/4	" .04	2.04
27	"	" 2	" .07	1.89
2	Doz. Couplings	1 1/2 Bessinger	" .10	.20
8	"	Fin. Brass 1/4 x 1/8	" .08	.64
8	"	Brass 3/8	" .06	.48
2	"	" 1 1/2 Fine Thread	" .17	.34
3	"	" 2 1/2 "	" .30	.90
2	"	" 4 1/2 "	" .50	1.00
1	"	" 2	" .25	.25
12	"	For Transfer Table	" 1.80	21.60
2000	Yards Cheese Cloth		" .02	40.00
6	Doz. Sperm Candles		" .46	2.76
98	W.P.Mica Cones		" .43	42.14
6	Horse Storm Covers		" 3.00	18.00
1	Weed cutter			.50
12	K. Contr. Covers		" 1.67	20.04
90	Yards Canvas 30"		" .20	18.00
7	1/2 Yds. Canvas 36"		" .25	1.88
268	" " 24" Painted		" .25	67.00
20	Cones D.62 Outer Mica		" .87 1/2	17.50
44	" Westg. Mica		" .88	38.72
625	Cloth Filters 10 x 16	77 Yds.	" .02	1.54
9	Short Draw Bar Cages		" 1.00	9.00
1	Long " " "		" 1.60	1.60
12	1/3 Doz. Lamp Cages		" .08 Ea.	11.84
3500	Large Wood Cleats		" .30	10.50
12600	Small " "		" .20	25.20
22	Brass Pipe Cleats		" .06 Doz.	.11
3	Pipe Cutters		" 1.58	4.74
147	Covers #57 Bemis Jour. Box		" .10	14.70
2	Air Cocks 1/8"		" .10	.20
6	" " 1/4"		" .10	.60
16	Cocks Stop & Drip 3/4"		" .40	6.40
6	" Drip 1 1/4"		" .70	4.20
13	" Stop Lever Handle 1 1/4		" .70	9.10
9	" Stop Lever Handle 3/4"		" .40	3.60
1	" P. & C. Plug			4.90
6	" 1 1/2" Pratt & Cady		" 3.00	18.00
12	" Comp. Gauge		" 1.00	12.00
856	Lbs. Card Board		" .05	42.80
6	Covers G.E.800 Motors		" 8.80	22.80
1	Cross Iron 1 x 3/4		" .06	.06
7	" " 1 1/4		" .09	.63
3	" " 1 1/2		" .12	.36
1	" " 2		" .17	.17
1	" " 2 1/2		" .29	.29
6	Caps G.E.800 Contr.		" 1.50	9.00
1	Cross Brass 1 1/4			.16
170	Caps Iron Pipe 3/4		" .00 1/2	.85
2	" " " 1		" .01	.02
1	" " " 2 1/2		" .03 1/2	.04
2	" " " 3 1/2		" .07	.14
60	" W.P.Contr.		" 2.25	135.00
4500	Ft. Cable Rheostat		" .01 3/4	78.75
20	Collars R.R.Dust		" 1.00	20.00
1404	Lbs. Chain 3/8 Brake Long Link		" .09	126.36
80	Ft. Chain Large S. Plow Sprocket		" .88	70.40
19	" " #62 Sprocket		" .08	1.52
86	Doz. Headlight Chimneys		" .24 Doz.	20.64
82	Cups F.30 Grease		" .25	20.50
57	Cups F.30 Grease no Covers		" .13	7.41
14	Covers W.P. Axle Cap		" .13	1.82
23	Lbs. Cold Chisels		" .18	4.14
13	Lbs. Hot "		" .18	2.34
9	W.P.Axle Collars 3 3/8		" 1.00	9.00
2	Rv.Sw. Contacts #1		" .10	.20
298	" " #2		" .04	11.92
8	Clasps for Car Shades		" .15	1.20
8	Caps Westinghouse B.H.Wood		" .05	.40
60	Horse Cards		" .07	4.20
7	Horse Mane Combs		" .12 1/2	.88
695	Iron Cleats 1/2" pipe		" .00 1/2	3.48
98	Fibre Covers for Comb. Sw.		" .22	21.56
4	Tow Car Connections		" 1.00	4.00
12	10" End cutters		" .50	6.00

Carried Forward

8802.95

Brought Forward			8802.95
1	Chisel 1/4"	@ .07	.07
1	" 1"	" .24	.24
2	" 1 1/2"	" .33	.66
38	File Cards	" .10	3.80
3	Cutters #1 Glass H. & C.	" .40	1.20
1	" Chest. Glass Tube		2.00
10	Ft. Sprocket Chain #25 Coal Car	" .05 1/34	.53
29	Revolving Fuse Box Covers	" .20	5.80
3	5 Lb. Webster Cement Cans	" .25	.75
5000	Cotter Pins 3/4 x 3/32	" .04	2.00
3000	" " 1 1/2 x 3/32	" .07	2.10
4000	" " 3/4 x 1/8	" .04	1.60
1000	" " 1 x 1/8	" .05	.50
1000	" " 1 1/8 x 1/8	" .05	.50
8000	" " 1 1/2 x 1/8	" .10	8.00
3450	" " 1 1/2 x 1/4	" .18	6.21
1750	" " 2 x 1/4	" .22	3.85
500	" " 3 x 1/4	" .27	1.35
8500	" " 1 1/2 x 3/16	" .13	11.05
4500	" " 2 x 3/16	" .14	6.30
500	" " 3 x 3/16	" .17	.85
2750	" " 1 1/2 x 5/16	" .12	3.30
500	" " 2 1/2 x 5/16	" .25	1.25
325	" " 2 1/2 x 3/8	" .30	.98
69	Fuse Box Cases in & out	" .28	19.32
171	Small Slate Fibre Fuse Box Covers	" .07	11.97
41	Screw Me Up Covers	" .20	8.20
4832	Small Brass Cleats	" .06 Doz.	24.16
3864	Large " "	" .01 Ea.	38.64
15	Rheostat Spindle Caps 51 B.	" .23	3.45
12	" " " 51 A.	" .20	2.40
1155	Connections 2 Way #6	" .05	57.75
114	" 3 "	" .06	6.84
23	1/4 Lbs. Strip Copper 1/8 x 010	" .25	5.81
1786	Copper Channels W.P. Arma.	" .01	17.86
3600	W.P. 50 Clips	" .00 1/2	18.00
70	Doz. Car Lamp Chimneys	" .48	33.60
169	Head Light Chimneys	" .24	4.06
47	Candle Lantern Chimneys	" .05	2.35
119	Exten. Axle Collars 3 3/4	" 1.50	178.50
12	Westg. Axle Caps C.F.	" 1.50	18.00
5	" " " G.F.	" 2.00	10.00
34	W.P. " " G.F.	" 3.50	119.00
24	" " " C.F.	" 2.95	70.80
8000	Ft. Bell Cord	" .02 1/4	180.00
12600	" Trolley Cord	" .006	75.60
4	Quires Emery Cloth #00	" .36	1.44
15	" " " 0	" .36	5.40
13	" " " 1/2	" .36	4.68
20	" " " 1	" .36	7.20
8	" " " 1 1/2	" .38	3.04
25	" " " 2	" .40	10.00
74	" Crocus "	" .36	26.64
245	Collars Vulc. K. Cont. Cyl	" .25	61.25
3	G.E.800 Motor Cover Catches	" .30	.90
17	W.E. Sw. Truck Chains	" .25	4.25
29	Rolls Tracing Cloth 24 Yds. Ea.	" 5.18	150.22
22	Phillips Oil Cups	" 1.17	25.74
3147	Ft. Cable #6 Clark	" .03 1/2 Ft.	110.15
466	" " G.E. Spool Lead	" .10	46.60
200	Lbs. " 2/0 Simplex	" .15 3/4	31.50
7	Westg. Gear Cases	" 12.40	86.80
3	G.E.800 Gear Cases	" 12.50	37.50
1064	Lbs. Westg. Gear Chain	" .09	95.76
48	" Short Link Brake Chain 5/16	" .10 1/2	5.04
2800	Ft. Cable 75/25 W.P.	" .05	140.00
3430	" Chain #51 Sprocket	" .07 1/4	248.68
2500	" Cable 75 x 26 Clark	" .05	125.00
68	" " Plug Head Light	" .10	6.80
43	Lbs. " #8 W.P.	" .14	6.02
135	" Copper 1 3/8 Wide	" .30	40.50
193	" " 1 1/2	" .18	34.74
47	" " 8"	" .16	7.52
14	" " 2 1/2 x 5/16	" .16	2.24
Carried Forward			11099.76

Brought Forward				11099.76
16	1/2 Lbs. Copper	1 1/8 x 1/32	@ .16	2.64
26	"	1 3/4 x 1/32	" .16	4.16
45	"	3/8 x 3/32	" .16	7.20
48	"	5 x 1/2	" .16	7.68
77	"	10 x 1/16 Tinned	" .25	19.25
269	Castings Chilled	Angle	" .04	10.76
106	"	Flat	" .04	4.24
25	"	Fender	" .38	9.50
182	Contacts K.2 Cyl.#1		" .16	29.12
207	"	5 & 2	" .13	26.91
137	"	6 - 8 & 3	" .05	6.85
80	"	4	" .12	9.60
29	"	7	" .08	2.32
236	"	9	" .05	11.80
105	"	11 & 10	" .10	10.50
106	"	15 & 12	" .16	16.96
48	"	17 - 19 - 13	" .02	.96
125	"	20 - 14	" .02	2.50
94	"	18 - 16	" .12	11.28
79	Covers for Fuse Box	Segments	" .20	15.80
80	Cases for M.M. Sw.		" .28	22.40
200	Yards Cloth #3 Emery		" .20	40.00
1	Glass Cutter			.06
5	Chamois Kips		" 7.25	36.25
235	M.M. Sw. Fibre Covers		" .22	51.70
310	Clips M.M. Sw. Front Cont.	Top	" .03	9.30
170	"	Back Cont. Bottom	" .05	8.50
45	"	" " "	" .05	2.25
105	"	" " Top	" .05	5.25
20	Contacts M.M. Sw. Handle		" .04	.80
360	Carbons Walker		" .02	7.20
148	"	F.30	" .01 1/2	2.22
318	"	D.62	" .01 1/2	4.77
280	"	Ajax Sw.	" .02	5.60
2275	"	Westinghouse	" .02	45.50
2400	"	G.E.800 3/4	" .02	48.00
1550	"	G.E.800 1/2	" .01 1/2	23.25
9600	"	F.40 5/8	" .01 1/2	144.00
247	"	M.P. 500	" .02 1/2	6.18
15	Yards Canvas 18"	Painted	" .25	3.75
202	Carbons 2 7/16 x	2 1/4 x 5/8	" .02	4.04
162	"	Dynamo 3 1/2 x 2 1/2 x 1	" .05	8.10
1545	"	" 2 1/2 x 1 1/4 x 1	" .02 1/2	38.63
22	"	6 x 2 x 1/2	" .03	.66
28	"	4 1/2 x 2 x 7/16	" .05	1.40
28	"	3 1/4 x 2 1/4 x 7/16	" .05	1.40
10	"	2 x 1 7/8 x 7/16	" .02	.20
19	8 Qt. Cans		" .50	9.50
1	Large Waste Can			3.33
26	Fuse Box Foils		" .50	13.00
18	G.E.800 Inner Mica Cones		" .48	8.64
78	Edison Iron Cups		" .06	4.68
143	D.62 Cups		" .06	8.58
20	5 Gal. Crated Cans		" .75	15.00
16	3 " " "		" .34	5.44
370	Candles for C. Lanterns		" .02	7.40
6	Coffee Pot Oil Cans		" 1.25	7.50
26	Long Snout Snow Plow Cans		" .75	19.50
8	Oval Cans		" .75	6.00
36	1 Gal. Kerosene Cans		" .20	7.20
20	3 Lt. Clusters		" 1.50	30.00
54	Lbs. Copper 12" Wide		" .16	8.64
17	Westinghouse Collars 12A		" 1.00	17.00
100	Lbs. White Chalk		" .01 1/2	1.50
718	" Compound Dreher		" .04 1/2	32.31
3	Draw Bars		" 1.33	3.99
1	Deflector Arc for Westinghouse Cont.			6.50
6	Drills St. Shank Twist #1		" .03	.18
108	1 3/4 Lbs. Ea. Cast Iron Doughnuts		" .02 1/2	4.73
21	Lower Brake Staff Dogs		" .03	.63
8	Dies 5/8 Green River		" 1.00	8.00
5	" 10/24 Green River		" .50	2.50
3	" 14/20 " "		" .40	1.20
2	Drills #13 Millers Falls Breast		" 2.90	5.80
65	Westinghouse Fibre Discs		" .50	32.50
15	Hammer Drifts		" .10	1.50
Carried Forward				12103.95

Brought Forward

12103.95

14	Drills	St.	Shank	Twist	#7	@	.03	.42
17	"	"	"	"	12	"	.03	.51
7	"	"	"	"	16	"	.03	.21
6	"	"	"	"	43	"	.04	.24
9	"	"	"	"	50	"	.07	.63
32	"	"	"	"	1/8"	"	.04	1.28
8	"	"	"	"	3/16	"	.10	.80
8	"	"	"	"	13/32	"	.17	1.36
46	"	"	"	"	5/16	"	.14	6.44
69	"	"	"	"	11/32	"	.15	10.35
16	"	"	"	"	3/8	"	.16	2.56
35	"	"	"	"	1/4	"	.12	4.20
2	"	"	"	"	7/16	"	.18	.36
84	"	"	"	"	29/64	"	.19	15.96
22	"	"	"	"	1/2	"	.20	4.40
6	"	"	"	"	7/8	"	.80	4.80
13	"	"	"	"	5/8	"	.28	3.64
114	"	"	"	"	11/16	"	.32	36.48
13	"	"	"	"	3/4	"	.63	8.19
3	"	"	"	"	13/16	"	.70	2.10
118	"	"	"	"	15/16	"	.80	94.40
5	"	"	"	"	1"	"	1.08	5.40
1	"	"	"	"	1 1/8	"		1.19
9	"	"	"	"	23/32	"	.58	5.22
3	"	"	"	"	1 5/8	"	1.70	5.10
5	"	Taper	"	"	31/64	"	.20	1.00
1	"	"	"	"	3/4	"		.60
18	"	"	"	"	13/16	"	.43	7.74
10	"	"	"	"	11/16	"	.50	5.00
4	Dies	Pipe	1/2"	R.H.		"	1.20	4.80
2	"	"	3/4"	L.H.		"	1.41	2.82
2	"	"	2"	R.H.		"	3.60	7.20
5	"	Green River	1/2"			"	1.00	5.00
4	"	"		3/8		"	.85	3.40
1	"	"		7/16		"	.93	.93
2	"	"		5/16		"	.75	1.50
1	"	"		3/4		"	1.40	1.40
1	"	"		1"		"	2.00	2.00
4	"	Little Giant		1/2"		"	1.20	4.80
3	"	"		5/8		"	1.40	4.20
3	"	"		3/4		"	1.55	4.65
6	"	"		& Collet	13/16"	"	1.70	10.20
1	"	"		"	1"	"	2.00	2.00
1	"	Pipe	1 1/4"	R.H.		"		1.20
1	"	"	1 1/2"	R.H.		"		1.64
124	Feather Dusters					"	2.08 Doz.	21.49
2	Drill Attachments					"	1.50	3.00
13	Long Handle Dippers					"	.75	.81
24	R. & L. Iron Elbows			3/8		"	.012	.29
12	"			1/2		"	.014	.17
23	"			3/4		"	.018	.41
7	"			1		"	.024	.17
23	"			1 1/4		"	.036	.83
25	"			1 1/2		"	.046	1.15
26	"			2		"	.064	1.66
1	"			1/8		"	.01	.01
1	"			1/4		"	.01	.01
17	"			3/8		"	.01	.17
3	"			1/2		"	.012	.04
8	"			3/4		"	.016	.13
61	"			1		"	.02	1.22
42	"			1 1/4		"	.032	1.34
24	"			1 1/2		"	.04	.96
25	"			2		"	.056	1.40
20	"			2 1/2		"	.10	2.00
18	"			3		"	.15	2.70
8	Iron Elbows			4		"	.24	1.92
11	"		45°	3/8		"	.012	.13
11	"		45°	1/2		"	.014	.15
6	"		45°	3/4		"	.02	.12
7	"		45°	1		"	.024	.17
12	"		45°	1 1/4		"	.038	.46
12	"		45°	1 1/2		"	.048	.58
12	"		45°	2		"	.068	.82
2	"		45°	3 1/2		"	.25	.50
9	"		45°	4		"	.29	2.61

Carried Forward

12439.69

Brought Forward

12439.69

29	Elbows Iron Reducing	2 x 1 1/2	@	.064	1.86
3	"	" 2 1/2 x 2	"	.12	.36
2	"	" 2 x 1	"	.06	.12
3	"	" 1 1/2 x 1 1/4	"	.036	.11
4	"	" 1 x 3/4	"	.024	.10
3	"	" 3/4 x 1/2	"	.018	.05
9	"	" 1/2 x 3/8	"	.014	.13
2	"	Ex. Heavy 2 1/2 x 1/2	"	.38	.76
5	"	" 2 x 1/2	"	.25	1.25
9	"	" 1 x 3/4	"	.08	.72
3	"	" 1 1/2 x 1	"	.14	.42
1	"	" 4"	"	1.00	1.00
8	"	" 2"	"	.25	2.00
2	"	" 1 1/2	"	.14	.28
40	Mall. Iron	1/8	"	.03	1.20
32	"	1/4	"	.03	.96
26	"	3/8	"	.05	1.30
22	"	3/4	"	.10	2.20
25	"	1"	"	.13	3.25
6	"	Rail 1"	"	.10	.60
14	"	Side Outlet 1"	"	.10	1.40
6	Mall. Male & Female	2"	"	.36	2.16
3	"	" 3/4"	"	.12	.36
23	Galv. Iron	3/4"	"	.06	1.38
2	Cast Iron Side Out	2"	"	.13	.26
3	45° Brass C.I. Pratt Fine Thd.	2"	"	.60	1.80
3	45°	" 3/8	"	.06	.18
1	45°	" 1 1/4	"	.30	.30
11	45°	" 1 1/4 x 1	"	.40	4.40
19	45°	Find 3/4	"	.14	2.66
28	"	" 3/4	"	.14	3.92
15	"	" 1/4	"	.10	1.50
12	"	" 3/5 x 1/4	"	.10	1.20
4	"	" 3/4 x 1/2	"	.14	.56
10	"	" 1/8	"	.04	.40
212	Rheo. Cable Eyes		"	.01 3/4	3.71
37	Extension Ed. Lamp		"	1.60	59.20
3	" t.H.		"	1.60	4.80
3	1/6 Doz. Files	6" Flat Bastard	"	.64	2.03
6	1/2	" 8"	"	.78	5.07
1	1/2	" 10"	"	1.04	1.56
6	"	" 12"	"	1.44	8.64
17	"	" 14"	"	1.98	33.66
1	1/2	" 16"	"	2.66	3.99
4	"	" 6" 2nd. Cut	"	.72	2.88
6	"	" 8"	"	.90	5.40
1	"	" 10"	"	1.20	1.20
5	"	" 12"	"	1.64	8.20
1	1/4	" 14"	"	2.28	2.85
2	"	" 14" Smooth	"	2.48	4.96
6	"	" 6" Round Bastard	"	.52	3.12
5	1/2	" 8"	"	.64	3.52
3	1/3	" 10"	"	.84	2.80
1	1/2	" 12"	"	1.12	1.68
1	"	" 14"	"	1.60	.13
3	2/3	" 6" 1/2 Rd."	"	.90	3.30
5	"	" 8"	"	1.12	5.60
6	5/6	" 10"	"	1.36	9.29
5	1/3	" 12"	"	1.76	9.39
9	1/2	" 14"	"	2.32	22.04
1/2	"	" 10" 2nd. Cut	"	1.50	.75
4	2/3	" 12"	"	1.94	9.05
4	1/2	" 14"	"	2.54	11.43
5	"	" 8" Mill Bastard	"	.64	3.20
4	1/6	" 10"	"	.84	3.50
4	2/3	" 12"	"	1.12	5.23
10	"	" 14"	"	1.60	16.00
3	"	" 6" Square	"	.68	2.04
5	"	" 8"	"	.82	4.10
2	"	" 10"	"	1.10	2.20
5	"	" 12"	"	1.52	7.60
2	1/2	" 8" 2nd. Cut	"	.94	2.35
8	1/2	" 10"	"	1.26	10.71
7	"	" 12"	"	1.72	12.04
1/3	"	" 14"	"	2.40	.80
4	"	" 4" Slim Taper	"	.32	1.28


Carried Forward

12782.14

Brought Forward		12782.14	
3 Doz. Files	6" Slim Taper	@ .46	1.38
5/6 Doz. Files	10" Flat Smooth	" 1.70	1.42
3 " "	12" " "	" 2.10	6.30
5 " "	14" Square Bastard	" 2.00	10.00
4 1/2 " "	6" Mill "	" .48	2.16
1 " "	6" 1/2 Rd. 2nd. Cut	" .70	.70
3 2/3 " "	8" " " "	" .90	3.30
3 " "	6" Mill Fine Cut	" .67	2.01
2 " "	10" " " "	" .88	1.76
5/6 " "	12" " " "	" 1.24	1.03
67 Lbs. Fibre	1/32	" .30	20.10
212 " "	1/16	" .30	63.60
95 " "	1/8	" .30	28.50
230 " "	3/16	" .30	69.00
24 " "	1/4	" .30	7.20
401 " "	5/16	" .30	120.30
210 " "	3/8	" .30	63.00
270 Fibre Bushings	K.2 Spindle	" .15	40.50
44 Hd. Rubber Washers	Cont. Cyl.	" .25	11.00
12 Brass Castings	K.53 Cont. Cyl.	" 1.75	21.00
102 Contact Bars	K.2 Resistance	" .10	10.20
6 Arc Deflectors		" 6.50	39.00
7 Magnets for Contr.		" 3.50	24.50
914 Brass Ferrules	7/8	" .03	27.42
50 Fibres for M. Switch	- Wide	" .11	5.50
240 " "	" - Narrow	" .14	33.60
222 W.P. Axle Oil Feeders		" .12 1/2	27.75
201 Journal Box Oil Feeders		" .15	30.15
65 Trolley Forks		" .50	32.50
190 Trolley Ferrules		" .03	5.70
55 G.E.800 Axle Oil Feeders		" .16	8.80
1 Set Figures	1/4" Steel		2.05
207 Dynamo Fuses	150 Amp.	" .06	12.42
22 " "	200 "	" .08	1.76
37 Side Life Guards	W.F.Sw.	" .25	9.25
116 Oil Cup Glasses	3 1/2 x 1 1/2	" .30	34.80
22 " "	2 1/4 x 2 1/4	" .25	5.50
10 " "	3 1/2 x 3 1/2	" .50	5.00
3 " "	4 x 3 1/2	" .60	1.80
51 " "	#189	" .20	10.20
48 " "	3 x 3 1/4	" .45	21.60
5 " "	3 1/4 x 3 1/4	" .50	2.50
21 " "	2 x 1 1/8	" .15	3.15
41 " "	Phillips	" .28	11.48
50 " "	Lonergan	" .20	10.00
88 Lts. Glass	18 x 36	" .32	28.16
3 " "	20 x 24	" .22	.66
40 " "	20 x 30	" .27	10.80
44 " "	20 x 34	" .32	14.08
20 " "	20 x 38	" .37	7.40
60 " "	24 x 23	" .30	18.00
34 " "	24 x 32	" .37	12.58
112 " "	28 x 28	" .40	44.80
16 " "	24 x 40	" .50	8.00
1075 " "	Head Light	" .05	53.75
64 " "	28 x 32	" .48	30.72
45 " "	28 x 30	" .40	18.00
44 " "	28 x 24	" .38	16.72
22 " "	22 x 22	" .23	5.06
7 " "	38 x 30	" .59	4.13
6 " "	34 x 34	" .60	3.60
12 Gears	3 3/8 C. Iron W.P.	"14.50	174.00
5 " "	3 1/4 " "	"14.50	72.50
4 " "	Westinghouse Steel	"17.75	71.00
14 Pipe Grips		" 1.75	24.50
2 Gears	Brass for Transfer Table	" 7.50	15.00
2 " "	Iron " " "	" 2.50	5.00
1 " "	Bevel " " " Brand	" 1.40	1.40
150 " "	F. 30 Int.	" 2.00	300.00
23 Doz. White Lantern Globes		" .55	12.65
16 " "	Ruby " "	" 3.75	60.00
2 Brass Window Guards		" .10	.20
15 Plug Hd. Light Lt. Glass		" .05	.75
4 Chain Guides for 3000 Lb. Hoist		" .75	3.00

Carried Forward


14649.49



Brought Forward		14649.49	
1	Gear Worm for 3000 Lb. Hoist		2.40
6	Lower Brake Staff Guards	@ .05	.30
19	1 Lb. Cans of Le Page Glue	" .50	9.50
5	Glass Globes for Wthf. Lamps	" 1.70	8.50
5	Wheel Gauges	" .61	3.05
6	Water " 1/2	" 2.50	15.00
3	" " 3/4	" 3.60	10.80
118	Candle Lantern Holders	" .20	23.60
4	Gauges G.F.800 Contr.	" .76	3.04
2	" W.P. "	" 1.00	2.00
1	Doz. Gauge Glasses 24 x 3/4		7.25
9	1/2 " " " 20 x 3/4	" 2.04	19.38
1	" " " 36 x 3/4	" 10.00	.84
42	Gongs 8"	" .80	33.60
34	" 10"	" 1.00	34.00
2	Doz. Bottles Jamaica Ginger	" 2.75	5.50
86	Westinghouse Iron Oil Guards	" .40	34.40
29	" Brass " "	" .75	21.75
5	Grindstones 30"	" 2.75	13.75
31	Lbs. Pattern Makers Glue	" .14	4.34
450	Lbs. Graphite	" .12	54.00
268	Lbs. Rubber Gaskets	" .32	85.76
18	Copper Cor. Gaskets 1 1/2 x 1 1/4	" .03	.54
4	" " " 4 x 1 1/2	" .03	.12
6	" " " 7 x 4	" .05	.30
15	" " " 7 1/2 x 5	" .30	4.50
1	" " " 11 x 8		.75
10	Lbs. Blue Blood Gaskets 14 1/2 x 10 1/2 x 1/4	" .60	6.00
16	Doz. Gauge Glasses 13 x 3/4	" 1.32	21.12
2	1/2 Doz. Gauge Glasses 14 x 3/4	" 1.44	3.60
1	1/3 " " " 13 x 5/8	" 1.20	1.60
1	1/3 " " " 12 x 1	" 2.16	.72
143	Spruce Life Guards	" .25	35.75
3	Crosby Iron Steam Gauges 6"	" 4.68	14.04
50	Lbs. Belt Glue	" .16	8.00
19	Arc Light Globes	" .50	9.50
6	Lbs. Gutta Percha 1 1/4 Rd.	" .40	2.40
2813	Lbs. Cup Grease	" .04 1/2	126.59
773	" Gear "	" .02 1/2	19.33
2417	" Cup "	" .06 1/4	151.06
17	Open Car Post Grab Handles	" 1.20	20.40
108	Handles Hammer 18"	" .05	5.40
4	" Dasher Grab	" .90	3.60
16	" Body Grab	" 2.13	34.08
168	" File Assorted	" .02	3.36
5	" For Snow Plow Scrapers	" .75	3.75
4	Doz. Handles Axle 32"	" 1.47	5.88
166	" Push Broom	" .05	8.30
8	Doz. " Pick	" 2.24	17.92
5	1/2 " " Sledge 36"	" 1.01	5.56
6	" " Adze	" 1.76	10.56
6	" " Hammer 24"	" .06	4.32
3	" " Mop	" 1.08	3.24
15	" " Wash Broom 10 Ft.	" .10	1.50
29	" " Floor Brush	" .10	2.90
39	" " Sledge Hammer 16"	" .05	1.95
67	Hangers S.T. 27 Life Guard	" .75	50.25
68	" St.L. " "	" .75	51.00
78	" 6 A 6 " "	" .75	58.50
37	" Open Car Step	" .50	18.50
1	" 6 A Motor		1.75
12	Handles Manure Fork	" .20	2.40
7	" Hill Switch	" .10	.70
23	" Screw Driver	" .02	.46
12	" Wire Valve	" .12	1.44
48	" Heater Switch	" .50	24.00
6	" Long for Sq. Pt. Shovels	" .18	1.08
61	" M.M.Sw.	" .05	3.05
171	" M.M.Sw. & Blades	" .50	85.50
42	" Br. Staff Ratchet	" 2.45	102.90
3	" Brownell Body Grab	" 2.13	6.39
13	" Controller Reverse	" 1.00	13.00
22	" Controller	" 1.50	33.00
120	" & Spindle for Comb. Sw.	" .10	12.00
24	Pr. Hames	" 1.25	30.00

Carried Forward

16076.81



Brought Forward		16076.81	
2	2 Holders Trace	@ .15	.30
19	" Pipe	" .02	.38
526	" 3 1/4" T.H. Shade	" .05	26.30
123	" Spring for Anderson Trolley	" .07	8.61
15	" Spring for T.H.Trolley	" .07	1.05
323	" Wire	" .02	6.46
34	" Br. Westg. Wood Bushing	" .05	1.70
4650	Ft. Hose 1 1/2" Linen	" .02 7/8	133.69
118	" " 1 1/2" Rubber 2 Ply	" .15	17.70
120	Lbs. " Brake	" .36	43.20
50	Ft. " 3" - 4 ply	" .50	25.00
38	" " 3/4" - 4 Ply	" .12 1/2	4.75
19	Hammers 14 Lb. Sledge	" .84	15.96
5	" 2 B.P.	" .48	2.40
19	" #6 B.P.	" .64	12.16
11	" Claw	" 4.00 Doz.	3.67
5	" Farriers	" .75	3.75
299	" W.P. Br. Holder	" .09	26.91
21	Hangers Life Guard 57 Truck	" .75	15.75
11	" Strap Pole	" .50	5.50
137	" Car Step Closed	" .50	68.50
20	Coal Hods	" .33	6.60
5	Horse Hoods	" 1.50	7.50
41	Lbs. Swivel Trace Hooks - 288 Lbs.	" .13	5.33
6	Saddle Check Hooks	" .15	.90
10	Tip Cart Breeding Hooks	" .32	3.20
2	Gro. Hooks & Eyes 2"	" .08 Doz.	1.92
15	Pipe Hooks	" .02	.30
1	3000 lb. Hoist Hook	"	.30
104	St. L. Reg. Cord Hook	" .01	1.04
27	Heads Pipe Rod	" .07	1.89
22	" Raw Hide Hammer #2	" .15	3.30
2	" " " #3	" .20	.40
8	" " " #4	" .30	2.40
1	Harrington Hoist 3000 Lbs.	"	29.00
4	Westg. Arma. Hoists	" 5.00	20.00
309	4" T. Hinges	" .05 Pr.	7.73
3	Arc Light Hoods	" 3.50	10.50
10	W.E.R. Life Guard Hangers	" .75	7.50
10	Motor Hangers	" 1.75	17.50
23	Bemis Chafing Irons H.124	" .50	11.50
9	Lbs. Soldering Irons #3	" .53	4.77
250	Irons Angle Ltg. Arr. Box	" .02	5.00
12	" Chafing Bottom W.E.Sw.	" 1.35	16.20
19	" " Top "	" 1.00	19.00
39	Lbs. Galv. Sheet Iron	" .03	1.17
136	" Sheet Iron	" .03	4.08
276	" Norway Iron 1/4" Round))
290	" " 1/2" "))
2113	" " 3/4" "))
500	" " 7/8" "))
454	" " 1" "))
603	" " 1 1/8" "))
600	" " 1 1/4" "))
385	" " 1 1/2" "))
208	" " 5/8" "))
196	" " 5/16" "))
153	" " 3/8" "))
1605	" " 4 x 5/8))
364	" " 1/2 x 1/8))
1025	" " 1 1/4 x 1/2))
3000	" " 1 1/2 x 1/2))
350	" " 1 3/4 x 5/16))
475	" " 2 x 1/2))
889	" " 2 x 3/8))
684	" " 2 x 5/8))
200	" " 2 1/2 x 3/8))
335	" " 2 1/2 x 1/2))
400	" " 2 1/2 x 3/4))
1338	" " 2 1/2 x 5/8))
1022	" " 3 x 3/8))
3200	" " 3 x 3/4))
1009	" " 3 x 5/8))
660	" " 3 x 1/2))
1485	" " 3 1/2 x 1/2))
		18041 Lbs.	" .0285 514.17

Carried Forward

17368.42

Brought Forward				17368.42
750	Lbs. Norway Iron	3 1/2 x 3/4)	
1298	" "	" 3 1/2 x 5/8)	
1465	" "	" 4 x 1/2)	
198	" "	" 3/4 x 1/8)	
411	" "	" 1 x 1/4)	
387	" "	" 1 1/2 x 1/4)	7129 Lbs. @ .0285 203.18
205	" "	" 2 x 1/4)	
529	" "	" 2 x 3/4)	
439	" "	" 4/8 x 3/8)	
381	" "	" 1 1/4 x 1/4)	
202	" "	" 1 1/2 x 3/8)	
864	" "	" 1 1/2 x 3/4)	
446	" Amer.	" 3 1/2 x 1/8)	
516	" "	" 1 x 1/4)	
226	" "	" 3/8)	
58	" "	" 1/4)	
1500	" "	" 1")	
357	" "	" 1 1/4)	
22	" "	" 3/16 Rd.)	
600	" "	" 3/8 ")	
462	" "	" 5/8 ")	
114	" "	" 1/2 ")	
684	" "	" 1 1/2 x 1/4)	8055 Lbs. " .015 120.83
740	" "	" 3 1/2 x 1/4)	
34	" "	" 4 x 1/4)	
340	" "	" 1 1/2 x 5/8)	
411	" "	" 2 x 5/8)	
183	" "	" 4 x 3/4)	
317	" "	" 4 1/2 x 3/4)	
1045	" "	" 4 x 1)	
137	" Cold Rolled Iron)		
137	" "	" ")	
136	" "	" ")	
50	" "	" ")	1498 Lbs. " .03 1/2 52.43
427	" "	" ")	
128	" "	" ")	
250	" Angle Iron)		
233	" ")		
7	Pr. Jaws Easy Bolt Cutter			" 2.00 14.00
15	" 14" Stillson Wrench			" .40 6.00
4	" 18" " "			" .53 2.12
24	" 24" " "			" .80 19.20
2	Pr. " End Cutting Plyers			" 1.20 2.40
3	Jacks Small Norton			"13.00 39.00
2	" Kelly			"12.50 25.00
2	" Joyce			"15.00 30.00
1	" Large Norton			" 38.00
2	" Brownell			"16.75 33.50
7	2 Gal. Jugs			" .25 1.75
9	2 Qt. "			" .10 .90
341	Keys Stand Axle Gear			" .30 102.30
33	" Narrow Cut Gear			" .30 9.90
5	Knives Harness			" 1.25 6.25
1	" draw			" .35 .35
34	" Shoe			" .08 2.72
14	" putty			" .15 2.10
1	" Horse Shoe Lip			" .50
12	" " " Hoof			" 3.50
30	Bell Cord Knobs			" .02 .60
110	W.F. Rad Knuckles			" .90 99.00
4	Walker Gear Keys			" .30 1.20
50	Transfer Table Keys			" .25 12.50
31	W.P. Pinion Keys			" .30 9.30
18	G.E.800 Keys			" .25 4.50
3700	Lamps T.H. 16 C.P.			" .17 1/2 647.50
3750	" Ed. "			" .16 1/4 609.38
432	" " 32 C.P.			" .26 1/4 113.40
46	Yards Linen Irish			" .20 9.20
167	" " Butchers			" .14 23.38
182	" " Oiled			" .30 54.60
3620	" Line #4			" 6.66 M.yds. 24.11
74	Liners W.P. C.E.			" .11 8.14
432	" W.P. G.E.			" .15 64.80
4	Doz. Loops 1" Check			" 1.50 Gro. .50
Carried Forward				19766.46

Brought Forward

19766.46

9	Loops 1 3/4 Slide Trace	@	.20	Ea.	1.80
4	1/2 Lbs. Leather English Pat.	"	1.50		6.75
314	" " Strap	"	.27		84.78
55	" " Harness	"	.34		18.70
198	Lbs. Leatheroid 1/64	"	.25		49.50
19	" " 1/16	"	.25		4.75
26	" " 3/32	"	.25		6.50
1050	" " 5/32	"	.25		262.50
1900	Long Leads W.P. Arma.	"	.03	1/4	61.75
1700	Short " " "	"	.03	1/4	55.25
32	Rv. Sw. Links	"	.25		8.00
66	Doz. Links 5/16	"	1.00		66.00
24	B. Shoe Links 9"	"	.30		7.20
4	Double Offset Links	"	.75		3.00
94	Lbs. Sheet Lead	"	.04	1/2	4.23
42	Levers Vertical	"	.65		27.30
34	" Short Truck	"	1.50		51.00
58	" for Head Light	"	.06		3.48
91	" Horizontal	"	1.00		91.00
59	" 6 A	"	1.00		59.00
6	Lbs. Lamp Black	"	.08		.48
91	Candle Lanterns	"	.42		38.22
17	5/12 Doz. Tubular Lanterns	"	3.75		65.31
1200	Ft. Belt Lacing 3/8	"	.00	3/4	9.00
2	Locks for Mail Car	"	1.50		3.00
186	Lbs. Mica Wide Cone	"	1.00		186.00
234	" " Rough Amber	"	.25		58.50
116	" " Rough White	"	.50		58.00
628	" " Amber Rheo.	"	.65		408.20
463	" " W.P. Contr. Seg.	"	1.25		578.75
300	" " Narrow Cone	"	1.00		300.00
64	" " Amber 3 x 10	"	2.78		177.92
41	" " " 5 x 10	"	2.55		104.55
2	" " " 5 x 5	"	2.00		4.00
15	" " " 6 x 9	"	3.76		56.40
5	" " White	"	3.55		17.75
7	1/4 Lbs. Mica Contr. Seg. 62 D.	"	4.50		32.63
29	1/4 " Micanite Sheet 18 x 36	"	1.44		42.12
9	Measures 1 Qt.	"	.14		1.26
1	" 2 "	"	.25		.25
2	" 4 "	"	.35		.70
500	Lbs. Linseed Meal	"	1.45	C.Lbs.	7.25
2	Wood Mallets	"	.17		.34
50	M.M. Sw. Magnets	"	.42		21.00
6	Measures 50 Ft. Metallic Tape	"	1.69		10.14
10	Doz. Mops	"	1.50		15.00
22	Lbs. Nails Champ Horse Shoe #5)			
75	" " " " " 6)			
100	" " " " " 7)			
65	" " " " " 8)			
25	" " " " " 9)			
50	" " Pillow " " 7)	412 Lbs.	" .12	49.44
25	" " " " " 8)			
50	" " " " " 9)			
19	" " Bellows " ")	" .06		1.14
500	" " Wire 3 D.)			
400	" " " 4 D.)			
200	" " " 6 D.)			
400	" " " 8 D.)	2320 Lbs.	" .01 3/4	40.60
200	" " " 10 D.)			
300	" " " 12 D.)			
300	" " " 16 D.)			
20	" " " 20 D.)			
50	" " Cut 8 D.)			
200	" " " 10 D.)	250 Lbs.	" .02	5.00
100	" " Clout 1 1/4")			
75	" " " 7/8")	175 Lbs.	" .02	3.50
7	Iron pipe Nuts 1")	" .01		.07
11	" " " 1 1/2")	" .02		.22
7	" " " 2")	" .05		.35
34	" " " 2 1/2")	" .09		3.06
1	" " " 4")	" .12		.12
7	Lbs. Nuts Sq. Tap 5/16)	" .09		.63
10	" " " " 3/8)	" .12		1.20
566	" " " " 3/4)	" .06		33.96

Carried Forward

22975.01

Brought Forward

22975.01

56	Lbs.	Nuts	Sq. Tap	1"	@	.06	3.36
221	"	"	" Blank	3/8	"	.09	19.89
5	"	"	Hex.	1/4	"	.15	.75
150	"	"	"	5/16	"	.12	18.00
275	"	"	"	3/8	"	.09	24.75
41	"	"	"	1"	"	.06	2.46
115	"	"	"	1 3/8	"	.06	6.90
116	"	"	"	2	"	.06	6.96
117	"	"	Check	5/8	"	.09	10.53
29	"	"	"	3/4	"	.09	2.61
79	"	"	"	7/8	"	.06	4.74
705	"	"	"	1"	"	.06	42.30
117	"	"	"	1 1/4	"	.06	7.02
12	"	"	Tap	5/16	"	.25	3.00
187	"	"	"	3/8	"	.19	35.75
21	"	"	"	7/16	"	.14	2.94
159	"	"	"	1/2	"	.10	15.90
210	"	"	"	5/8	"	.09	18.90
72	"	"	"	3/4	"	.09	6.48
94	"	"	"	7/8"	"	.07	6.58
322	"	"	"	1"	"	.06	19.32
73	"	"	"	1 1/8"	"	.06	4.38
110	"	"	"	1 1/4"	"	.06	6.60
50	"	"	"	1 1/2"	"	.06	3.00
392	Nut	Locks	Eureka	5/8	"	.58 Per C.	2.27
339	"	"	"	1	"	1.10	3.73
475	"	"	Natl.	3/8	"	.50 Per C.	2.38
3615	"	"	"	1/2	"	.54	19.52
4110	"	"	"	5/8	"	.58	23.84
7525	"	"	"	3/4	"	.63	47.41
2500	"	"	"	7/8	"	.70	17.50
5305	"	"	"	1"	"	1.10	58.36
21	Nipples	Close	Iron	1/2	"	.01	.21
16	"	"	"	3/4	"	.01 1/2	.24
50	"	"	"	1/4	"	.01	.50
59	"	"	"	3/8	"	.01	.59
4	"	"	"	1 1/4	"	.02	.08
41	"	"	"	1 1/2	"	.02 1/2	1.03
16	"	"	"	2	"	.03 1/2	.56
2	"	"	"	2 1/2	"	.04	.08
10	"	"	"	3	"	.06	.60
2	"	"	"	5	"	.25	.50
10	"	"	"	4	"	.20	2.00
3	"	"	"	6	"	.40	1.20
32	"	"	"	1	"	.02	.64
18	"	Space	"	3/4	"	.01	.18
16	"	"	"	1"	"	.02	.32
10	"	"	W.P.Brass	1/4"	"	.03	.30
4	"	Close	"	1/2"	"	.04	.16
3	"	"	"	1"	"	.10	.30
2	Hose	Nozzles	3/4"		"	.45	.90
566	Brass	Nuts	14/20		"	.01 1/4	7.08
154	Nuts	Dasher	Post		"	.08	12.32
10	"	for 14"	Stillson wrench		"	.14	1.40
8	"	18"	"		"	.17	1.36
11	"	24"	"		"	.20	2.20
6	"	36"	"		"	.26	1.56
5	"	G.E. 800	Arm. C.F.		"	.60	3.00
40	"	"	Pinion		"	.60	24.00
65	"	Locks G.E.800	Shaft		"	.02 1/2	1.63
9	"	Walker	Shaft		"	.88	7.92
78	"	W.P. Contr.	Shaft		"	.75	58.50
23	"	Westg. Arma.	Pinion		"	.65	14.95
91	"	Locks Westg.	Arma.		"	.12 1/2	11.38
200	Lbs.	Nails	8 D. Wire		"	.01 3/4	3.50
400	"	"	20 D. Cut		"	.02	8.00
7	Doz.	Silver	Ornaments #0		"	1.50 Gro.	.88
191	"	"	" 2		"	1.50 "	1.99
100	"	"	" 4		"	1.50 "	1.04
6	"	"	Shield Shape		"	.10	.60
8	Doz.	Draper	Oilers		"	.13	12.48
100	Lbs.	Oat	Meal		"	.02	2.00
9	Lbs.	Oakum			"	.06	.54
314	1/2	Gal	Car Oil		"	.18	56.61
208	"	"	Motor Oil		"	.09	18.72
50	"	"	Lard Oil		"	.32	16.00

Carried Forward

23702.97

Brought Forward			23702.97
51	Gals. Hames Oil	@ .75	38.25
52	" Linseed Oil	" .32 1/2	16.90
8	Pieces Mouth Steaking Tube	" .12 1/2	1.00
1	Screw Plate		48.38
14	Westg. Light Plugs	" .24	3.36
48	T.H. " "	" .15	7.20
12	Ed. " "	" .24	2.88
116	Lbs. Paper 1 1/8 Binding	" .08	9.28
43	1/2 Lbs. Packing Usudurian	" .33	14.36
10	" " Sq. Flax. 3/4	" .50	5.00
16	1/2 " " " " 1"	" .50	8.25
277	Ratchet Parts	" .04	11.08
4	Water Pots 4 Qt.	" 2.00 Doz.	.67
35	Motor Screw Plugs	" .15	5.25
88	Pcs. Pine 8 1/2 x 2 x 7/8	" .02 1/2	2.20
34	" " 10 x 2 x 7/8	" .02 1/2	.85
24	Plates Jour. Thrust H. 14 Box	" .30	7.20
82	" " " Laconia	" .30	24.60
30	Padlocks	" .15	4.50
13	Dust Pans	" 1.75 Doz.	1.90
84	Hinge Pins G.E.800	" .07	5.88
103	" " W.P.	" .07	7.21
37	R.R.Spring Plugs	" .10	3.70
10	Single Iron End Pipe Truss Pockets	" .25	2.50
841	Plates Rheo. Starting	" .02	16.82
6	" Sill H. 223	" 2.00	12.00
3	" " H. 245	" 1.75	5.25
4	Posts S. Plow Digger Wool Pl.	" 3.00	12.00
126	Lbs. Plaster Paris	" .02	2.52
114	" Parafine	" .12	13.68
1	W.P. Nose Plate		.55
736	Lbs. Powder Soap		36.80
125	" Porcelains C.	" .47 Per C.	.59
230	Porcelains D.	" .40	.92
126	" Split & Clamps	" .12 Set	15.12
1/3	Bu. Shoe Pegs	" .80	.27
50	Yards Paper #2 Sand 36"	" .16	8.00
100	" " #0 " 36"	" .15	15.00
2	1/2 Lbs. Packing Hercules 1/8	" 1.75	4.38
6	" " " 1/4	" 1.75	10.50
2	1/2 " " 1/2	" 1.75	4.38
10	" " " 3/4	" 1.75	17.50
15	" " " 3/8	" 1.75	26.25
33	" " Ex. Pump 5/8	" .50	16.50
120	In. Packing Chest. 7/8 x 7/16	" .09	10.80
132	" " " 3/4 x 1/2	" .10	13.20
24	" " " 1 x 5/8	" .12	2.88
84	" " " 1 1/8 x 5/8	" .13	10.92
36	" " " 1 1/2 x 5/8	" .16	5.76
24	" " " 1 3/4 x 5/8	" .16	3.84
42	" " " 1 1/8 x 1 1/4	" .17	7.14
138	" " " 1 3/16 x 3/4	" .18	24.84
36	" " " 1 1/4 x 3/4	" .18	6.48
24	" " " 1 5/8 x 1"	" .18	4.32
24	" " " 1 3/4 x 1	" .18	4.32
132	" " " 1 5/8 x 1 1/8	" .18	23.76
48	" " " 1 5/8 x 1 3/16	" .12	5.76
120	" " " 2 x 1 3/16	" .18	21.60
72	" " " 2 x 1 3/8	" .21	15.12
120	" " " 2 1/4 x 1 3/8	" .21	25.20
120	" " " 2 1/4 x 1 1/4	" .23	27.60
48	" " " 2 1/4 x 1 3/8	" .23	11.04
96	" " " 2 1/2 x 1 1/2	" .29	27.84
108	" " " 2 9/16 x 1 3/8	" .29	31.32
150	" " " 2 9/16 x 1 5/8	" .29	43.50
48	" " " 2 5/8 x 1 3/8	" .29	13.92
36	" " " 3 x 1 3/4	" .30	10.80
168	" " " 3 x 2	" .30	50.40
54	" " " 3 7/16 x 1 3/4	" .30	16.20
180	" " " 3 1/2 x 1 7/8	" .35	63.00
60	" " " 3 1/2 x 2 1/8	" .36	21.60
18	" " " 3 1/2 x 2 1/4	" .39	7.02
216	" " " 3 1/2 x 2 3/8	" .40	86.40
36	" " " 3 1/2 x 2 1/2	" .41	14.76


Carried Forward

24765.74

Brought Forward		24765.74	
42	In. Packing Chest.	4 x 2	@ .48 20.16
60	" " "	4 1/8 x 2 3/4	" .55 33.00
6	" " "	4 1/4 x 2 1/2	" .55 3.30
48	" " "	4 1/4 x 3	" .60 28.80
242	" " "	4 3/8 x 2 1/2	" .66 159.72
30	" " "	4 1/2 x 2 1/2	" .66 19.80
78	" " "	4 1/2 x 3	" .66 51.48
36	" " "	4 3/4 x 2 1/8	" .70 25.20
108	" " "	4 3/4 x 2 7/8	" .70 75.60
60	" " "	4 7/8 x 2 3/4	" .78 46.80
12	Bemis Bot. Spring Pockets		" .75 9.00
117	Truss Pockets with Set Screw		" .32 37.44
24	" " Brill E 22		" .25 6.00
144	In. Packing Chest.	1 3/4 x 3/4	" .16 23.04
36	" " "	1 5/8 x 7/8	" .18 6.48
19	pulleys Bonnet Bell Cord		" .70 13.30
25	" Don. Reg. Cord		" .75 18.75
19	" Sgle. " "		" .15 2.85
11	" Drip Rail		" .25 2.75
98	" Don. Galv. Iron		" .25 24.50
29	Plates Top Rocker		" .55 15.95
5	" Sill H. 231		" 1.50 7.50
3	" " H. 280		" 1.50 4.50
5	" " H. 237		" 1.50 7.50
1	" Rocker 67 Lbs. C. Iron		" 1.68 1.68
5	" #1 Pipe Screw		" 2.75 13.75
400	" W.P. Arma. Thrust		" .25 100.00
86	" G.E. 800 Arma. Thrust		" .10 8.60
147	" Brass Gong Tapper		" .05 7.35
204	Ft. Pipe Iron	1/4	" .01 3/4 3.57
656	" " "	3/8 & 1/2	" .02 13.12
736	" " "	3/4	" .02 1/4 16.56
320	" " "	1"	" .03 1/4 10.40
320	" " "	1 1/4	" .04 12.80
60	" " "	2	" .07 4.20
35	" " "	3 1/2	" .15 5.25
30	" " "	4	" .20 6.00
120	" " "	1 1/4 Hy.	" .08 9.60
60	" " "	1 1/2 Hy.	" .10 6.00
100	" " "	1 1/4 Hydraulic	" .14 14.00
113	Picks		" 10.00 Doz. 94.17
850	Plugs Iron	1/4 & 3/8	" .00 1/2 4.25
49	" " "	1/2 & 3/4	" .00 3/4 .37
87	" " "	1"	" .01 .87
94	" " "	1 1/4 & 1/2	" .01 1/2 1.41
41	" " "	2	" .02 .82
10	" " "	3	" .02 1/2 .25
6	" " "	3 1/2	" .03 .18
47	" Brass 1/4 & 3/8		" .02 .94
12	" Spr. Screw		" .02 .24
6	" Westg. Sw.		" .15 .90
5	" Hd. Lt.		" 1.37 6.85
1659	" Spring H. 673 (2 Lb. Ea.)		" .02 1/2 Lb. 82.95
330	" Truss Pipe 265 Lbs.		" .02 1/2 " 6.63
71	Ft. Pipe W.P. 1/4" 33 Lbs.		" .14 4.62
301	" Inside & Out Cont. Stand		" .30 90.30
24	" Brill Truss		" .50 12.00
2	Poles Transfer Table		" 3.00 6.00
1583	Lbs. Red Fibre Paper	12 1/2"	" .09 142.47
24	Pins for Draw Bar Cages		" .05 1.20
182	Qrs. Sand Paper #00, #0, #1/2, #1, #1 1/2, #2		" .09 16.38
48	In. Packing Chesterton	5 x 3	" .90 43.20
90	" " "	5 x 3 1/4	" .96 86.40
120	" " "	5 1/4 x 3 1/4	" 1.06 127.20
42	" " "	5 1/4 x 4 1/4	" 1.17 49.14
18	" " "	6 x 3 3/4	" 1.10 19.80
54	" " "	Strip 1/4"	" .25 13.50
50	" " "	" 3/8	" .29 14.50
132	" " "	" 1/2	" .36 47.52
6	" " "	" 5/8	" .42 2.52
66	" " "	" 3/4	" .50 33.00
14	Rheo. Terminal Plates		" .30 4.20
4	Doz. Pliers 8" Side		" .88 42.24
16	Gas Pliers 8"		" .31 4.96
10	" " 10"		" .50 5.00
308	M.M.Sw. Fibre Posts		" .01 3.08

Carried Forward

26612.10




Brought Forward

26612.10


22	Iron Plugs	G.F.800			@	.26		5.72
958	Single Deck Pulleys				"	.15		143.70
105	W.F.Radial Knuckle Pins				"	.30		31.50
6	Jack Planes				"	.45		2.70
6	Slide Door Pulleys				"	.50		3.00
11	Drift Punches				"	.15		1.65
70	Lbs. Polishing Paste				"	.40		28.00
3	Doz. Galv. Iron Pails				"	.32	Ea.	11.52
1	Fibre Pail							.36
223	Lbs. Rivets Iron C.S. Hd.	2 x 3/4)					
201	"	")					
69	"	")					
10	"	Copper F.H.)	493 Lbs.	"	.04	1/2	22.19
2	"	")					
50	"	")					
8	"	")					
36	"	")	106 Lbs.	"	.18		19.08
1300	Rivets Copper D. Tubular Mach.	M.1.64)					2.13
156	Lbs. Rivets R.H. Iron	4 x 11/16)					
68	"	")					
159	"	")	383 Lbs.	"	.04		15.32
47	"	")					
100	"	")					
20	"	")					
7 1/2"	"	")					
19	"	")					
101	"	")					
25	"	")					
3	"	")					
23	"	")					
36	"	")					
218	"	")					
811	"	")					
61	"	")					
493	"	")					
208	"	")					
287	"	")					
154	"	")					
100	"	")					
62	"	")					
188	"	")	23600 1/2 Lbs."	.04			944.02
928	"	")					
3555	"	")					
208	"	")					
50	"	")					
50	"	")					
190	"	")					
679	"	")					
48	"	")					
7158	"	")					
297	"	")					
195	"	")					
128	"	")					
152	"	")					
165	"	")					
201	"	")					
500	"	")					
566	"	")					
48	"	")					
124	"	")					
49	"	")					
33	"	")					
75	"	")					
257	"	")					
41	"	")					
200	"	")					
3301	"	")					
1048	"	")					
391	"	")					
8	Mud Rammers)		"	1.00		8.00
2	Paving Rammers)		"	6.20		12.40
8	Pr. Tilden Car Replacers)		"	8.00		64.00
1	11/12 Doz. Rasps 14" Horse)		"	.40		9.20
10	Gro. Rings 1 1/2" Jap)		"	1.50		15.00
1	Light Carriage Robe)		"	1.75		1.75

Carried Forward

27953.34



Brought Forward			27953.34
1	Gro. Rings 1 3/4 Jap.	@ 2.50	Gro. 2.50
1	" " 2 1/4 "	" 3.75	" 3.75
53	- " 1/2	" .75	" .27
33	- " 7/8	" 1.12	" .26
84	- " 3/4	" 1.00	" .58
13	- " 2	" 3.00	" 3.25
14	- " 2" Saddle	" 1.65	" 1.92
106	- " 3" Jap.	" 6.00	" 4.42
23	Rolls Laconia Front	" 1.60	36.80
20	" " Back	" 1.00	20.00
13	" Brownell Door	" 1.00	13.00
13	Doz. Reflectors Hd. Lt.	" .15	23.40
360	Rings	" .11	39.60
17	"	" .35	5.95
59	"	" .35	20.65
10	"	" 1.00	10.00
54	"	" 1.00	54.00
92	"	" .11	10.12
11	Rasps 14" 1/2 Rd. Wood	" .40	4.40
26	Rings Hd. Lt.	" .30	7.80
10	Lbs. Brass Rod 1/2 x 1/4		
8	" " " 5/8 x 1/4		
12	" " " 7/16 x 1/4		
8	" " " 3/4 x 3/8		
8	" " " 1 x 3/8		
1	1/2 Lbs. Brass Rod 1/8		
5	1/2 " " " 1/4		
6	1/4 " " " 5/16		
12	" " " 3/8	223 1/2 Lbs. "	.14 31.29
2	1/4 " " " 7/16		
12	" " " 1/2		
14	" " " 1/4		
17	" " " 1/4		
5	" " " 3/8 Square		
55	" " " 1/2 "		
35	" " " 5/8 "		
12	" " " 3/4 "		
81	Transfer Table Rolls	" .02	1.62
21	Rolls R.R. Bevel Centre Carg.	" .40	8.40
12	" " End	" .40	4.80
6	Rings Walker Vulc.	" .34	2.04
3	" " Steel Thrust	" .90	2.70
208	Brass Rolls for T.H. Ltg. Arr.	" .02	4.16
11	Rings G.E.800 Arma. Steel Thrust	" 1.30	14.30
64	Lbs. Rongs Lump	" .11	7.04
43	Rings G.E.800 Vulc.	" .78	33.54
97	" " Mica	" .60	58.20
23	" " Contr. Clamp	" .70	16.10
66	Reels Amer. Elec. Co. Empty	" 1.50	99.00
24	" in Cases H.B. & H.	" 2.00	48.00
21	" " Washburn & Moen	" 2.00	42.00
71	Porcelain Ceiling Rosettes	" .05	3.55
80	Lbs. Oiled Rope for Dynamos	" .12	9.60
55	3/4 Lbs. Sheet Rubber 1/16	" .15	8.36
194	" " " 1/8	" .15	29.10
4	Garden Rakes	" .43	1.72
8	Pipe Rings 6"	" .30	2.40
117	Lbs. Manila Rope 3/4"	" .06 1/2	7.61
96	" " " 1"	" .06 1/2	6.24
38	" Resin	" .01	.38
80	scrapers	" .28	22.40
112	Brake Springs	" .02	2.24
32	W.P. Contr. Shells	" 4.20	134.40
3000	Bond Sticks G.E.800 Arma.	" .12	3.60
180	Wood Stops M.M.Sw.	" .01	1.80
259	Springs W.P. Br. H.	" .03	7.77
80	Br. Shoes	" .25	20.00
185	Br. screws	" .02	3.70
91	Br. Spring Plugs - Brass Casting	" .03	2.73
18	W.P. Gear Case Cover Springs	" .10	1.80
278	Lbs. Blacksmith Swedges	" .18	50.04
8	Perkins Fusible Switches	" 1.00	8.00
150	Lbs. Sal Soda	" .01	1.50
92	Lbs. Bicarbonate Soda	" .06	5.52
10	Westg. Ry. Wall Sockets	" .15	1.50
Carried Forward			28925.16



Brought Forward			28925.16
182	Springs D.62 Circuit Breaker	@	.12 21.84
385	" Brake Staff Ratchet	"	.02 7.70
2	" B. & K. B. Holder	"	.05 .10
113	" Heater Sw.	"	.04 4.52
43	" 3 Pt. Sw.	"	.01 .43
664	Bars of Harness Soap	"	.27 179.28
45	" " Castile "	"	.25 11.25
28	6" Cor. Porcelain Lamp Shades	"	.12 3.36
2600	Small Binding Sticks	"	.52 13.52
1100	Large " "	"	.03 33.00
10	Small Cakes of Ivory Soap	"	.04 1/4 .43
170	Lbs. String Solder	"	.14 23.80
1696	" W.P. Contr. Segments	"	.22 1/2 381.60
200	Anderson Trolley Fork Springs	"	.20 40.00
5	Kegs Horse Shoes #5 Ft. Burden Med.	"	.03 1/2 17.50
5	" " " #4 " " "	"	.03 1/2 17.50
1	Pc. Soapstone 8 x 6 x 1	"	.37 .37
311	F.30 B. Holder Tension Springs	"	.05 15.55
35	Seat Screws 6 x 3/8	"	.10 3.50
66	Window Springs	"	.05 3.30
68	Rugg Seat Arm Screws	"	.15 10.20
100	Jones " " "	"	.10 10.00
201	Westg. B. Holder Springs	"	.20 40.20
50	B. Holder Spindles	"	.03 1.50
10	Ed. Mica Sockets	"	.25 2.50
7	T.H. Key "	"	.15 1.05
3	Ed. Key Wall Sockets	"	.13 .39
350	Fuse Box Thumb Screws	"	.04 14.00
8	Large Lower Br. Staff Sockets	"	.20 1.60
4	Tin Shears	"	1.50 6.00
11	Pr. 8" Scissors	"	4.00 3.67
1	Horse Sheaver	"	.75 .75
6	Hand Saws 24"	"	1.00 6.00
1	Cross Cut Saw	"	1.20 1.20
1	Keyhole Saw	"	.19 .19
7	Westg. Fibre Shields	"	.35 2.45
57	Hart Snap Switches	"	.60 34.20
182	3 Pt. Switches	"	.42 76.44
124	T.H. Keyless Wall Sockets	"	.15 18.60
103	Ed. " " "	"	.13 13.39
173	T.H. " " "	"	.15 25.95
112	Cont. Lamp Switches	"	.50 56.00
60	Snouts for Oilers	"	.07 4.20
13	Tin Saucepans	"	1.63 1.77
191	Anderson Trolley Springs	"	.20 38.20
6	Rail Post Dasher Sockets	"	.65 3.90
162	Lbs. Solder	"	.10 16.20
35	Saponifer Boxes	"	.16 5.60
172	Segments Comtr. Ed. Generator - Set of 80	100.00	215.00
189	Rheo. Slide Cont. Springs	"	.06 11.34
116	Spindles Rheo. Slide Cont.	"	.02 2.32
74	" " 51 B.	"	1.40 103.60
178	Sleeves W.P. Spec. Arma. Steel	"	.60 106.80
47	" " Stand " "	"	.60 28.20
47	" " " " Brass	"	1.00 47.00
238	Screws W.P. Contr.	"	.02 4.76
165	" G.E.800 Contr.	"	.02 1/2 4.13
432	" W.P. Contr. Headlers	"	.02 8.64
45	Lbs. Segments Westg. Contr.	"	.26 11.70
5	" " G.E.800 Contr.	"	.26 1.30
10	Gro. Screws Flat Head Brass	1/2 #4	.10 Gro. 1.00
25	" " " " " "	5/8 #6	.13 3.25
6	" " " " " "	3/4 #6	.14 1/2 .87
2	" " " " " "	3/4 #8	.19 .38
7	" " " " " "	1 #8	.23 1.61
10	" " " " " "	1 1/4 #8	.26 1/2 2.65
4	" " " " " "	5/8 #10	.21 1/2 .86
89	" " " " " "	3/4 #10	.24 21.36
37	" " " " " "	1 #10	.29 1/2 10.91
28	" " " " " "	1 1/4 #10	.32 1/2 9.10
8	" " " " " "	1 1/2 #10	.39 1/2 3.16
45	" " " " " "	1 3/4 #10	.44 1/2 20.03
39	" " " " " "	1 #12	.36 1/2 14.23
14	" " " " " "	1 1/4 #14	.53 7.42
20	" " " " " "	1 1/2 #12	.50 10.00
44	" " " " " "	2 #12	.64 28.16

Carried Forward

30779.64

Brought Forward										30779.64
22	Gro. Screws	Flat	Head	Brass	2	#14	@	.79	1/2	17.49
25	"	"	"	"	3	#16	"	1.40		35.00
101	"	"	Rd.	"	1/2	#4	"	.16		16.16
4	"	"	"	"	1/8	#4	"	.17		.68
12	"	"	"	"	3/4	#6	"	.22		2.64
11	"	"	"	"	1	#6	"	.25	1/2	2.81
4	"	"	"	"	1 1/4	#6	"	.33		1.32
5	"	"	"	"	1 1/4	#7	"	.34		1.70
5	"	"	"	"	1 1/2	#7	"	.45		2.25
6	"	"	"	"	3/4	#8	"	.28	1/2	1.71
10	"	"	"	"	1	#8	"	.34	1/2	3.45
15	"	"	"	"	1 1/4	#8	"	.40		6.00
1	"	"	"	"	5/8	#10	"	.32		.32
3	"	"	"	"	3/4	#10	"	.36		1.08
3	"	"	"	"	1	#10	"	.44		1.32
17	"	"	"	"	1 1/4	#10	"	.49		8.33
27	"	"	"	"	1 1/2	#10	"	.59		15.93
8	"	"	"	"	1	#12	"	.55		4.40
9	"	"	"	"	1 1/4	#12	"	.65		5.85
2	"	"	"	"	1 3/4	#12	"	.85	1/2	1.71
7	"	"	"	"	2	#12	"	.96		6.72
4	"	"	Flat	"	1 3/4	#5	"	.09		.36
5	"	"	"	"	2	#5	"	.10	1/2	.53
2	"	"	"	"	1 3/4	#6	"	.09		.18
1	"	"	"	"	2	#6	"	.10	1/2	.11
3	"	"	"	"	3/8	#7	"	.05		.15
64	"	"	"	"	1	#7	"	.10	Blued	6.40
4	"	"	"	"	1/2	#8	"	.06		.24
14	"	"	"	"	3/4	#8	"	.07		.98
14	"	"	"	"	1	#8	"	.08		1.12
14	"	"	"	"	1 1/4	#8	"	.09		1.26
16	"	"	"	"	1 1/2	#8	"	.10		1.60
32	"	"	"	"	1 3/4	#8	"	.11		3.52
9	"	"	"	"	5/8	#10	"	.08		.72
13	"	"	"	"	3/4	#10	"	.08		1.04
7	"	"	"	"	1	#10	"	.09		.63
23	"	"	"	"	1 1/4	#10	"	.10		2.30
4	"	"	"	"	1 1/2	#10	"	.11		.44
7	"	"	"	"	1 3/4	#10	"	.12		.84
11	"	"	"	"	2	#10	"	.13		1.43
14	"	"	"	"	1	#12	"	.11		1.54
21	"	"	"	"	1 1/4	#12	"	.12		2.52
9	"	"	"	"	1 1/2	#12	"	.13		1.17
9	"	"	"	"	1 3/4	#12	"	.14	1/2	1.31
23	"	"	"	"	2	#12	"	.15	1/2	3.57
11	"	"	"	"	2 1/2	#12	"	.18	1/2	2.04
2	"	"	"	"	1	#14	"	.14		.28
6	"	"	"	"	1 1/4	#14	"	.15	1/2	.93
3	"	"	"	"	1 1/2	#14	"	.17		.51
7	"	"	"	"	2	#14	"	.20		1.40
13	"	"	"	"	3 1/2	#14	"	.37		4.81
5	"	"	"	"	2	#15	"	.22		1.10
12	"	"	"	"	3 1/2	#20	"	.55	1/2	6.66
17	"	"	"	"	4 1/2	#22	"	.63	1/2	10.80
149	"	"	Drive	"	1 1/4	#8	"	.09		13.41
136	"	"	"	"	1 1/2	#8	"	.09	1/2	12.92
211	"	"	"	"	1 3/4	#8	"	.10		21.10
46	"	"	Rd.	Head	3/8	#8	"	.08		3.68
397	"	"	"	"	1 1/4	#8	"	.13		51.61
39	"	"	"	"	3/4	#10	"	.12		4.68
10	"	"	"	"	1 1/4	#10	"	.15		1.50
8	"	"	"	"	2	#10	"	.20		1.60
19	"	"	"	"	1 1/2	#12	"	.20		3.80
1	"	"	"	"	3	#12	"	.37		.37
1	"	"	"	"	3	#20	"	.72		.72
4	Screws	Flat	Head	Brass	Machine	(Gro.)	1/4	4/36		.52
4	Gro. Screws	Flat	Head	Brass	Machine		3/8	4/36		.52
5	"	"	"	"	"		1/2	4/36		.75
6	"	"	"	"	"		5/8	4/36		1.08
6	"	"	"	"	"		3/4	4/36		1.38
6	"	"	"	"	"		7/8	4/36		1.44
5	"	"	"	"	"		1	4/36		1.55
6	"	"	"	"	"		1/4	6/36		.96
4	"	"	"	"	"		3/8	6/36		.64
6	"	"	"	"	"		1/2	6/36		1.08

Carried Forward

31104.31


Brought Forward

31104.31

6	Gro.	Screws	Flat Head	Brass	Machine	5/8	6/36	@	.18	1.08
5	"	"	"	"	"	3/4	6/36	"	.23	1.15
6	"	"	"	"	"	7/8	6/36	"	.27	1.62
6	"	"	"	"	"	1	6/36	"	.31	1.86
3	"	"	"	"	"	1/4	8/32	"	.20	.60
6	"	"	"	"	"	5/8	8/32	"	.29	1.74
7	"	"	"	"	"	1/2	10/24	"	.30	2.10
8	"	"	"	"	"	5/8	10/24	"	.34	2.72
5	"	"	"	"	"	3/4	10/24	"	.39	1.95
2	"	"	"	"	"	1	14/24	"	.72	1.44
4	"	"	"	"	"	3/4	14/20	"	.59	2.36
4	"	"	"	"	"	7/8	14/20	"	.65	2.60
3	"	"	"	"	"	1	14/20	"	.72	2.16
1	"	"	"	"	"	1 1/4	14/20	"	.85	.85
2	"	"	"	"	"	1 3/4	14/20	"	1.14	2.28
3	"	"	"	"	"	1	16/16	"	.87	2.61
3	"	"	"	"	"	2 1/2	14/18	"	2.40	7.20
3	"	"	Rd.	"	Iron	1/4	4/36	"	.12	.36
6	"	"	"	"	"	3/8	4/36	"	.12	.72
5	"	"	"	"	"	1/2	4/36	"	.12	.60
5	"	"	"	"	"	5/8	4/36	"	.13	.65
6	"	"	"	"	"	3/4	4/36	"	.16	.96
6	"	"	"	"	"	7/8	4/36	"	.16	.96
6	"	"	"	"	"	1	4/36	"	.18	1.08
6	"	"	"	"	"	1/4	6/36	"	.09	.54
3	"	"	"	"	"	3/8	6/36	"	.10	.30
6	"	"	"	"	"	1/2	6/36	"	.10	.60
6	"	"	"	"	"	5/8	6/36	"	.10	.60
5	"	"	"	"	"	3/4	6/36	"	.11	.55
5	"	"	"	"	"	7/8	6/36	"	.13	.65
25	"	"	"	"	"	3/4	6/30	"	.12	3.00
26	"	"	"	"	"	1	6/30	"	.14	3.64
17	"	"	"	"	"	1/4	8/32	"	.13	2.21
7	"	"	"	"	"	3/8	8/32	"	.13	.91
38	"	"	"	"	"	1/2	8/32	"	.13	4.94
20	"	"	"	"	"	3/4	8/32	"	.19	3.80
4	"	"	"	"	"	1/4	10/24	"	.15	.60
2	"	"	"	"	"	3/8	10/24	"	.15	.30
12	"	"	"	"	"	1/2	10/24	"	.16	1.92
20	"	"	"	"	"	5/8	10/24	"	.19	3.80
8	"	"	"	"	"	3/8	10/30	"	.15	1.20
22	"	"	"	"	"	1/2	10/32	"	.16	3.52
25	"	"	"	"	"	3/4	10/32	"	.21	5.25
21	"	"	"	"	"	1	10/32	"	.25	5.25
8	"	"	"	"	"	3/4	12/24	"	.23	1.84
26	"	"	"	"	"	1/2	14/20	"	.22	5.72
13	"	"	"	"	"	5/8	14/20	"	.22	2.86
3	"	"	"	"	"	3/4	14/20	"	.26	.78
5	"	"	"	"	"	7/8	14/20	"	.29	1.45
1	"	"	"	"	"	1	14/20	"	.32	.32
5	"	"	"	"	"	1 1/4	14/20	"	.37	1.85
10	"	"	"	"	"	3/8	18/20	"	.21	2.10
7	"	"	"	"	"	1	18/20	"	.22	1.54
10	"	"	"	"	"	1	12/24	"	.29	2.90
4	"	"	"	"	Brass	1/2	4/36	"	.16	.64
4	"	"	"	"	"	5/8	4/36	"	.20	.80
6	"	"	"	"	"	3/4	4/36	"	.25	1.50
6	"	"	"	"	"	7/8	4/36	"	.29	1.74
6	"	"	"	"	"	1	4/36	"	.32	1.92
1	"	"	"	"	"	1/4	6/32	"	.16	.16
5	"	"	"	"	"	3/16	6/32	"	.16	.80
4	"	"	"	"	"	1/2	6/32	"	.17	.68
5	"	"	"	"	"	3/4	6/32	"	.27	1.35
2	"	"	"	"	"	3/8	6/36	"	.16	.32
3	"	"	"	"	"	1/2	6/36	"	.16	.48
6	"	"	"	"	"	5/8	6/36	"	.19	1.14
4	"	"	"	"	"	3/4	6/36	"	.23	.92
6	"	"	"	"	"	7/8	6/36	"	.31	1.86
5	"	"	"	"	"	1	6/36	"	.31	1.55
2	"	"	"	"	"	1/4	8/32	"	.23	.46
2	"	"	"	"	"	1/2	8/32	"	.23	.46
6	"	"	"	"	"	5/8	8/32	"	.28	1.68
11	"	"	"	"	"	3/8	10/32	"	.29	3.19
6	"	"	"	"	"	1/2	10/30	"	.32	1.92
10	"	"	"	"	"	3/4	10/30	"	.32	3.20
1	"	"	"	"	"	1/4	10/24	"	.29	.29

Carried Forward

31237.96



Brought Forward

31237.96

190	Gro. Screws	Rd.	Head	Brass	Machine	3/16	10/24	@	.29		55.10
22	"	"	"	"	"	3/8	10/24	"	.29		6.38
4	"	"	"	"	"	1/2	10/24	"	.32		1.28
12	"	"	"	"	"	5/8	10/24	"	.36		4.32
20	"	"	"	"	"	3/4	10/24	"	.41		8.20
2	"	"	"	"	"	1	10/24	"	.54		1.08
5	"	"	"	"	"	1 1/4	10/24	"	.68		3.40
90	"	"	"	"	"	1 3/4	10/24	"	.98		88.20
6	"	"	"	"	"	2	10/24	"	1.17		7.02
3	"	"	"	"	"	2 1/4	10/24	"	1.37		4.11
6	"	"	Flat	"	"	1/2	12/24	"	.63		3.78
2	"	"	"	"	"	5/8	14/24	"	.29		.58
3	"	"	Rd.	"	"	5/8	12/24	"	.46		1.38
7	"	"	"	"	"	3/4	12/24	"	.51		3.57
65	"	"	"	"	"	1/4	10/24	"	.35		22.75
6	"	"	"	"	"	3/4	14/24	"	.63		3.78
23	"	"	"	"	"	1/2	14/20	"	.54		12.42
48	"	"	"	"	"	5/8	14/20	"	.59		28.32
3	"	"	"	"	"	3/4	14/20	"	.63		1.89
2	"	"	"	"	"	1 3/8	14/20	"	1.00		2.00
3	"	"	"	"	"	1 1/2	14/20	"	1.07		3.21
3	"	"	"	"	"	3/4	18/18	"	1.00		3.00
10	"	"	"	"	"	3/8	18/20	"	.72		7.20
14	"	"	"	"	"	3/4	18/20	"	.81		11.34
4	"	"	"	"	"	1	18/20	"	.95		3.80
5	"	"	Flat	"	Iron	1/4	4/36	"	.11		.55
4	"	"	"	"	"	3/8	4/36	"	.11		.44
6	"	"	"	"	"	1/2	4/36	"	.11		.66
6	"	"	"	"	"	5/8	4/36	"	.12		.72
6	"	"	"	"	"	3/4	4/36	"	.14		.84
6	"	"	"	"	"	7/8	4/36	"	.16		.96
4	"	"	"	"	"	1	4/36	"	.18		.72
5	"	"	"	"	"	1/4	6/36	"	.09		.45
5	"	"	"	"	"	3/8	6/36	"	.09		.45
5	"	"	"	"	"	1/2	6/36	"	.09		.45
4	"	"	"	"	"	5/8	6/36	"	.10		.40
5	"	"	"	"	"	3/4	6/36	"	.11		.55
6	"	"	"	"	"	7/8	6/36	"	.13		.78
6	"	"	"	"	"	1	6/36	"	.13		.78
29	"	"	"	"	"	1/2	6/30	"	.09		2.61
24	"	"	"	"	"	3/4	6/30	"	.11		2.64
25	"	"	"	"	"	1	6/30	"	.14		3.50
33	"	"	"	"	"	3/8	10/24	"	.14		4.62
17	"	"	"	"	"	1/2	10/24	"	.14		2.38
23	"	"	"	"	"	5/8	10/24	"	.16		3.68
24	"	"	"	"	"	3/4	10/24	"	.19		4.56
23	"	"	"	"	"	1/2	10/32	"	.15		3.45
25	"	"	"	"	"	3/4	10/32	"	.19		4.75
22	"	"	"	"	"	1	10/32	"	.22		4.84
2 3/4	"	"	"	"	"	1/2	12/24	"	.17		.47
4	"	"	"	"	"	5/8	12/24	"	.21		.84
4	"	"	"	"	"	3/4	12/24	"	.24		.96
5	"	"	"	"	"	3/4	14/24	"	.23		1.15
3	"	"	"	"	"	1	14/24	"	.29		.87
3	"	"	"	"	"	7/8	14/20	"	.26		.78
162	Screws	Lag	1 1/2 x	3/8				"	.46	Pr.C.	.75
75	"	"	2 x	3/8				"	.49	"	.37
347	"	"	2 1/2 x	3/8				"	.52	"	1.80
465	"	"	3 x	3/8				"	.58	"	2.70
40	"	"	3 1/2 x	3/8				"	.52	"	.25
510	"	"	4 x	3/8				"	.65	"	3.32
972	"	"	4 1/2 x	3/8				"	.68	"	6.61
150	"	"	5 x	3/8				"	.70	"	1.05
332	"	"	6 x	3/8				"	.74	"	2.46
2975	"	"	1 1/4 x	1/2				"	.60	"	17.85
2300	"	"	1 1/2 x	1/2				"	.64	"	14.72
771	"	"	2 x	1/2				"	.69	"	5.32
210	"	Hex. Hd.	Cap	3/4 x	1/4			"	1.50	"	3.15
795	"	"	"	5/16 x	1/4			"	1.55	"	12.32
40	"	"	"	3/4 x	1/4			"	1.63	"	.65
350	"	"	"	7/8 x	1/4			"	1.68	"	5.88
1745	"	"	"	1/2 x	3/8			"	1.75	"	30.54
7300	"	"	"	3/4 x	3/8			"	1.88	"	137.24
260	"	"	"	7/8 x	3/8			"	1.94	"	5.04
700	"	"	"	1 x	3/8			"	2.00	"	14.00

Carried Forward

31842.94

Brought Forward

31842.94

1200	Screws	Hex.	Hd.	Cap	1 1/4 x 3/8	@	2.13	Pr.C.	25.56
75	"	"	"	"	1 1/2 x 3/8	"	2.25	"	1.69
465	"	"	"	"	2 x 3/8	"	2.53	"	11.76
1260	"	"	"	"	1 x 1/2	"	2.85	"	35.91
5	"	"	"	"	1 1/4 x 1/2	"	3.00	"	.15
273	"	"	"	"	1 1/2 x 1/2	"	3.15	"	8.60
6	"	"	"	"	1 3/4 x 1/2	"	3.30	"	.20
262	"	"	"	"	2 x 1/2	"	3.50	"	9.17
245	"	"	"	"	2 1/4 x 1/2	"	3.75	"	9.19
1137	"	"	"	"	2 1/2 x 1/2	"	4.00	"	45.48
650	"	"	"	"	2 3/4 x 1/2	"	4.30	"	27.95
240	"	"	"	"	3 x 1/2	"	4.65	"	11.16
500	"	"	"	"	3 1/2 x 1/2	"	4.90	"	24.50
200	"	"	"	"	4 x 1/2	"	5.20	"	10.40
24	"	"	"	"	2 x 9/16	"	4.55	"	1.09
155	"	"	"	"	1 1/4 x 5/8	"	4.75	"	7.36
700	"	"	"	"	1 1/2 x 5/8	"	5.00	"	35.00
135	"	"	"	"	1 3/4 x 5/8	"	5.30	"	7.16
29	"	"	"	"	2 x 5/8	"	5.60	"	1.62
52	"	"	"	"	2 1/4 x 5/8	"	5.95	"	3.09
440	"	"	"	"	2 3/4 x 5/8	"	6.80	"	29.92
350	"	"	"	"	3 x 5/8	"	7.35	"	25.73
200	"	"	"	"	3 1/4 x 5/8	"	7.85	"	15.70
193	"	"	"	"	3 1/2 x 5/8	"	8.25	"	15.92
458	"	"	"	"	4 x 5/8	"	8.60	"	39.39
56	"	"	"	"	1 3/4 x 3/4	"	6.40	"	3.58
142	"	"	"	"	2 x 3/4	"	6.70	"	9.51
264	"	"	"	"	2 1/2 x 3/4	"	7.45	"	19.67
6	"	"	"	"	2 3/4 x 3/4	"	7.95	"	.48
196	"	"	"	"	3 x 3/4	"	8.50	"	16.66
132	"	"	"	"	3 1/2 x 3/4	"	9.00	"	11.88
275	"	"	"	"	2 1/2 x 7/8	"	9.40	"	25.85
232	"	"	"	"	3 x 7/8	"	10.90	"	25.29
249	"	"	"	"	3 1/2 x 7/8	"	12.00	"	29.88
25	"	Sq.	"	"	2 x 5/8	"	3.76	"	.94
945	"	"	"	"	2 1/4 x 5/8	"	4.04	"	38.18
1343	"	Set	3/8 x 5/16			"	.60	"	8.06
958	"	"	1/2 x 5/16			"	.62	"	5.94
400	"	"	3/4 x 5/16			"	.66	"	2.64
386	"	"	1/2 x 3/8			"	.75	"	2.90
84	"	"	3/4 x 3/8			"	.75	"	.63
44	"	"	1 x 3/8			"	.80	"	.35
604	"	"	1 1/4 x 3/8			"	.85	"	5.13
1600	"	"	1 1/2 x 3/8			"	.89	"	14.24
100	"	"	1 3/4 x 3/8			"	.93	"	.93
37	"	"	1/2 x 7/16			"	.80	"	.30
100	"	"	3/4 x 7/16			"	.90	"	.90
1976	"	"	1 1/4 x 5/16			"	.85	"	16.80
284	"	"	1/2 x 1/2			"	1.02	"	2.91
14	"	"	1 x 1/2			"	1.10	"	.15
87	"	"	1 1/4 x 1/2			"	1.16	"	1.01
17	"	"	1 1/2 x 1/2			"	1.20	"	.20
384	"	"	2 x 1/2			"	1.30	"	4.99
163	"	"	1 x 9/16			"	1.10	"	1.79
259	"	"	1 x 5/8			"	1.50	"	3.89
387	"	"	1 1/4 x 5/8			"	1.58	"	6.11
436	"	"	1 1/2 x 5/8			"	1.65	"	7.19
469	"	"	1 3/4 x 5/8			"	1.73	"	8.11
946	"	"	2 x 5/8			"	1.82	"	17.22
124	"	"	1 1/2 x 3/4			"	2.25	"	2.79
78	"	"	1 3/4 x 3/4			"	2.40	"	1.87
454	"	"	2 x 3/4			"	2.58	"	11.71
215	"	"	2 1/4 x 3/4			"	2.79	"	6.00
29	"	"	3 x 3/4			"	3.51	"	1.02
154	"	"	4 x 3/4			"	4.71	"	7.25
286	"	"	3 x 7/8			"	5.13	"	14.67
618	"	"	3 1/4 x 7/8			"	5.52	"	34.11
203	"	"	3 1/2 x 7/8			"	5.91	"	12.00
176	"	"	4 1/2 x 7/8			"	6.50	"	11.44
184	"	"	5 1/2 x 7/8			"	9.35	"	17.20
152	"	"	3 1/2 x 1			"	6.00	"	9.12
378	"	"	3/4 x 1/2			"	.95	"	3.59
412	"	Lag	2 1/2 x 1/2			"	.74	"	3.05
450	"	"	3 x 1/2			"	.79	"	3.56
50	"	"	3 1/2 x 1/2			"	.85	"	.43

Carried Forward

32680.76

Brought Forward

32680.76

412	Screws Lag	4 x 1/2	@	.90	3.71
1169	"	4 1/2 x 1/2	"	.94	10.99
387	"	5 x 1/2	"	1.00	3.87
582	"	5 1/2 x 1/2	"	1.05	6.11
17	"	10 x 1/2	"	1.51	.26
62	"	4 x 7/16	"	.74	.46
248	"	2 x 5/8	"	.85	2.11
1823	"	2 1/2 x 5/8	"	.92	16.77
1017	"	2 x 5/8	"	1.00	10.17
351	"	3 1/2 x 5/8	"	1.08	3.79
346	"	4 x 5/8	"	1.15	3.98
80	"	4 1/2 x 5/8	"	1.22	.98
649	"	7 x 5/8	"	1.62	10.51
625	"	8 x 5/8	"	1.77	11.06
340	"	10 x 5/8	"	2.08	7.07
373	Springs	5 1/2 x 4 x 13/16	"	.20	74.60
71	"	8 1/2 x 4 x 13/16	"	.30	21.30
24	"	6 x 4 x 13/16	"	.25	6.00
154	"	7 x 3 3/4 x 5/8	"	.10	15.40
50	"	7 x 4 3/8 x 5/8 x 7/8	"	.40	20.00
50	"	3 1/2 x 4 3/8 x 7/8 x 5/8	"	.25	12.50
108	"	8 x 4 3/8 x 4 x 9/16 x 3/4	"	.32	34.56
13	"	4 x 3 3/4 x 9/16	"	.30	3.90
154	"	3 x 3 3/4 x 9/16	"	.25	38.50
8	"	9 x 3 1/2 x 1/2	"	.60	4.80
72	"	3 3/4 x 3 1/2 x 1/2	"	.30	21.60
89	"	5 1/2 x 4 1/2 x 1	"	.32	28.48
44	"	Pedestal	"	.50	22.00
59	"	7 1/2" Pedestal Bottle Shape	"	.25	14.75
8	"	1/2 Elliptic	"	1.90	15.20
25	"	St. Louis Elliptic	"	2.10	52.50
4	1/3 Doz.	Shovels Long Handle Rd. Pt.	"	7.44	32.24
2	5/12	" " " Sq. "	"	6.60	15.95
38	"	Wood Snow	"	.40	15.20
3	"	#8 Coal Scoop Long Handle	"	.95	2.85
4	"	Small Fire	"	.05	.20
3	Doz.	Coal Scoop #5	"	9.50	28.50
5	2/3 Doz.	Sq. Pt. #5	"	6.50	36.83
6	"	" " #3	"	6.60	39.60
10	"	Rd. " #3	"	6.15	61.50
30	Lbs.	Staples 2"	"	.03	.90
5	Westg.	Arma. Shafts	"	6.50	32.50
3	G.E.800	" "	"	6.00	18.00
4	Walker	" "	"	9.60	38.40
7	W.P.	" "	"	7.70	53.90
13	Auto.	Water Sprinklers	"	.75	9.75
58	Springs	T.H. Trolley Elliptic	"	.12	6.96
940	"	" Fork	"	.05	47.00
250	Trolley	Fork Spindles	"	.06	15.00
86	Lbs.	Sponges	"	1.25	107.50
11	Screw	Drivers 10"	"	.22	2.42
46	"	" 8"	"	.18	8.28
57	"	" 5"	"	.13	7.41
28	"	" 3"	"	.11	3.08
2	Gas	Stoves	"	2.40	4.80
90	Jour.	Box Oil Sheds	"	.06	5.40
178	Segments	Vulc. Arc Deflector	"	.20	35.60
82	"	K. Cyl.	"	.13	10.66
9	Snow	Plow Digger Shoes	"	.50	4.50
280	Lbs.	Buffer Saucers	"	.02 1/2	7.00
25	Br.	Staff Sockets H. 282	"	.07	1.75
140	Br.	H. Tension Springs G.E.800	"	.04	5.60
1249	S.	Hooks	"	.00 1/2	6.25
5000	Large	Binding Sticks	"	.03	150.00
8	Shades	18" Porc.	"	.50	4.00
6	"	14" "	"	.35	2.10
1	Switch	30 Amp. Enam. Base	"		6.09
58	Tin	Shades 10"	"	.10	5.80
65	Set	Screws Br. Staff Hdle.	"	.04	2.60
118	Dummy	Punch Springs	"	.33 Doz.	3.25
17	Set	Segments G.E.800 Assembled	"	15.00	255.00
6	Westg.	Comtr. Shells	"	4.00	24.00
262	Brake	Steel Shoes	"	.75	196.50
131	S.	Plow Shoes H. 164 - 5	"	.50	65.50
19	"	" H. 166 - 7	"	.45	8.55

Carried Forward

34547.61

Brought Forward				34547.61
181	Shoes Brake Lappin	@	1.00	181.00
734	" " Compo	"	.45	330.30
430	Lbs. Dry Orange Shellac			81.36
57	Doz. Chain Snaps 3/8 Open Eye	"	.50	28.50
183	Lbs. Swivel Trace C.452	"	.13	23.79
593	" Strap Leather	"	.27	160.11
36	" Salamoniac	"	.07	2.52
500	Long Sign Sticks	"	.12	60.00
88	Short " "	"	.05	4.40
167	Lbs. Sponges	"	1.25	208.75
20	Surcingles	"	.25	5.00
30	" Minus Strap	"	.20	6.00
4	Shafts for Westinghouse Trucks	"	.50	2.00
1/3	Gr. Covert Snaps 1 3/4	"	.75	3.00
92	German Bronze Snaps 5/8	"	.50	3.83
77	" " " 3/4	"	.75	4.81
89	Resisntace Shields	"	.20	17.80
6	Sieves	"	.85	5.10
30	Lbs. Staples 2"	"	.03	.90
25	Bemis Chafing Iron Slides H.123	"	.50	12.50
104	Lbs. Steel Toe Cals. 1/2 x 3/8	"	.02 1/2	2.60
100	" " " " 5/8 x 1/2	"	.02 1/2	2.50
866	" " " " 3/4 x 1/2	"	.02 1/2	21.65
336	" " " " 7/8 x 1/2	"	.02 1/2	8.40
1	Brake Staff			4.60
5	Scoops for Iron Wheelbarrow	"	2.50	12.50
339	Sand Scoops	"	.30	101.70
95	Dasher Signs	"	.25	23.75
4	T.H.Trolley Cam Sockets	"	3.25	13.00
33	Anderson Trolley Cam Sockets	"	3.25	107.25
80	Assorted Brass Valve Seats	"	.30	24.00
191	" Jenkins Valve Seats	"	.30	57.30
41	Contr. Finger Strips	"	.06	2.46
65	Shields W.P. G.F.	"	.25	16.25
46	" " C.F.	"	.50	23.00
180	Lbs. Bessemer Steel 1/2" Rd.)		
397	" " " 1" ")		
51	" " " 2 1/4 x 3/8)		
540	" " " 3 1/2 x 1/2)	3116 Lbs.	.02 1/2 77.90
900	" " " 1 1/2 Rd.)		
488	" " " 1 3/4 ")		
560	" " " 2 ")		
906	Lbs. Steel Spring 2 x 1/4)		
1071	" " " 2 x 5/16)		
250	" " " 2 1/4 x 1/4)		
1088	" " " 2 1/4 x 5/16)	3760 Lbs.	.02 1/2 94.00
89	" " " 3 1/2 x 3/8)		
171	" " " 5 x 1/4)		
185	" " " 5 x 3/16)		
304	" " Tool 2 x 7/8)		
40	" " " 2 x 3/4)		
142	" " " 2 x 1)		
301	" " " 2 x 1 1/2)		
70	" " " 1 1/2 x 5/8)		
25	" " " 1 1/4 x 3/4)		
64	" Sq. Steel Tool 1 1/2)	1708 Lbs.	.06 102.48
16	" Rd. " " 3/8)		
534	" " " " 1")		
4 1/2	" Octg. " " 1/4)		
6	" " " " 1/2)		
11 1/2	" " " " 5/8)		
100	" " " " 3/4)		
90	" " " " 7/8)		
125	" " " " 1)	181 Lbs.	.12 21.72
5	" " " " 1 1/4)		
51	" " " " 1 3/4)		
320	" Steel Eye Beam L.	"	.02 1/2	8.00
550	T.H.Trolley Tension Springs	"	.15	82.50
33	Lbs. Sulphur	"	.02	.66
18	Anderson Trolley Cam Spindles	"	.04	.72
47	T.H. " " "	"	.04	1.68
19	Supports Front Gear Case W.F.R.	"	.90	17.10
53	" " " " S.T.27	"	.90	47.70
5	" " " " R.R.	"	.90	4.50

Carried Forward

36569.20

Brought Forward				36569.20
45	Supports Front Gear Case #57	@	.90	40.50
43	" Back " "	"	.75	32.25
94	" Ex. " " "	"	.75	70.50
6	Snow Plow Standards	"	4.07	24.42
22	Lateral Springs	"	1.00	22.00
1300	Lbs. Shoes Horse Burden Bind Med. #6)			
200	" " " " " " 5)			
100	" " " " " " 4)			
400	" " " " Front " 3)			
1700	" " " " " " 6)			
500	" " " " " " 3)			
200	" " " " " Light 2)			
100	" " " " Hind " 2)	6100 Lbs.	" .03 1/2	213.50
200	" " " Army Front 3)			
400	" " " Easy " 4)			
100	" " " X Light Hind 2)			
300	" " " Easy Front 3)			
300	" " " Army " 5)			
200	" " " " " 4)			
100	" " " Good Hind Hvy. 3)			
1000	Lbs. Slate 4 x 2 x 1/4	"	.02 1/2	25.00
117	" " 6 1/2 x 3 x 1/4	"	.08	9.36
32	" " 6 1/4 x 3 1/4 x 1/4	"	.09	2.88
294	" " 4 1/8 x 4 1/8 x 1/4	"	.08	23.52
3	" " 12 x 10 x 7/8	"	.15	.45
8	" " 12 x 12 x 7/8	"	.20	1.60
10	" " 12 x 5 1/2 x 7/8	"	.14	1.40
57	" " 12 x 4 1/2 x 3/4	"	.12	6.84
7	" " 8 x 3 3/4 x 7/8	"	.10	.70
4	" " 19 x 3 3/4 x 7/8	"	.20	.80
3	Taps Plug 1 x 1/32	"	.80	2.40
20	" " 1	"	.80	16.00
3	" " 7/8 x 1/32	"	.67	2.01
4	" " 7/8	"	.67	2.68
12	" " 3/4	"	.56	6.72
5	" " 5/8	"	.41	2.05
2	" " 1/2 x 1/32	"	.70	1.40
1	" " 1/2 x 1/64	"	.70	.70
4	" " 1/2	"	.70	2.80
1	" " 3/8	"	.60	.60
3	" " 5/16 x 1/32	"	.55	1.65
6	" " 5/16	"	.55	3.30
23	" " 1/4	"	.50	11.50
5	" " 18/18	"	.23	1.15
29	" " 14/20	"	.15	4.35
21	" " 12/24	"	.14	2.94
42	" " 10/24	"	.14	5.88
14	" " 10/32	"	.12	1.68
13	" " 8/32	"	.12	1.56
14	" Taper 1"	"	.80	11.20
1	" " 7/8 x 1/32	"	.70	.70
9	" " 7/8	"	.70	6.30
10	" " 3/4	"	.60	6.00
1	" " 5/8 x 1/32	"	.50	.50
9	" " 5/8	"	.50	4.50
1	" " 1/2 x 1/32	"	.32	.32
4	" " 1/2	"	.32	1.28
2	" " 7/16 x 1/32	"	.27	.54
4	" " 3/8 x 1/32	"	.25	1.00
1	" " 3/8	"	.25	.25
1	" " 5/16 x 1/32	"	.20	.20
1	" " 5/16 x 1/64	"	.20	.20
10	" " 5/16	"	.20	2.00
77	Turn Buckles 1/2	"	.23	17.71
3	" " 3/4	"	.40	1.20
1	" " 1 1/2	"	.60	.60
42	Terminals K. 70 W.P. Grd.	"	.15	6.30
76	" Ltg. Arr. Positive	"	.15	11.40
13	"	"	.09	1.17
23	Lbs. Tools Heading	"	.18	4.14
196	Turn Buckles 3/8	"	.18	35.28
2	Tees 6" Flanged Iron	"	.50	1.00
3500	Ft. Tubing 3/8 Soft Rubber	"	.05	175.00
36	Anderson Trolleys - No. Poles	"	11.00	396.00
18	" "	"	14.50	261.00
Carried Forward				38062.08

Brought Forward

38062.08

4	Gals. Coal Tar		@	.30	1.20
45	Lbs. Tube Fibre	1 1/4	"	.36	16.20
3	1/2 Lbs. Tube Fibre	3/4	"	.36	1.26
24	Tees Iron	1 x 1/4	"	.03	.72
23	"	1 x 3/8	"	.03	.69
9	"	1/2 x 3/8	"	.02	.18
5	"	1/2 x 3/8 x 3/8	"	.02	.10
5	"	3/4 x 3/8 x 3/8	"	.02	.10
2	"	3/4 x 1/2 x 1/2	"	.02	.04
51	"	3/4 x 1/2	"	.02	1.02
24	"	1 x 3/4	"	.03	.72
30	"	1 1/4 x 3/4	"	.05	1.50
3	"	2 x 1 1/4 x 3/4	"	.09	.27
18	"	2 x 3/4	"	.09	1.62
36	"	1 1/4 x 1	"	.05	1.80
25	"	1 1/2 x 1 1/4 x 3/4	"	.07	1.75
50	"	1 1/2 x 1 1/4	"	.07	3.50
24	"	2 x 1 1/2 x 1 1/4	"	.09	2.16
5	"	2 1/2 x 1 1/4	"	.17	.85
19	"	2 1/2 x 1	"	.17	3.23
24	"	2 x 1 1/2 x 1 1/2	"	.09	2.16
12	"	2 x 1 1/4	"	.09	1.08
13	"	2 1/2 x 1 1/2	"	.17	2.21
1	"	2 x 1 1/2	"	.09	.09
5	"	3 x 1 1/2	"	.25	1.25
18	"	2 1/2 x 1/2	"	.17	3.06
3	"	1 1/2 x 2	"	.09	.27
3	"	2 1/2 x 2 x 2	"	.17	.51
2	"	2 x 2 1/2	"	.17	.34
3	"	3 x 2 1/2	"	.25	.75
1	"	2 1/2 x 3	"	.25	.25
4	"	4 x 3 x 2 1/2	"	.40	1.60
2	"	3 1/2 x 3 x 2	"	.35	.70
2	"	Ex. Heavy 1 1/4 x 1 x 1	"	.15	.30
1	"	" 2 x 1	"	.37	.37
4	"	" 2 1/2 x 1	"	.35	2.20
16	"	" 3 x 1	"	.75	12.00
5	"	" 1 1/2 x 1 1/4	"	.21	1.05
5	"	" 1 1/2 x 1 1/2 x 1 1/4	"	.21	1.05
2	"	" 2 x 1 1/4	"	.37	.74
4	"	" 2 1/2 x 1 1/4	"	.55	2.20
8	"	" 3 x 1 1/4	"	.75	6.00
3	"	" 2 x 1 1/2 x 1 1/2	"	.37	1.11
14	"	" 1 1/2	"	.21	2.94
16	"	" 2 1/2 x 1 1/2	"	.55	8.80
4	"	" 3 x 1 1/2	"	.75	3.00
6	"	" 2 1/2 x 2	"	.55	3.30
1	"	" 3 x 2	"	.75	.75
1	"	" 4 x 1 1/2	"	1.50	1.50
6	"	" 2 1/2 x 2 x 2	"	.55	3.30
1	"	" 4 x 4 x 3	"	1.50	1.50
4	"	" 2 1/2	"	.55	2.20
4	"	" 3 x 2 1/2 x 2 1/2	"	.75	3.00
5	"	" 3 x 2 1/2 x 2	"	.75	3.75
1	"	" Long Turn 1"	"		.15
8	"	Brass C.I. Pat 1 1/2	"	.60	4.80
3	"	" 2 x 1 1/2	"	.90	2.70
12	"	" 3/4	"	.20	2.40
1	"	" 2 1/2 x 2 x 2	"	1.50	1.50
1	"	" 2 1/2	"		1.50
22	"	Fin. Brass 3/4 x 1/2	"	.14	3.08
2	"	" 3/4	"	.14	.28
4	"	" 1/2 x 1/4	"	.11	.44
11	"	" 3/8 x 1/4	"	.08	.88
44	"	" Side Outlet 1/2"	"	.16	7.04
31	"	" 3/4 x 1/2	"	.14	4.34
11	"	" 3/4	"	.14	1.54
4	"	" 1/2 x 3/4	"	.14	.56
6	"	" 1/4 x 1/8	"	.08	.48
2	"	" Fine Thread 2"	"	.70	1.40
2	"	" Fine Thread 2 x 1 1/2	"	.70	1.40
34	"	Iron 1/4"	"	.016	.54
39	"	" 3/8	"		.62
58	"	" 1/2	"	.018	1.04
44	"	" 3/4	"	.024	1.06


Carried Forward

38214.07

Brought Forward		38214.07	
18	Tees Fin. Brass	1	@ .03 .54
25	" " "	1 1/4	" .046 1.15
36	" " "	1 1/2	" .058 2.09
36	" " "	2	" .082 2.95
21	" " "	2 1/2	" .15 3.15
18	" " "	3	" .22 3.96
9	" " "	4	" .35 3.15
1	" " "	1" Long Turn	.05
1	" " "	McDaniels Section 1 1/2"	.50
15	" " "	Side Out Railing 1"	" .30 4.50
200	Lbs. Hartford Tape		" .60 120.00
404	" Oko	"	" .58 234.52
95	" Grim.	" 1 1/2"	" .35 33.25
300	" " Black	" 3/4	" .35 105.00
80	" " White	" 1/2	" .35 28.00
5	1/2 Gro. Yds. Tape	1" Cotton	" 1.00 5.50
35	" " "	" 5/8" "	" .60 21.00
1	" " "	" 1/2" Linen	" .41 1/2 2.40
78	Lbs. Ger. Silver		" .41 1/2 32.37
7	" Thread Barbour	#3 Gray Flax	" .10 .70
3	" " "	" #40 Black	" .75 2.25
8	Balls	" #3	" .10 .80
4	Lbs. " Shoe	#10	" .60 2.40
6	Unions Iron	1/4"	" .036 .22
50	" " "	3/4"	" .054 2.70
1	" " "	1 1/2"	" .12 .12
24	" Brass	1/8"	" .06 1.44
15	" " "	1/4"	" .07 1.05
36	" " "	3/8"	" .10 3.60
30	" " "	1/2"	" .14 4.20
24	" " "	3/4"	" .18 4.32
47	" " "	1"	" .25 11.75
19	" " "	1 1/4"	" .34 6.46
27	" " "	1 1/2"	" .50 13.50
7	" " "	2"	" .72 5.04
8	" " "	1 1/4" Hydraulic	" 1.00 8.00
4	" " "	Flange Fine Thread 1"	" .30 1.20
8	" " "	" " " 1 1/2"	" .60 4.80
3	" " "	" " " 2"	" .90 2.70
15	" Iron	1"	" .06 1/2 .98
17	" " "	1 1/4	" .09 1.53
15	" " "	1 1/2	" .12 1.80
5	" " "	2	" .15 .75
12	" " "	2 1/2	" .31 3.72
5	" " "	3 1/2	" .73 3.65
3	" " "	4	" .87 2.61
100	Lbs. Vasoline		" .16 16.00
4	Vises Linemen with Strap		" 1.50 6.00
2	" " "		" 1.00 2.00
5	Valves Chap. X Hvy.	3/4"	" 3.50 17.50
7	" " "	1"	" 4.75 33.25
2	" " "	1 1/4	" 6.00 12.00
5	" " "	1 1/2	" 8.75 43.75
8	" Jenkins	1 1/4	" 1.08 8.64
6	" " "	1 1/2	" 1.40 8.40
1	" Straightway	1/4	.40
6	" " "	3/8	" .48 2.88
35	" " "	1/2	" .52 18.20
36	" " "	3/4	" .70 25.20
5	" " "	1	" .90 4.50
27	" " "	1 1/4	" 1.30 35.10
1	" " "	1 1/2	" 1.80
8	" Globe	1/4	" .50 4.00
7	" " "	3/8	" .60 4.20
23	" " "	1/2	" .72 16.56
6	" " "	1	" 1.28 7.68
2	" " "	1 1/4	" 1.80 3.60
12	" Junk Aut. Air	1/8	" .38 4.56
12	" Crosby	1/4	" .50 6.00
11	" " "	3/8	" .60 6.60
9	" " "	1/2	" .72 6.48
44	" " "	3/4	" 1.05 46.20
16	" " "	1	" 1.28 20.48
8	" " "	1 1/4	" 1.80 14.40
3	" " "	1 1/2	" 2.15 6.45
9	" " "	2	" 3.60 32.40

Carried Forward

39325.67



Brought Forward

39325.67

18	Valves	Check	3/4			@	1.05	18.90
10	"	"	1			"	1.50	15.00
12	"	"	1 1/4			"	1.80	21.60
2	"	"	X Heavy	1 1/2		"	2.55	5.10
2	"	"	"	2		"	3.25	6.50
12	"	Cross Find	Brass	1/4 x 3/8		"	.75	9.00
4	"	"	3/8"			"	.20	.80
1	"	W.P. Radiator	1"					1.14
1	"	Ex. Hvy. Br. Chap.	2 1/2"					5.00
1	"	P.& C. Iron Sw. Check	3"					6.60
2	3/4 Lbs.	Valves	Rubber	3 x 1/2 x 1/2		"	.64	1.76
30	"	"	"	4 1/2 x 3/4 x 5/8		"	.64	19.20
6	3/4	"	"	5 x 5/8 x 3/4		"	.64	4.32
20	1/2	"	"	8 x 1 x 1 1/2		"	.64	13.12
62	3/4	"	"	10 1/2 x 1 x 1 1/2		"	.64	40.16
141	"	"	"	11 x 1 x 1 1/2		"	.64	90.24
300	Wedges	Hd. Wood				"	.03	9.00
125	"	57 Journal	Box			"	.30	37.50
52	"	S.T. 27 Journal	Box			"	.30	15.60
148	"	H.21	"	"		"	.30	44.40
71	"	H.137				"	.30	21.30
31	"	H.18				"	.30	9.30
72	Washers	Leather	Journal	Box		"	.05	3.60
6	"	T.H. Trolley	Base			"	.08	.48
1500	"	Trolley	Spindle			"	.01	15.00
256	"	Rheo. Fibre				"	.015	3.84
2	1/2 Lbs.	Washers	Brass			"	.16	.40
320	"	"	Fibre	B.H. Westg.		"	.015	4.80
18	"	"	Gelatine			"	.05	.90
9	1/2 Lbs.	"	Gauge	Glass	Rubber	1 1/16 x 5/8 x 3/16	.60	5.70
4	1/2	"	"	"	"	1 1/2 x 3/4 x 1/4	.60	2.70
3	1/4	"	"	"	"	1 x 3/4 x 1/8	.60	1.95
1	1/2	"	"	"	"	1 5/8 x 7/8 x 1/8"	.60	.90
358	Washers	Cork				"	.03	10.74
103	"	Westg. B.H. Brass				"	.11	11.33
136	"	Fibre F.30	B.H.			"	.03	4.08
140	"	Draw Bar	Spring			"	.20	28.00
146	Lbs.	Wire #3	Magnet			"	.10	14.60
728	"	" #4	"			"	.12	87.36
832	"	" #5	"			"	.16	142.72
637	"	" #6	"			"	.15 1/2	98.73
761	"	" #8	"			"	.16 3/4	127.48
928	"	" #9	"			"	.14	129.92
2400	"	" #10	"			"	.19	456.00
981	"	" #11	"			"	.16	156.96
626	"	" #12	"			"	.16	100.16
750	"	" #13	"			"	.16	120.00
96	"	" #14	"			"	.16	15.36
219	"	" #14	Underwriters			"	.15	32.85
30	"	" #14	Soft Copper			"	.17 1/2	5.25
5965	Ft.	" 14	Okonite			"	.01	59.65
256	Lbs.	" 14	Clark Twin			"	.16	40.96
212	"	" 15	Magnet			"	.16	33.92
216	"	" 16	"			"	.16	34.56
500	"	" 16	Okonite			"	.01	5.00
427	"	" 17	Magnet			"	.18	76.86
28	"	" 19	"			"	.19	5.32
62	"	" 22	"			"	.36	22.32
1/2	"	" 32	"			"	.60	.30
2 1/2	"	" 40	"			"	.75	1.88
425	"	" 120	"			"	.19	80.75
72	"	" 064 - 080				"	.20	14.40
1995	"	" 040 x 340				"	.20 1/4	403.99
610	"	" 076	Magnet			"	.20	122.00
8010	Ft.	" Clark #6				"	.03 1/2	280.35
6	Lbs.	" #9	Stone	Plate		"	.05 1/2	.33
123	"	" #13	"	"		"	.05 1/2	6.77
135	"	" 15	"	"		"	.05 1/2	7.42
9	"	" 10	Ger	Silver		"	.47	4.23
60	"	" 16	"	"		"	.47	28.20
38	"	" 21	"	"		"	.47	17.86
14	"	" 14	"	"		"	.47	6.58
170	"	" 17	Phos.	Bronze		"	.46	78.20
26	"	" 19	"	"		"	.47	12.22
1239	"	"	Resistance			"	.05 1/2	68.14

Carried Forward

42715.23

Brought Forward			42715.23
65	Lbs. Wire Piano	@	.60 39.00
89	" " #4 Brass	"	.13 11.57
39	" " #4 Cop. Bess. Steel	"	.10 3.90
9 1/2	" " 1 1/2 Amp. Fuse	"	.50 4.75
5	" " 5 " "	"	.50 2.50
12	" " 10 " "	"	.50 6.00
8	" " 15 " "	"	.50 4.00
7	" " 25 " "	"	.50 3.50
4	" " 30 " "	"	.50 2.00
2	" " 40 " "	"	.50 1.00
2	" " 45 " "	"	.50 1.00
200	" Washers Iron 3/8	"	.30 6.00
400	" " " 1/2	"	.03 12.00
700	" " " 7/16	"	.03 21.00
600	" " " 5/8	"	.03 18.00
315	" " " 3/4	"	.03 9.45
200	" " " 7/8	"	.03 6.00
150	" " " 1	"	.03 4.50
161	" " " 1 1/4	"	.03 4.83
9	Wheels Transfer Table	"	4.00 36.00
8	" K. Cont. Sprocket	"	.30 2.40
50	" K. " "	"	.30 15.00
91	" Brake Staff Ratchet	"	.32 29.12
9	" Bonnet Bell Cord	"	.30 2.70
2	" Sprocket Cont. Stand	"	.30 .60
40	" Trolley	"	.35 14.00
5	Wrenches T	"	.50 2.50
15	" Straight	"	.25 3.75
4	" Socket	"	.50 2.00
2	" 6" Monkey	"	.27 .54
20	" 8" "	"	.30 6.00
15	" 10" "	"	.50 7.50
29	" 12" "	"	.59 17.11
5	" 15" "	"	.72 3.60
22	" 21" "	"	1.08 23.76
6	" 14" Stilson	"	1.20 7.20
1	" 18" "	"	1.60 1.60
1	" 24" "	"	2.57
2	" Westg. Pinion	"	.84 1.68
6	Lbs. Wax Sealing	"	.20 1.20
5	Gro. Wicks Fletcher Mohing Burner	"	.72 3.60
2	" " " B	"	.30 .60
2	" " Headlight	"	1.25 2.50
3	" " Fletcher D.	"	.40 1.20
4	" " " A.	"	.28 1.12
1 1/4	" Yds. Webbing 1"	"	1.00 1.25
74	Lbs. Whiting	"	.01 .74
19	Snow Scraper Wings	"	.30 5.70
1200	Lbs. Waste	"	.06 72.00
10	3/4 Lbs. Cotton Lamp Wicking	"	.20 2.15
11	" Asbestos Wicking	"	.30 3.30
4	3/4 " Torch Wicking 50 Yards	"	.10 5.00
22	Large Snow Plow Sprocket Wheels	"	6.60 145.20
16	Small " " " "	"	2.50 40.00
6	Yokes 6 A Truck	"	3.50 21.00
9	" R.R. Truck	"	7.00 63.00
8	" S.T. Bemis	"	6.41 51.28
1	" S.T. Made Over	"	7.00
10	" Walker B.H.	"	.75 7.50
73	" G.E. 800 B.H.	"	.35 25.55
85	Battery Zincs	"	.04 3.40
82	Rolls #14925	"	.07 5.74
62	Contacts #14681	"	.10 6.20
31	Ful. Pillars with 1 Wire Pivot #14632	"	.20 6.20
40	Single Switch Contacts #14629	"	.15 6.00
65	Long Binding Posts #14698	"	.15 9.75
52	Contact Supports #14684	"	.15 7.80
95	Double Switch Handles #14640	"	.01 .95
92	Triple " " #14641	"	.01 .92
77	Outer Switch Blades #14638	"	.05 3.85
48	Hinge Bolts and Nuts #14646	"	.15 7.20
20	Slotted Lugs #14645	"	.10 2.00
18	Check Levers	"	.38 6.84
20	Reverse Levers #14623	"	.38 7.60

Carried Forward

43591.20

Brought Forward			43591.20
18 Dowel Pins	@	.10	1.80
43 Water Caps	"	.10	4.30
31 Double Switch Contacts	"	.20	6.20
25 Single Switch Contacts & Long B.Post	"	.30	7.50
51 Hinge Joint for Cover	"	.05	2.55
105 Short Binding Posts	"	.05	5.25
250 Pointer Set Screws	"	.02	5.00
10 Thumb Pieces	"	.12	1.20
196 Fingers	"	.13	25.48
61 Pointers	"	.10	6.10
228 Reverse Fingers	"	.06	13.68
89 Pawl Springs	"	.03 1/2	3.12
20 Wide Vulc. Strips for Arc Deflector K.2	"	.75	15.00
24 Narrow " " " " " K.2	"	.37 1/2	9.00
24 Wide " " " " " K.	"	.75	18.00
24 Narrow " " " " " K.	"	.37 1/2	9.00
TOTAL SEPT. 1 -----			43724.38
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			9270.95
			52995.33
MATERIAL USED DURING SEPT. -----			9365.84
TOTAL SEPT. 30, 1897 -- STOREROOM -----			43629.49


--:-- MACHINE SHOP --:--

54 H.20 Journal Boxes without Brasses	@	2.25	121.50
18 H. 6 " " " " "	"	2.25	40.50
16 Inside Pipes for Controlling Stands	"	.75	12.00
2960 Ft. Pattern Pine	"	.07	207.20
1374 Ft. Cherry	"	.10	137.40
216 Ft. Maple	"		10.80
3 Lbs. #4 Brass Spring Wire	"	.13	.39
28 " #6 " " " "	"	.13	3.64
35 " 13 " " " "	"	.13	4.55
3 " 19 " " " "	"	.13	.39
4 " 20 " " " "	"	.13	.52
8 " #11 " Wire	"	.13	1.04
1 " #13 German Silver Spring Wire	"	.45	.45
21 " #17 " " Soft	"	.45	9.45
2 " 7 Spring Bronze Wire	"	.60	1.20
3 " #13 " " " "	"	.60	1.80
4 " #16 " " " "	"	.60	2.40
16 " #2 Steel Spring Wire	"	.06	.96
50 " #6 " " " "	"	.06	3.00
36 " #8 " " " "	"	.06	2.16
27831 Lbs. Flat Refined Iron	"	.01 1/4	447.86
15399 " Round " " "	"	.01 1/4	192.49
1438 " Square " " "	"	.01 1/4	17.98
9037 " Flat Norway " " "	"	.03	271.11
2630 " Round " " "	"	.03	78.90
5168 " Rerolled " " "	"	.04	206.72
13538 " Flat Machine Steel	"	.02 1/4	304.60
907 " Round " " "	"	.02 1/4	20.41
463 " Square " " "	"	.02 1/4	10.42
4359 " Flat Tool " " "	"	.10	435.90
649 " Round " " "	"	.10	64.90
603 " Square " " "	"	.10	60.30
947 " Octagon Tool " " "	"	.10	94.70
1298 " Mushet " " "	"	.40	519.20
3724 " Cold Rolled Iron	"	.03	111.72
10620 " Angle Iron	"	1.40 C.	148.68
1929 " Channel Iron	"	1.40 C.	27.01
100 Bars Channel Iron 10"- 6' 6" Long 13000 Lbs.			178.38
100 " " " 4" 4880 Lbs.			67.13
1938 Lbs. Spring Steel	"	.03	58.14
119 " Half Rd. Refined Iron	"	.01 1/4	1.48
180 " Rheostat Iron	"	.04	7.20
24 H.47 Mall. Iron Housings 2580 Lbs.	"	.04	95.20
7 H.785 " " " 664 Lbs.	"	.03 3/8	22.41
Carried Forward			4004.19

Brought Forward							4004.19
128	H.815 & H.816 Mall. Iron Housings	12416	Lbs.	@	.03 3/8	419.04	
16	" " " " " "	1542	"	"	.03 3/8	52.04	
9	H.742 Cast Iron Housings	945	"	"	.02 1/2	23.63	
9	H. 29 " " " "	2173	"	"	.02 1/2	54.32	
5	H. 26 " " " "	780	"	"	.02 1/2	19.50	
50	Mall. Iron Draw Bar Cages	1075	"	"	.04	43.00	
11	" " Castings H.503 & 504	693	"	"	.03 3/8	23.39	
300	" " " H.817 & H.818	4080	")Cor("	.03 3/8	137.70	
400	Small Springs for Trucks			"	.20 Ea.	80.00	
400	Large " " " "			"	.30	120.00	
123	H.155 Mall. Iron Castings 320 Lbs.			"	.03 3/8	10.80	
320	H.755 " " " 1090 "					36.79	
54	H. 71 " " " 95 "					3.20	
2	Cast Iron Follower Plates 23" Piston			"	3.50	7.00	
4	" " Economizer Headers			"	12.00	48.00	
6	" " Packing Rings					17.75	
2	Crank Pins for Engines			"	23.40 Ea.	46.80	
17	2" x 6" Brass Flanges			"	1.65 Ea.	28.05	
4	Engine Slides			"	3.00	12.00	
22	D. 186 Steel Castings 90 Lbs.			"	.10	9.00	
6	12" x 20" Steel Flanges			"	5.85	35.10	
6	8 x 15 Cast Iron Flanges			"	1.75	10.50	
4	10 x 17 1/2 Steel Flanges			"	5.75 Ea.	23.00	
1	34" Blank Flange					12.00	
2	17 x 23" Cast Iron Flange			"	3.62	7.24	
2	18" x 23" " " " "			"	3.62	7.24	
1	8" x 15" " " " 70 Lbs.			"	1.75	1.75	
1	8" x 16" " " " 84 "					2.10	
2	8" Cast Steel Nozzles			"	7.95	15.90	
3	5" " " " "			"	5.00	15.00	
4	8" " " Flanges 460 Lbs.			"	.10	46.00	
3	Lbs. # 9 Steel Spring Wire			"	.06	.18	
22	" 11 " " " "			"	.06	1.32	
10	" 17 Soft Steel "			"	.06	.60	
56	" 9 " Iron "			"	.05	2.80	
25	" Spring Brass 1/32 x 5/8			"	.13	3.25	
136	" " Bronze #27 x 1 5/8"			"	.30	40.80	
28	" " " 1/2" x 1 1/16			"	.30	8.40	
22	" " " #14 x 1 1/8"			"	.30	6.60	
7	" " " #16 x 1 1/4"			"	.30	2.10	
9	" " " #17 x 1 1/4"			"	.30	2.70	
56	" " " #17 x 1 1/8"			"	.30	16.80	
44	" " " #18 x 3/4			"	.30	13.20	
192	" " " #18 x 1 1/8			"	.30	57.60	
16	" " " 19 x 1 1/4"			"	.30	4.80	
14	" " " 20 x 1 1/4"			"	.30	4.20	
55	" " " 16 x 1 1/4"			"	.30	16.50	
6	Lbs. Sheet Copper 1/16			"	.17	1.02	
40	" " " 13/16"			"	.14	5.60	
4	" " " 5/8"			"	.14	.56	
46	" " " 2"			"	.14	6.44	
26	" " " 3/8" x 2"			"	.17	4.42	
18	" " " 1/2 x 2"			"	.17	3.06	
105	" " " 1/32" x 1/2"			"	.17	17.85	
119	" " " 1/4" x 1"			"	.17	20.23	
66	" " " Assd. Sizes			"	.17	11.22	
15	" Rd. Hd. Copper Rivets 3/8 x 1/8			"	.20	3.00	
4	" Flat " " " 5/8 #8			"	.20	.80	
1	" " " " " 3/16 8			"	.20	.20	
1	" " " " " 3/8 8			"	.20	.20	
1	" " " " " 1/2" 8			"	.20	.20	
10	" Solder			"	.11	1.10	
91	" Hexagon Brass Rod 1/2"			"	.13 Lb.	11.83	
3	" Round " " 1/4"			"	.13	.39	
2	" " " " 3/16"			"	.13	.26	
5	" " " " 1/8 x 1 1/8			"	.13	.65	
1	" Hexagon " " 1/4			"	.13	.13	
3	" " " " 1/16 x 1 1/4"			"	.13	.39	
8	" Square " " 5/8"			"	.13	1.04	
132	" Round " " 7/8"			"	.13	17.16	
73	" " " " 1/2"			"	.13	9.49	
10	" " " " 5/8"			"	.13	1.30	
10	" " " " 3/4"			"	.13	1.30	
18	" Brass Tube 7/8"			"	.16	2.88	
25	" " Pipe 1 1/2"			"	.16	4.00	

Carried Forward

5680.60




Brought Forward

5680.60

80	Lbs. Brass Pipe	1 1/4"	@	.16	12.80
15	"	3/4"	"	.14	2.10
9	"	1/2"	"	.20	1.80
6	"	3/8"	"	.22	1.32
4	"	1/4"	"	.25	1.00
5	" Copper "	3/4"	"	.21	1.05
291	" Sheet Brass	3/16"	"	.13	37.83
2	" Rd. Hd. Rivets	5/16" x 3/4"	"	.04	.08
3	" Flat Hd.	3/16 x 1/8"	"	.04	.12
300	" Rivets	3/4"	"	.04	12.00
9	" Sheet Brass	1/4 x 1 1/4	"	.13	1.17
12	Cap Screws	7/8" x 2"	"	.06	.72
50	"	3/4" x 1"	"	.05	2.50
300	"	1/2" x 4"	"	2.50 Per C.	7.50
24	"	1/2" x 2"	"	.02 3/4	.66
125	"	1/2" x 1 1/4"	"	.02 1/2	3.13
6	Set	7/8" x 4 1/2"	"	.07	.42
15	"	7/8" x 2 1/2"	"	.04 1/2	.68
24	"	7/8" x 2"	"	.04 1/2	1.08
32	"	3/4" x 3"	"	.03 1/2	1.12
32	"	3/4" x 2 1/4"	"	.02 3/4	.88
24	"	7/16" x 1/2"	"	.01 1/2	.36
550	Cotters	3/16" x 1 1/2"	"	1.55 Per M.	.85
200	"	1/8" x 1"	"	.90 "	.18
250	"	3/32" x 3/4"	"	.70 "	.18
6	Lag Screws	3/4" x 8"	"	.05	.30
12	"	5/8" x 6"	"	.04	.48
12	"	1/2" x 6"	"	.04	.48
200	Lbs. Square Nuts	3/4"	"	.04	8.00
50	"	3/8"	"	.04	2.00
7	" Hexagon"	7/8"	"	.04	.28
5	"	3/4"	"	.04	.20
3	"	5/8"	"	.04	.12
6	"	3/8"	"	.04	.24
100	Nut Locks	1 1/4"	"	.01 1/2	1.50
50	"	5/8"	"	.01	.50
46	W. End Radial Coupling Pins		"	.25	11.50
60	Bolts	1" x 4"	"	.03	1.80
72	"	7/8" x 3 1/2"	"	.03	2.16
40	Ft. 4" Double Belting		"	.38 Per Ft.	15.20
50	Ft. 3" Single Belting		"	.16 "	8.00
37	Ft. "		"	.18 "	6.66
246	Sq. Ft. Old		"	.50	123.00
500	Lbs. Scrap Babbitt		"	.06	30.00
15	" Sole Leather		"	.40	6.00
35	" Red Fibre	1"	"	.30	10.50
10	"	3/4"	"	.30	3.00
9	"	5/8"	"	.30	2.70
115	" White	1/2"	"	.30	34.50
20	"	3/8"	"	.30	6.00
20	"	3/16"	"	.30	6.00
50	" Black	1/8"	"	.30	15.00
7	" White	1/16"	"	.30	2.10
123	Ft. Round	1/2"	"	.10	12.30
10	Lbs. Felt		"	.30	3.00
3	Gro. Flat Head Iron Machine Screws	7/8" 24/16	"	.18	.54
1/3	" Rd.	1" 20-18	"	.22	.07
1/3	"	5/8" 20-18	"	.15	.05
1/2	"	1/2" 20-18	"	.13	.07
2	"	3/8" 20-18	"	.12	.24
1/4	" Flat	3/4" 20-18	"	.18	.05
1/2	" Rd	1" 20-18	"	.45	.22
1	"	3/4" 20-18	"	.45	.45
1/2	"	1 1/2" 14-20	"	.50	.25
1/2	"	5/8" 14-20	"	.22	.11
1/2	"	1" 14-20	"	.30	.15
1/2	"	5/8" 14-20	"	.15	.08
1/2	"	Brass Screws	"	.30	.15
1	" Flat	3/4" 14-24	"	.16	.16
1/2	" Rd.	5/8" 12-24	"	.22	.11
1/2	"	3/4" 12-24	"	.40	.20
1/2	"	1 1/4" 10-24	"	.65	.33
5	"	3/8" 10-24	"	.30	1.50
5	"	3/16" 10-24	"	.24	1.20
2/3	" Flat	1/2" 10-24	"	.24	.16

Carried Forward

6091.74



Brought Forward

6091.74

2	Gro. Rd. Head Iron Screws	5/8"	10-24	@	.13	.26
1/2	" " " " "	1/2"	10-24	"	.13	.06
1/2	" " " " "	3/8"	10-24	"	.13	.07
1/2	" " " " "	1/4"	10-24	"	.13	.06
1	" " " " "	1"	10-32	"	.22	.22
1	" " " " "	5/8"	10-32	"	.12	.12
2	" " " " "	3/8"	10-32	"	.12	.24
1	" Flat " " "	1"	10-32	"	.22	.22
1	" " " " "	1/2"	10-32	"	.13	.13
8	" Rd. " Brass "	1/4"	8-32	"	.22	1.76
2	" Flat " " "	5/8"	8-32	"	.24	.48
2 1/2	" " " Iron "	1/2"	8-32	"	.13	.33
4	" " " " "	3/8"	8-32	"	.13	.52
1	" Rd. " Brass "	1"	6-36	"	.25	.25
1	" " " Iron "	1"	6-36	"	.18	.18
1	" " " " "	3/4"	6-36	"	.16	.16
1	" Flat " " "	5/8"	6-36	"	.10	.10
1	" " " Brass "	3/8"	6-36	"	.16	.16
1/2	" Rd. " " "	3/4"	6-32	"	.18	.09
1	" " " " "	1/2"	6-32	"	.18	.18
2	" " " " "	1/4"	6-32	"	.18	.36
8	" " " Iron "	1/4"	6-32	"	.18	1.44
1	" " " " "	3/16"	6-32	"	.18	.18
1	" Flat " Brass "	1"	4-36	"	.30	.30
2	" " " " "	1/4"	4-36	"	.12	.24
2	" Rd. " " "	5/8"	4-36	"	.22	.44
2	" " " " "	3/8"	4-36	"	.22	.44
1	" " " Iron "	5/8"	4-36	"	.12	.12
1	" " " " "	1/2"	4-36	"	.12	.12
1	" " " " "	1/4"	4-36	"	.12	.12
1	" " " Brass Wood Screws	#14 x 2"		"	.15	.15
3	" Flat " Iron "	1/2"	#10	"	.05	.15
3	" " " " "	1 1/4"	12	"	.10	.30
3	" Rd. " Brass "	1 1/4"	4	"	.20	.60
7	Lbs. Rd. Steel Studs	3/8"		"	.55	3.85
1 1/4	Lbs. Rd. Steel Studs	5/16"		"	.55	.69
3 3/4	" " " "	1/4"		"	.55	2.06
2	" " " " "	3/16"		"	.55	1.10
1 3/4	" " " " "	1/8"		"	.55	.96
1/2	" " " " "	1/32"		"	.55	.28
7	Lbs. Music Wire #25			"	.70	4.90
1	" " " #20			"	.70	.70
1	" " " #16			"	.70	.70
2	" Hard Rubber 3/8"			"	1.00	2.00
24	" " " 3/4"			"	1.00	24.00
48	1/2 Lbs. Fuse Ribbon			"	.50	24.25
300	Lbs. 7/8 x 3 1/2" Rivets Button Head)			"	.04	12.00
100	" 3/4 x 4 1/2			"	.04	4.00
1000	" 5/8 x 8"			"	.04	40.00
1300	" 5/8 x 7 1/4			"	.04	52.00
600	" 5/8 x 3"			"	.04	24.00
900	" 5/8 x 2 1/2"			"	.04	36.00
600	" 5/8 x 2"			"	.04	24.00
100	" 5/8 x 1 1/2			"	.04	4.00
100	" 1/2 x 3" (Countersunk Head)			"	.04	4.00
100	" 5/8 x 3"			"	.04	4.00
100	" 5/8 x 3 1/2"			"	.04	4.00
16	" Composition			"	.15	2.40
	Machine Shop Order #8329 200 H 20 Jour. Boxes Book Valves					454.37
4	Gro. Flat Head Iron Wood Screws 2"	#14		"	.29	1.16
3	" " " " " 2"	12		"	.24	.72
4	" " " " " 1 1/2"	10		"	.18	.72
3	" " " " " 1/2"	8		"	.09	.27
7	" " " " " 3/8"	8		"	.08	.56
5	" " " " " 3/8"	7		"	.08	.40
2	" " " " " 1 1/4"	12		"	.20	.40
24	Lbs. Rubber Packing 1/4"			"	.56	13.44
11776	" Sq. Machine Steel 1 1/8"			"	.02 1/4	264.96
7216	" Angle Iron			"	1.40 C.	101.02
1926	" Bacon Steel 4" x 5/8"			"	.22	43.34

TOTAL SEPT. 1 ----- 7259.54
 MATERIAL RECEIVED & CHARGED DURING SEPT. ----- 2550.71

MATERIAL USED DURING SEPT. ----- 9810.25
 TOTAL SEPT. 30, 1897 -- MACHINE SHOP ----- 1147.89
 8662.36

--:-- EAST CAMBRIDGE POWER STATION --:--

2	Tees Cast Iron	4 x 4 x 2	@	.52	1.04
1	"	4 x 4 x 1 1/2	"	.52	.52
3	"	2 1/2	"	.20	.60
1	"	2 x 2 x 1	"	.12 1/2	.13
6	"	2"	"	.12 1/2	.75
1	"	2 1/2 x 2 1/2 x 1	"	.22 1/2	.23
1	"	1 1/2 x 1 1/4 x 1 1/4 (ex. Hvy.)	"	.24 1/2	.25
3	"	2 1/2 x 1 1/2 x 2 1/2	"	.22 1/2	.68
3	"	2"	"	.12 1/2	.38
3	"	1 1/4"	"	.05	.15
7	"	1 1/4 x 1 1/4 x 1"	"	.06	.42
23	"	1"	"	.03 1/2	.81
17	"	3/8"	"	.01	.17
9	"	1/4"	"	.01	.09
2	"	2 1/2 x 1 1/2 x 1 1/2	"	.22 1/2	.45
2	"	2 x 1/2 x 1	"	.12 1/2	.25
3	"	2 x 1 1/2 x 1/2	"	.12 1/2	.38
1	"	2 x 1 1/4 x 3/4	"	.12 1/2	.13
1	"	1 x 1/4 x 1	"	.04	.04
1	"	2 1/2 x 2 1/2 x 1 1/4	"	.22 1/2	.23
41	"	1 1/2 x 1 1/2 x 1	"	.08	3.28
1	"	1 1/2 x 1 1/2 x 1/2	"	.08	.08
3	"	2 x 2 x 3/4	"	.12 1/2	.38
1	"	2 x 2 x 1/2	"	.12 1/2	.13
2	"	2 x 1/2 x 1	"	.12 1/2	.25
8	"	1 1/2 x 1 x 1 1/4	"	.08	.64
6	"	1 1/2 x 1 1/2 x 1 1/4	"	.08	.48
2	"	1 1/2 x 3/4 x 3/4	"	.08	.16
1	"	1 x 1/2 x 1	"	.04	.04
4	"	3/4 x 1/2 x 1/2	"	.02 1/2	.10
5	"	1/2 x 3/8 x 3/8	"	.02	.10
2	"	2 x 2 x 1/4	"	.12 1/2	.25
1	"	1 1/2	"	.06 1/2	.07
2	"	2 x 1 1/4 x 3/4	"	.12 1/2	.25
1	"	4 x 4 x 3 Extra Heavy	"	1.62 1/2	1.63
13	Brass	1/2"	"	.19 1/2	2.54
6	"	1 x 3/4 x 3/4	"	.46 1/2	2.79
9	"	1/8" Finished	"	.09	.81
1	"	1/4 x 1/4 x 1/8	"	.13 1/2	.14
1	"	3/4" Light	"	.12	.12
1	"	2 1/2" Light	"	2.25	2.25
5	"	3/4 x 1/2 x 1/2	"	.34 1/2	1.72
3	"	1/2 x 1/8 x 1/8	"	.22 1/2	.68
2	"	1/8 x 1/2 x 1/8	"	.22 1/2	.45
8	"	3/8"	"	.12	.96
13	Crosses	1/2"	"	.27	3.51
8	Tees Mal. Iron	1 x 1 x 3/4	"	.05	.40
3	"	1 x 1 x 1/4	"	.05	.15
5	"	2 x 2 x 1/4	"	.12	.60
13	"	1 1/4 x 1 1/4 x 1 Galv.	"	.06	.78
2	"	1 1/4"	"	.06	.12
5	"	2 x 2 x 3/4	"	.12	.60
5	Cast Iron Galv.	2 1/2"	"	.38	1.90
1	"	1 1/4 x 1 1/4 x 1	"	.10	.10
1	"	4 x 4 x 2 1/2	"	1.15	1.15
28	Ft. Iron Pipe	3" Extra Heavy	"	.35	9.80
21	"	2 1/2"	"	.14	2.94
239	"	1 1/2"	"	.07	16.73
14	"	1 1/2" Extra Heavy	"	.16	2.24
56	"	2"	"	.09	5.04
12	"	1 1/4" Extra Heavy	"	.10	1.20
21	"	3/8"	"	.01 3/4	.37
107	"	1 1/4" Galv.	"	.07 1/2	8.03
60	"	1"	"	.07	4.20
9	Brass	2 1/2" 49 Lbs.	"	.18	8.82
7	"	1 1/4" 17 "	"	.18	3.06
27	"	1" 44 "	"	.18	7.92
19	"	3/4" 23 3/4 Lbs.	"	.18	4.27
28	"	1/4" 14 Lbs.	"	.18	2.52
3	Iron Bolts	3/4 x 1 1/2"	"	1.50 C.	.05
57	"	3/4 x 2 1/2"	"	1.90	1.08
61	"	3/4 x 3"	"	2.47	1.50
12	"	3/4 x 3 1/2	"	2.55	.31

Carried Forward

117.39

Brought Forward				117.39	
169	Iron Bolts	3/4 x 3 3/4	@	2.67	4.51
69	"	3/4 x 4	"	2.67	1.84
93	"	3/4 x 4 1/2	"	2.79	2.59
60	"	3/4 x 4 3/4	"	2.88	1.73
10	"	3/4 x 4 Tee Head	"	2.67	.27
96	"	3/4 x 4 1/2 Studs	"	7.50	7.20
5	"	3/4 x 5 1/2 "	"	9.00	.45
36	"	3/4 x 3 1/4	"	2.67	.96
1	"	3/4 x 4 1/2	"	2.79	.03
101	"	3/4 x 5 3/4 Studs	"	10.00	10.10
24	"	7/8 x 2 1/2	"	2.87	.69
16	"	7/8 x 3	"	3.50	.56
88	"	7/8 x 3 3/4	"	3.70	3.26
9	"	7/8 x 5 Tee Head	"	4.17	.38
54	"	7/8 x 3 1/2	"	3.75	2.02
4	"	7/8 x 4 Studs	"	11.00	.44
19	"	7/8 x 4 1/4	"	3.90	.74
143	"	7/8 x 4 1/2	"	4.00	5.72
42	"	7/8 x 5	"	4.17	1.75
38	"	7/8 x 5 1/2 Studs	"	12.00	4.56
5	"	7/8 x 2 Follower Bolts 500 H.P.	"	3.50	.18
16	"	7/8 x 2 3/4	"	3.40	.54
18	"	7/8 x 3 3/4	"	3.80	.68
13	"	5/8 x 1 1/4	"	1.22	.16
21	"	5/8 x 2 1/2	"	1.37	.29
8	"	5/8 x 2 3/4	"	1.42	.11
20	"	5/8 x 3 1/2	"	1.50	.30
21	"	5/8 x 2	"	1.30	.27
19	"	5/8 x 1 1/2 Double Sq. Hd.	"	1.37	.26
23	"	5/8 x 3	"	1.45	.33
7	"	5/8 x 4 1/2	"	1.70	.12
18	"	1/2 x 3 1/2	"	1.00	.18
12	"	1 x 4 Studs	"	15.00	1.80
6	"	1 1/8 x 2 1/4 Follower Bolts 1000 H.P.	"	4.50	.27
33	"	3/8 x 2 1/2	"	.54	.18
6	"	3/8 x 3 without Nuts	"	.57	.03
21	"	3/8 x 4 "	"	.62	.13
10	"	1 x 4 1/2 Tee Head	"	16.00 C	1.60
5	"	1 x 5 1/2 "	"	18.00	.90
3	"	1 1/4 x 4 1/2	"	18.00	.54
7	"	1 1/2 x 4 3/4 for Wheels	"	20.00	1.40
8	Cast Iron Elbows	2 1/2"	"	.13 1/2	1.08
1	"	2 1/2 x 2	"	.15	.15
6	"	2 1/2 x 45°	"	.23	1.38
6	"	1 1/2	"	.04 1/2	.27
17	"	1 1/4	"	.03 1/2	.60
1	"	1 1/4 x 1 1/2 Ex. Hvy.	"	.16 1/4	.16
4	"	1 x 1 1/4	"	.11 1/4	.45
29	"	1"	"	.08 1/4	2.39
5	"	1 1/4 x 1 1/2	"	.05	.25
8	"	1 1/2	"	.04 1/2	.36
4	"	1 1/2 45°	"	.06	.24
3	"	1 1/4 45°	"	.04 1/2	.14
7	"	2" 45°	"	.09	.63
5	"	3 1/2 x 1	"	.27	1.35
12	"	1/2"	"	.04 1/2	.54
8	"	3/8 x 1/2	"	.01	.08
34	"	1/2 x 3/4	"	.02	.68
6	"	3/4 45°	"	.03	.18
2	"	4" 45°	"	.45	.90
9	Mal.	3/4 x 1	"	.04	.36
12	"	1"	"	.04	.48
6	"	1/2 x 3/4	"	.03	.18
4	Galv.	3" 45°	"	.80	3.20
18	"	1 1/4" 45°	"	.10	1.80
18	"	1 1/4	"	.08	1.44
10	"	1"	"	.06	.60
5	"	1" 45°	"	.08	.40
7	"	3/4 x 1	"	.06	.42
16	Brass Elbows	1/2 x 3/4 Light Pattern	"	.09 1/2	1.52
11	"	1/2 x 3/4 R.& L. Finish	"	.24	2.64
3	"	3/8 x 1/2	"	.12 1/2	.38
3	"	1/2 x 1/4	"	.09 1/2	.29
4	"	1/8"	"	.08	.32
1	"	3/4"	"	.21	.21

Carried Forward

203.53

Brought Forward						203.53
5	Brass Elbows	1/8 x 1/2	@	.12	1/2	.63
7	"	1/2" 45°	"	.10	1/2	.74
16	"	1 1/4" Heavy	"	.60		9.60
2	"	1 1/4" Light	"	.25		.50
4	"	1"	"	.15		.60
3	"	3/4 x 1	"	.34		1.02
5	"	3/4 45°	"	.21		1.05
4	"	1" 45°	"	.30		1.20
3	Cast Iron Elbows	6" Long Turn Sewer Pipe)			
1	"	4" " " ")			
2	"	10" " " ")			
2	"	10" Short " " ")			5.00
4	1/2 Ft. Sewer Pipe	10")			
10	"	7" Old Junk)			
4	Brass Nipples	1 1/4"	"	.18		.72
2	"	1/4"	"	.04	1/2	.09
7	Bushings Iron	1 1/2 x 2	"	.05	1/2	.39
12	"	1 1/4 x 1 1/2	"	.03	1/4	.39
3	"	1/8 x 3/8	"	.01		.03
4	"	3/8 x 1/2	"	.01		.04
1	"	1/8 x 1/4	"	.01		.01
14	" Brass	1/8 x 1/4	"	.03		.42
2	"	3/4 x 1 1/4	"	.15		.30
6	"	3/4 x 1	"	.11		.66
2	Brass Plugs	2" Fine Thread	"	.22	1/2	.45
1	"	2 1/2"	"	.27		.27
10	"	1"	"	.08		.80
11	"	1 1/4"	"	.12		1.32
3	Wrought Iron Couplings	4"	"	.25		.75
78	"	3"	"	.15		11.70
7	"	2 1/2"	"	.10		.70
22	"	3/4" R. & L.	"	.02	1/2	.55
11	"	1 1/4"	"	.04	1/4	.47
2	"	1 1/4" Extra Heavy	"	.26	1/4	.53
10	"	1/4"	"	.01	1/4	.13
20	"	1/8"	"	.01	1/2	.30
1	"	4"	"	.35		.35
45	"	3/4" R. & L.	"	.03	1/4	1.46
24	"	1" "	"	.04	1/2	1.08
9	"	1 1/4" "	"	.06	1/4	.56
6	"	1 1/4" "	"	.06	1/4	.38
3	"	1" "	"	.15		.45
2	"	3/4"	"	.11		.22
1	"	1/8"	"	.03		.03
28	Iron Unions	1 1/4"	"	.12	1/2	3.50
2	"	1 1/2"	"	.15		.30
15	"	1"	"	.08	1/2	1.28
8	"	1/2"	"	.05		.40
3	Brass	1 1/2"	"	.82	1/2	2.48
5	"	1 1/4"	"	.57		2.85
11	"	1"	"	.42		4.62
9	"	1/2"	"	.22	1/2	2.03
2	"	1/4"	"	.12		.24
1	Pr. Iron Flanges	2 1/2 Light	"	.44		.44
1	"	3" Heavy	"	1.13		1.13
14	"	1 1/4" Light	"	.21		2.94
15	"	1 1/4" Heavy	"	.57	1/2	8.63
2	"	1 1/4	"	1.00		2.00
8	"	1 1/2	"	1.25		10.00
2	"	2 1/2 Fine Thread	"	2.37		4.74
3	"	3"	"	3.12		9.36
2	Check Valves	1 1/4" Extra Heavy	"	3.00		6.00
2	"	1 1/2"	"	2.55		5.10
3	Chapman Valves	1 1/2"	"	2.13		6.39
2	"	3" Steam	"	7.61		15.22
2	Crosby	1 1/2"	"	2.55		5.10
1	"	3/4"	"	.50		.50
2	Angle	1/4 x 3/8	"	.42		.84
2	Steam Regulator Valves	Lock Damper	"	2.00		4.00
63	Car Box Brushes	M.P. 500 2 3/16 x 9/16 x 3 1/2	"	.00	1/2	.33
3	Crosby Valves	1"	"	2.00		6.00
3	"	3/4"	"	.50		1.50
5	"	1/2"	"	.45		2.25
3	Boiler Feed Plug & Check	Combined 1 1/2"	"	9.00		27.00
27	Brass Floor Plates	1"	Amt. on next page			


Carried Forward

386.59

Brought Forward				386.59
6	6 Side Outlet Ells	1")	
8	Brass Elbows	1")	15.00
16	" Tees	1")	
1	" Bib Cock	3/4"		@ .65 .65
30	Walworth #3 Valve Stand	7/16" Brass		" .15 4.50
1/2	Lb. Nuts	5/8" Not Tapped		" .09 .05
3	1/2 "	1/2" " "		" .09 .32
2	1/4 "	3/4" " "		" .09 .20
41	1/4 "	7/8" " "		" .09 3.71
24	" "	1"		" .09 2.16
10	" "	Boiler Man Hole Plates		" .02 1/2 .25
36	Copper Gaskets			" .30 10.80
1	Plug Cock Brass	1/2" Rubber Handle		" .33 .33
1	" "	1" " "		" .67 1/2 .68
4	Man Hole Yokes	164 Lbs.		" .02 1/2 4.10
8	Boiler Caps	22 "		" .02 1/2 .55
12	Crow Feet	25 "		" .02 1/2 .63
56	Boiler Bolts Caps	70 "		" .02 1/2 1.75
5	B. & W. Boiler Tubes	4" x 18'		" 9.00 Ea. 45.00
6	Hawley Furnace Torches			" 1.00 6.00
6	Valve Stems for Chapman Traps			" .15 .90
1	Casting Brass for Plug Cock			" .30 .30
300	Economizer Bolts			" .06 18.00
12"	Chesterton Packing	1 7/8 x 3 1/2		" .40 In. 4.80
15"	" "	1 3/4 x 2 1/2		" .32 " 4.80
34"	" "	4 x 6		" 1.08 " 36.72
641715	Lbs. Coal			" 2.874 8235.82
	Water a/c Cr. Balance			<u>225.73</u>
TOTAL SEPT. 1 -----				8558.88
MATERIAL RECEIVED & CHARGED DURING SEPT. -----				2512.89
				11071.77
MATERIAL USED DURING SEPT. -----				4093.33
TOTAL SEPT. 30, 1897-- E.C.P.S. -----				<u>6978.44</u>

--:-- EAST BOSTON POWER STATION --:--

2	Lbs. Asbestos Packing			@ .40 .80
24	" 1/16" Usudurian Packing			" .50 12.00
6	" 1/32" Jenkins Packing			" .45 2.70
7	Blue Blood Rubber Gaskets	11 x 15		" .38 1/4 Ea. 2.68
12	In. Chesterton Packing	3 x 2	Ring	" .40 In. 4.80
5	" "	3 x 1 7/8	"	" .35 1.75
22	" "	2 3/4 x 1 3/4	"	" .30 6.60
9	" "	2 7/8 x 2"	"	" .35 3.15
5	" "	2 1/4 x 1 1/8"	"	" .25 1.25
18	" "	2 x 1 3/8	"	" .25 4.50
24	" "	2 x 1 1/8	"	" .25 6.00
5	" "	1 3/4 x 1 1/8	"	" .22 1.10
8	1/2 "	1 3/4 x 1	"	" .17 1.45
5	" "	1 5/8 x 1	"	" .17 .85
12	" "	1 1/8 x 5/8	"	" .20 2.40
1/2	Lb. "	3/16	Spiral	" .85 Lb. .43
1	" "	1/4	"	" .85 .85
1/2	" "	5/16	"	" .85 .43
1/4	" soft Rubber Washers	1 3/8 x 3/4		" .45 .11
1	1/2 " Tuchs Canvas Packing	5/8 x 5/8		" .50 .75
1	" Hemp Packing	3/4 x 3/4		" .50 .50
2	Balls Machine Wicking			" .10 .20
4	Lbs. Graphite			" .16 Lb. .64
48	Steel Packing Rings Springs	5 1/2"		" .15 7.20
25	" "	4 3/4"		" .15 3.75
6	Gauge Glasses	3/4 x 36"		" .42 2.52
9	" "	5/8 x 15		" .11 .99
5	" "	5/8 x 9		" .08 .40
14	Oil Cup Glasses	3 1/2" x 3 1/2"		" .15 2.10
5	" "	3 x 4		" .21 1.05
7	" "	2 x 1 3/4		" .10 .70
6	" "	1 1/2 x 1 3/8		" .08 .48
6	" "	1 1/4 x 1 1/8		" .06 .36
15	Lubricator	1" x 5"		" .18 2.70
Carried Forward				<u>78.19</u>




Brought Forward

78.19

1	90° El.	3 1/2"	C.F.		@	.02	1/2	.03
4	90° "	3"	"		"	.02		.08
4	45° "	3"	"		"	.03		.12
9	90° "	1 1/2"	"		"	.01		.09
1	90° "	3"	Brass		"	.25	1/2	.26
1	C.I. Reducing Tee			2 x 1	"	.12	1/2	.13
1	"	"	"	1 1/2 x 1	"	.08		.08
2	"	"	"	1 1/4	"	.06		.12
1	"	"	"	1 1/2 x 3/4	"	.08		.08
4	"	"	"	1	"	.04		.16
1	"	"	"	1 x 3/4	"	.04		.04
1	"	"	"	3/4 x 1/2	"	.02	1/2	.03
4	"	"	"	5/8	"	.02	1/2	.10
4	"	"	"	1/4	"	.02		.08
1	Plug	3"	C.F.		"	.10		.10
2	"	2 1/4"	"		"	.06		.12
5	"	2"	"		"	.04		.20
1	"	1 1/2"	"		"	.03		.03
1	"	1"	"		"	.01		.01
1	Bushing	1 1/2		1 1/4 M.T.	"	.03		.03
1	"	1 1/2		1	"	.03		.03
1	"	1		3/4	"	.01	1/2	.02
2	"	3/4		5/8	"	.01		.02
2	"	5/8		1/2	"	.01		.02
6	Couplings	2"			"	.08		.48
10	"	1 1/2"			"	.05		.50
16	"	1 1/4"			"	.04		.64
5	"	1 R. & L.			"	.03		.15
2	"	3/4			"	.02		.04
2	"	3/8			"	.01	1/2	.03
1	"	1/4			"	.01		.01
1	Nipple	4"			"	.25		.25
1	"	3 1/2"			"	.20		.20
3	"	2 1/4"			"	.10		.30
1	"	2"			"	.09		.09
4	"	1 1/2"			"	.06		.24
3	"	1 1/4"			"	.04		.12
7	"	1 1/4"		Brass	"	.12		.84
2	"	1 1/2"		"	"	.18		.36
2	"	1"		M.T.	"	.02		.04
1	"	3/4"		"	"	.01	1/2	.02
2	"	5/8"		"	"	.01	1/4	.03
2	Unions	1"		Brass	"	.42		.84
1	"	1/2"		"	"	.22	1/2	.23
8	"	3/8"		"	"	.16	1/2	1.32
1	Swing Check Valve			2 1/2"	"	6.90		6.90
1	"	"		1"	"	1.35		1.35
1	"	"		3/4"	"	1.05		1.05
2	"	"		1/2"	"	.78		1.56
2	Globe	"		1/2"	"	.78		1.56
1	Jenkins Globe Valve			1 1/4"	"	1.57		1.57
1	Put Gate Valve			3/4"	"	.75		.75
1	"	"		1/4"	"	.42	1/2	.43
2	Crosby Safety Valves			50 Lbs. Pressure	"	5.00		10.00
22	Rubber Valves	6 x 1/2"		(22 Lbs.)	"	.68		14.96
22	"	3 x 1/2"		(5 1/2 Lbs.)	"	.68		3.74
7	Wire Valve Handles				"	.15		1.05
20	Brass Condenser Valve Springs			3 x 6)				
11	"	"		" 1 1/2 x 2)	40	.10		4.00
9	"	"		" 3 x 3)				
10	"	Gauge Cock Valve Springs		1 1/4 x 5/8)				
18	"	"		" 2 1/2 x 1/2)	28	.05		1.40
44	Lbs. Brass Pipe	2 1/2"			"	.18		7.92
7	Ft.	1 1/2"		21 Lbs.	"	.18		3.78
34	"	Iron		1 1/4"	"	.04	1/8 Ft.	1.40
30	"	"		1"	"	.03	1/8	.94
4	"	Brass		3/8" 2 Lbs.	"	.18		.36
16	"	Iron		1/2"	"	.01	3/4	.28
7	"	"		3/8"	"	.01	3/4	.12
20	Bolts Sq. Hd.	5/8		6 1/2"	"	2.27	C.	.45
12	"	"		5/8 x 3	"	1.55	"	.18
12	"	"		3/4 x 3	"	2.00		.24
12	"	Hex.		7/8 x 3 3/4	"	3.79		.45
100	Solar Carbon Brushes	5/8		1 3/4 x 3 1/4	"	.01	1/2	1.50
4	Lbs. Banca Tin				"	.16		.64
8	"	Solder			"	.10		.80

Carried Forward

156.28



Brought Forward			156.28
100 Lbs. Sal Soda		@ .02	2.00
4 Gals. Asphaltum		" .20	.80
5 " Naptha		" .11 1/2 Gal.	.58
50 " Parafine Oil		" .14	7.00
50 " Arctic Eng. Oil		" .28	14.00
30 Lbs. Magnesia)		
20 Ft. 1" Magnesia Covering)		
21 " 1 1/2 " ")		
12 " 2" " ")		
4 1" 90° Els Magnesia Covering)		
3 1" 45° " ")		
2 1 1/4 90° " ")		2.50
5 1 1/2 90° " ")		
1 2" 90° " ")		
1 1 1/4 T " ")		
2 2" T " ")		
7 16 C.P. 110 V. Ed. Lamps		" .16 1/4	1.14
8 32 C.P. 110 V. Ed. Lamps		" .27 1/2	2.20
6 Lbs. Red Lead		" .05	.30
7 Keyless Ed. Sockets		" .13	.91
3 Ed. Wall Sockets		" .15	.45
9 Furnace Door Linings		" 1.00	9.00
9 " " Plates (For front of Grate Bars)		" .75	6.75
3 Sets Tappets & Toes for 12" Cylinder			40.00
3 " " " " " 22" "			62.00
3 Extra Faces for Tappets & Toe 12" Cyl. Sets		" 1.25	3.75
3 " " " " " 22" " "		" 1.25	3.75
1 Iron Pressure Governor & Lever			2.50
1 Set Metallic Packing 2 5/8"		" 7.50 In.	19.69
1 " " " 3 3/8"		" 7.50 "	25.31
1 " Crank & Cross Head Boxes			15.00
884311 Lbs. Coal		" 2.426 Ton	1072.96
Water Credit Account			<u>107.22</u>
TOTAL SEPT. 1 -----			1341.65
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			<u>1078.64</u>
			2420.29
MATERIAL USED DURING SEPT. -----			421.93
TOTAL SEPT. 30, 1897 -- E.B.P.S. -----			<u>1998.36</u>

--:-- ALLSTON POWER STATION --:--

413159 Lbs. Coal		@ 3.57	658.47
206 Gals. West. E.S. Engine Oil		" .18	37.08
51 " 600 W. Cylinder		" .43	21.93
1 2" Globe Valve		" 2.40	2.40
2 Straight Way Valves 2"		" 3.38	6.76
1 " " " 1 1/2"		" 2.13	2.13
3 " " " 1 1/4"		" 1.93	5.79
3 " " " 1"		" 1.24	3.72
2 " " " 3/4"		" 1.00	2.00
2 " " " 6" Repaired S.H.		" 14.72	29.44
1 Brass Union 2 1/2"		" 1.42	1.42
1 " " 1 1/2"		" .82 1/2	.83
1 " " 1 1/4"		" .52	.52
1 " " 1"		" .42	.42
5 " " 1/2"		" .22 1/2	1.13
1 " " 3/8"		" .16 1/2	.17
6 " " 1/4"		" .13 1/2	.81
1 " Elbow 1 1/2"		" .33	.33
3 " " 1/2"		" .08	.24
1 " " 1/4"		" .05	.05
1 " Tee 2 x 2 x 1 1/2		" 1.56	1.56
3 " " 2"		" 1.35	4.05
1 " " 1 1/2"		" .90	.90
5 " " 1 1/4"		" .60	3.00
12 Ft. 2" Brass Pipe 48 Lbs.		" .18	8.64
6 " 1 1/2" Brass pipe 18 "		" .18	3.24
6 " 1/2" " " 5 1/2 Lbs.		" .18	.95
Carried Forward			<u>797.98</u>

Brought Forward			797.98
100 Bolts & Nuts 3/4 x 4		@ 2.67 C.	2.67
10 Lbs. Vasaline		" .16	1.60
7 Furnace Door Liners		" 1.00	7.00
2 C.I. Elbows 3"		" .20	.40
1 " " 2 1/2"		" .13 1/2	.14
6 " " 1 1/4"		" .03 1/2	.21
6 " " 3/4"		" .01 1/2	.09
4 " " 1/2"		" .01	.04
2 " " 1"		" .02	.04
1 " " 1 x 3/4"		" .03	.03
2 " " 1/2 x 3/8		" .01	.02
1 " " 3/8 x 1/4 M.I.		" .01	.01
2 " " 2" 45°		" .16	.32
2 C.I. Galv. Y's 3"		" 1.62	3.24
3 " " Elbows 3" 45°		" .29	.87
5 " " " 2"		" .07	.35
1 " " " 2" E. Heavy		" .29	.29
4 " " " 1 1/2"		" .04 1/2	.18
2 Reducing Plugs 1 1/4 x 3/8		" .02	.04
1 Check Valve 1 1/2			2.55
1 " "		" 1.05	1.05
4 Couplings 2"		" .15	.60
2 " R.& L. 1 1/2"		" .09	.18
3 " 1 1/4		" .07 1/2	.23
7 " 1"		" .04	.28
1 " 3/4"		" .03	.03
1 " R.& L. 3/4"		" .03	.03
7 " 1/2"		" .02 1/2	.18
2 " R.& L. 1/2"		" .02 1/2	.05
4 Space Nipples 2"		" .09	.36
1 Close " 6"		" .53	.53
2 " " 3"		" .15	.30
1 " " 2 1/2"		" .11	.11
3 " " 2"		" .08 3/4	.26
4 " " 1 1/4"		" .04	.16
4 " " 1"		" .02	.08
1 " " 1/2"		" .01	.01
2 " " 1/4"		" .01	.02
4 " " 1/4" (Brass)		" .06	.24
4 C.I. Tees 1 1/4"		" .05	.20
1 " " 1"		" .03 1/2	.04
2 " " 1/2"		" .01 1/2	.03
5 " " 2 x 1 1/2 x 2		" .12 1/2	.63
1 " " 3/4		" .02	.02
1 " " 1/2 x 1/2 x 3/4		" .02 1/2	.03
1 " " 3/8		" .01	.01
1 " " 1/2		" .01 1/2	.02
2 M.I. " 1 1/4		" .06	.12
1 " " 2 x 2 x 1 1/2		" .12	.12
6 Fusible Plugs Short Pattern 3/4"		" .25	1.50
1 Reducer 2 x 1 1/4		" .12 1/2	.13
1 " 1 1/4 x 1/2		" .06	.06
1 " 1 x 1/2		" .04	.04
1 C. I. Plug 2 1/2		" .07	.07
1 " " 1/2		" .01	.01
8 Ft. 2" (E.H.) Iron Pipe		" .21	1.68
4 " (Stand) " " 1"		" .03 1/8	.13
11 " " " " 1 1/2"		" .06 7/8	.81
5 " " " " 1 1/4"		" .04 1/8	.21
25 " " " " 3/4"		" .02 1/5	.55
18 " " " " 1/2"		" .01 3/4	.31
1 C.I. Blank Flange 6"		" .39 1/2	.40
10 Rubber Valves 3 1/2 x 3/4 3 1/2 Lbs.		" .68	2.38
2 P.& T. Blow Off Cocks 2"		" 3.75	7.50
1 M.I. Union 1/2			.05
1 Bushing 1 x 3/4		" .01 3/4	.02
1 " 1/2 x 3/8			.01
1 " 3/8 x 1/4			.01
1 " 5 x 3"			.20
1 " 3 x 2 1/2"			.12
1 " 3 x 1 1/2"			.10
1 " 1 x 3/8			.02
2 Boiler Gauge Cocks 3/4"		" .55	1.10
1 " " " 1/2"			.55
28 1/2 Lbs. Hemp Packing		" .50	14.25
Carried Forward			856.20

Brought Forward		856.20
35 Lbs. 1/2" Sq. Braided Hemp Packing	@ .50	17.50
1 Cylinder Head (Has Been Used)		30.00
3 Packing Rings	" .50	1.50
2 Sets Gibs & Keys Crank End	" 5.00	10.00
2 " " " Wrist Pin End	" 5.00	10.00
1 Connecting Rod		50.00
1 Crank Shaft		100.00
2 Rocker Arm Brackets	" 5.00	10.00
1 Eccentric Rod		15.00
4 Pr. Engine Governor Weights	" 1.00	4.00
2 Quarter Boxes Main Bearings	" 5.00	10.00
1 Valve Stem		3.00
2 Tension Rods for Governor Springs	" 3.00	6.00
4 Governor Springs	" 5.00	20.00
5 Links for Governor Connections	" 2.00	10.00
2 Oil Wipers	" .75	1.50
2 Oil Glasses	" .10	.20
1 Cross Head		60.00
1 Valve Stem Slide		4.00
1 Piston Valve		15.00
1 Gland for Piston Rod		.75
1 Piston & Rod		75.00
5 Studs for Governor Weights	" 1.00	5.00
1 Rocker Connecting Rod		5.00
1 Rocker Arm		1.50
2 Quarter Boxes for Rocker Arm Bearings	" .50	1.00
1 Rocker Arm Pin		1.25
2 Rocker Arm Brasses	" 2.00	4.00
Water Credit Account		<u>301.12</u>
TOTAL SEPT. 1 -----		1026.28
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		<u>1817.05</u>
		2843.33
MATERIAL USED DURING SEPT. -----		<u>1463.18</u>
TOTAL SEPT. 30, 1897 -- ALLSTON P.S. -----		<u>1380.15</u>

--:-- CHARLESTOWN POWER STATION --:--

19 1/2 Lbs. Rubber Gaskets	@ .68	13.26
211 " Soap Powder	" .05	10.55
5 1/2 " Leather	" .12	.63
12 Glasses 3/4 x 20"	" .17	2.04
50 Yds. #3 Emery Cloth	" .20	10.00
1 Lb. Brass Rivets 1/4 - 8	" .18	.18
17 " Iron Washers	" .05	.85
12 Hd. Rubber Bushings for Lamp Sockets	" .02	.24
50 Lbs. White Lead	" .05	2.50
100 Ft. Belt Lacing	" .009	.90
300 " Lamp Cord	" .01	3.00
5 Lbs. Potash	" .02	.10
50 Machine Bolts 7/8 x 4 1/2	" 4.00 C.	2.00
50 " " 5/8 x 3	" 1.50 C.	.75
4 1/2 Lbs. Antimony	" .07 1/4	.32
4 Reliance Gauge Cock Handles	" .15	.60
11 Lbs. Common Babbit	" .22	2.42
12 Water Gauges 12 x 1	" .18	2.16
24 Copper Gaskets 10 7/8 x 9 5/8	" .29	6.96
24 " " 10 1/2 x 9 1/4	" .32	7.68
24 " " 12 1/2 x 11	" .34	8.16
232 Lbs. Soft Rubber Air Pump Valves	" .68	157.76
45 " 1 1/2" Rd. Tool Steel	" .06	2.70
68 " 7/8 Norway Iron	" .028	1.90
33 " " " 1 1/3 x 1/2	" .028	.92
3 1/4 Lbs. " " 1/4"	" .028	.09
12 " " " 3/8"	" .028	.33
42 " " " 5/8"	" .028	1.17
63 " Flat " 1 x 1/4	" .028	1.76
68 " " " 1 1/2 x 1/2"	" .028	1.90
Carried Forward		<u>243.83</u>


Brought Forward			243.83
32	1/4 Lbs. 7/8" Hex. Tool Steel	@ .06 Lbs.	1.94
4	" Vulc. Packing 1/4"	" .32 "	1.28
10	" Unbraided Hemp	" .50 "	5.00
56"	1/2" Ches. Packing	" .36 In.	20.16
42	Lbs. Sq. Flax Packing	" .50 Lb.	21.00
4	" 3/8" Vulc. Packing	" .52 "	1.28
21	Ring Packing 3" x 1 3/4"	" .35 In.	7.35
4	Pr. 3" Union Flanges	" .56 1/2 Pr.	2.26
5	Iron Ells 3"	" .20	1.00
4	Chap. Valves 1 1/4"	" 1.93	7.72
7	Nickel Pl. Angle Valves 1/2"	" .45	3.15
9	Close Nipples 3"	" .13 1/2	1.22
6	Brass Unions 1 1/2"	" .57	3.42
1	Iron Bushing 2 1/2 x 1	" .08 2/5	.08
1	Iron Tee 2 1/2 x 2 1/2 x 3	" .22 1/2	.23
1	Bushing 2 x 1/2	" .05	.05
1	Check Valve 2 1/2	" 3.55	3.55
4	Fin. Brass Ells 2"	" .45	1.80
1	Bushing 2 1/2 x 1 1/2	" .09	.09
12	Brass Seat Valves 1/2"	" .83	9.96
6	Iron Bushings 1 1/4 x 1	" .04	.24
4	Brass Unions 3/4"	" .30	1.20
4	Pr. Union Flanges 4"	" .79 Pr.	3.16
100	Gals. Low Press B. Oil	" .40	40.00
150	" 600 W. Cyl. Oil	" .43	64.50
100	" W.E.Spec. X Engine Oil	" .18	18.00
100	Yds. Cheese Cloth	" .02	2.00
250	Lbs. Waste	" .06	15.00
3326036	" Coal	" 2.904	4312.22
	Water a/c Credit Balance		<u>310.90</u>

TOTAL SEPT. 1-----	4481.79
MATERIAL RECEIVED & CHARGED DURING SEPT. -----	<u>2426.14</u>
	6907.93
MATERIAL USED DURING SEPT. -----	<u>1927.95</u>
TOTAL SEPT. 30, 1897 -- CHARLESTOWN P.S. -----	<u>4979.98</u>

--:-- STOCK --:--
--:-- PLUMBING DEPARTMENT --:--

1	Trombe Closet Bowl		3.60
1	Corner Earthern Urinal		2.80
1	14" C.O. Basin		.40
2	Trombe W.C.Tank	@ 4.00	8.00
1	Pratt & Cady Valve for Steam Trap		5.00
1	H.P. Pantry Cock - Doherty		2.88
1	" Compression Basin Cock		.65
1	" Doherty Plain Bib I.P. 3/4"		1.50
3	3/4" Brass Doherty Plain Bib I.P.	" 1.50	4.50
2	5/8" " " " L.P.	" 1.37	2.74
2	5/8" " " Urinal Cocks L.P.	" 2.25	4.50
1	1/2" " Compression Urinal Cocks L.P.		.60
2	1/2" " Stop & Waste Cocks L.P.	" .40	.80
1	1/2" " Hopper Cocks		.80
4	3/4" " Hydrant Cocks L.P.	" .65	2.60
5	5/8" Hose Bibs L.P.	" .36	1.80
19	3/4" Stop & Waste L.P.	" .75	14.25
1	5" H.P. Cesspool		.50
11	Wood Pulls and Chains	" .25	2.75
8	Yards H.P. Safety Chain	" .06	.48
6	1/2 Yds. Brass Safety Chain	" .09	.59
10	1/2 " " Link "	" .06	.63
1	1 1/4" Brass Expansion Joint		1.42
1	1 1/4" Cage Valve		1.00
15	W.C. Clamps	" .05	.75
6	Basin Clamps	" .12	.72
10	Sink Bolts	" .02	.20
100	5/8" Leather Bottom Washers	" .01	1.00
2	5" Copper Balls		.50

Carried Forward 67.96



Brought Forward			67.96
138	Boston Burners	@	.05 6.90
87	Lava Tips	"	.00 3/4 .65
6	Full S. Lead Traps 4"	"	1.19 7.14
1	" " " 1 1/2"		.56
1	" " " 1 1/2" Sanitas		2.00
1	Round Lead Trap 6"		1.34
1	Galv. Iron Sink 48 x 20		3.00
1	" " " 36 x 18		3.00
3	Hose Clamps 1"	"	.05 .15
17	H.P. Floor Plates 1 1/2"	"	.06 1.02
13	" Ceiling " 1 1/2"	"	.06 .78
2	Stop & Waste L.P. 5/8"	"	.63 1.26
1	Organd Shade		.52
12	" Chimneys	"	.10 1.20
3	Opal Globes	"	.15 .45
1	" Smoke Shade		.20
4	" Globe Holders	"	.10 .40
3	Hopper Cock Springs	"	.05 .15
7	Gauge Glasses 5/8 x 12	"	.09 .63
8	" " 3/4 x 12"	"	.11 .88
3	" " 3/4 x 14"	"	.12 .36
10	Iron Sink strainers 5"	"	.08 .80
12	Jenkins Discs 1 1/2"	"	.08 .96
4	" " 1 1/4"	"	.06 .24
2	" " 1"	"	.04 .08
2	" " 3/4"	"	.04 .08
4	" " 1/2"	"	.03 .12
3	" " 1/8" For Automatic Air Valves	"	.10 .30
8	Frink " 3/4"	"	.05 .40
4	" " 1/2"	"	.04 .16
1657	Lbs. Lead Pipe	"	.04 1/2 74.57
33	" Sheet Lead	"	.05 1.65
1970	" Old Lead	"	.02 39.40
145	" Brass Pipe	"	.16 23.20
258	" Old Brass Pipe	"	.06 1/2 16.77
542	" Old Brass	"	.06 1/2 35.23
100	" Solder	"	.10 10.00
25	" Litharge	"	.05 145 1.29
5	" Brass Strainers	"	.22 1/2 1.13
8	" Diamond Emery	"	.07 .56
3	" Sealing Leads	"	.05 .15
75	" Hair Felt	"	.09 6.75
5	" Clamping Brass	"	.16 .80
3 1/2	" Gas Cement	"	.06 .21
3/4	" Vulcabeston Rope Packing		.65
17	" Jute Packing	"	.06 1.02
5	" Oakum	"	.06 .30
7	Ball Cocks 1/2"	"	.36 2.52
1	Hose Nipple 3/4"		.12
86	Lead Pipe Hooks 3/4"	"	.01 .86
52	Swing Joints 3/8"	"	.20 10.40
1	" " 3/8 x 1/4		.20
9	" Gas Cocks 3/8 x 1/8	"	.22 1.98
9	Hose Ends 3/8 x 1/8	"	.08 .72
2	" " 1/4 x 1/8	"	.06 .12
1	" Coupling 3/4"		.08
4	Brass R.& L. Nipples 1 1/4"	"	.20 .80
2	H.P. Jenkins Valves Angle 1 1/4"	"	1.50 3.00
2	" " " 3/4"	"	1.25 2.50
1	" " " 1"		1.37
2	" " " Corner 1 1/4"	"	1.60 3.20
3	" " " 1"	"	1.50 4.50
3	Jenkins Valves Angle 1 1/4"	"	1.20 3.60
4	" " " 1"	"	.84 3.36
2	" " " 1 1/2"	"	1.15 2.30
2	Globe " 1 1/2"	"	1.40 2.80
1	" " 1/4"		.25
12	Jenkins Automatic Air Valves 1/8"	"	.37 1/2 4.50
4	Davis " " 1/8"	"	.37 1/2 1.50
2	Brass Wheel " " 1/8"	"	.25 .50
4	Pet Cocks 3/8"	"	.12 .48
1	Gate Valve 1"		1.20
1	Swing Check Valve 2"		3.75
1	" " " 1 1/4"		1.75
4	" " " 1"	"	1.35 5.40
Carried Forward			381.13

Brought Forward						381.13
3	Swing Check Valves	3/4"	@	1.05	3.15	
4	"	1/2"	"	.75	3.00	
5	Floor Flanges	6 x 1 1/4"	"	.04	.20	
4	Ceiling Plates	1/2"	"	.03 1/2	.14	
2	Floor Flanges	6 x 1/2	"	.04	.08	
430	"	4 x 1	"	.03	12.90	
5	"	4 1/2 x 1 1/4	"	.03	.15	
2	"	4 x 1/2	"	.03	.06	
11	" Plates	1 1/2	"	.03	.33	
5	"	1/2"	"	.02	.10	
2	Pair 4" Floor plates in Halves		"	.04	.08	
1	" 1 1/2 Floor Plates in Halves		"	.03	.03	
1	" 1" "	" "	"		.03	
1	" 1/2" "	" "	"		.03	
2	Ceiling Plates	1 1/2"	"	.06	.12	
4	"	1 1/4"	"	.05	.20	
4	"	1"	"	.04 1/2	.18	
1	"	3/4"	"	.04	.04	
1	Manhoff Ferrule	1 1/2 x 2	"		.25	
18	Flat Clamps 6"		"	.07	1.26	
21	" "	5"	"	.06	1.26	
38	" "	4"	"	.05	1.90	
3	" "	3"	"	.05	.15	
35	" "	2"	"	.04	1.40	
5	Corner "	5"	"	.06	.30	
52	" "	4"	"	.05	2.60	
32	" "	2"	"	.04	1.28	
22	Drive Hooks 4"		"	.05	1.10	
24	" "	3"	"	.04	.96	
42	" "	2"	"	.03	1.26	
1	Brass Cleanout	6"	"		1.75	
2	"	4"	"	.37 1/2	.75	
9	"	2"	"	.30	2.70	
7	"	4" Heavy	"	.45	3.15	
2	"	2" "	"	.25	.50	
10	" Trap Screw Covers	4"	"	.25	2.50	
17	" Ferrules	2 1/8"	"	.18	3.06	
4	"	2 1/4"	"	.50	2.00	
4	"	2" Heavy	"	.18	.72	
1	"	4" "	"		.40	
3	Solder Nipples	2"	"	.35	1.05	
34	"	1"	"	.09	3.06	
5	Brass Unions	1/2"	"	.22 1/2	1.13	
1	"	1/8"	"		.10	
1	" Bushing	2 1/2 x 2"	"		.65	
21	"	1 1/2 x 1 1/4	"	.16	3.36	
18	"	1 1/4 x 1	"	.16	2.88	
26	"	1 x 3/4	"	.10	2.60	
24	"	3/4 x 1/2	"	.06	1.44	
1	"	1/2 x 3/8	"	.04	.04	
8	"	1/4 x 1/8	"	.02	.16	
1	"	1 1/4 x 1/2	"		.16	
1	"	1 1/4 x 1/4	"		.16	
4	"	3/4 x 1/8	"	.10	.40	
10	" Caps	1/2"	"	.06	.60	
20	" Tees Bracket	1 x 3/4	"	.26	5.20	
34	"	3/4"	"	.16	5.44	
4	"	1 x 3/4	"	.21	.84	
13	"	3/4	"	.14	1.82	
7	"	1/2	"	.12	.84	
4	"	3/4 x 1/2	"	.14	.56	
1	"	3/8 x 1/4	"		.09	
1	"	3/8	"		.09	
7	"	1/4"	"	.06	.42	
1	"	Cross 3/4	"		.20	
5	" Ells 3/4		"	.10	.50	
1	"	3/4" C.I. Pattern	"		.15	
7	"	1 1/4" "	"	.30	2.10	
7	"	1 1/4" "	"	.25	1.75	
17	"	1/2"	"	.08	1.36	
2	"	3/8 x 1/8	"	.04	.08	
1	"	3/8 x 1/4	"		.04	
12	"	1/4"	"	.03	.36	
4	"	1 1/4" Fine Thread	"	.54	2.16	
6	" Couplings 1 1/2" Fine Thread		"	.18	1.08	
1	"	1 1/4" "	"		.18	

Carried Forward 476.25

Brought Forward		476.25
1	Brass Coupling 2"	.40
1	" " 1 1/2"	.25
4	" " 1"	@ .15 .60
37	" " 3/4"	" .10 3.70
2	" " 3/8"	" .05 .10
1	" " 1/4"	" .03 .03
19	Galv. Clamps 1 1/2"	" .02 .38
31	" " 3/4"	" .01 .31
43	" " 1/2"	" .00 1/2 .21
44	" " 3/8"	" .00 1/2 .22
1	" Ell 3"	" .50 .50
24	" " 1 1/4"	" .08 1.92
7	" " 1"	" .06 .42
43	" " 3/4"	" .04 1.72
24	" " 3/4" Drop	" .05 1.20
1	" Tee 3 x 1 1/4"	" .60 .60
4	" " 2"	" .20 .80
1	" " 2 x 1 1/4"	" .20 .20
1	" " 2 x 1	" .20 .20
1	" " 1 1/4 x 3/4	" .10 .10
5	" " 1 1/4"	" .10 .50
22	" " 1"	" .07 1.54
25	" " 3/4"	" .05 1.25
33	" " 3/4 x 1/2	" .05 1.65
13	" " 3/4" Bracket	" .07 .91
4	" " 3/4 x 1/2" Bracket	" .07 .28
24	" Unions 3/4"	" .10 2.40
27	" R. & L. Couplings 3/4"	" .03 1/4 .88
38	" " " 1/2"	" .02 1/2 .95
21	Mal. Tees 2"	" .20 4.20
1	" " 2 x 3/4"	" .20 .20
48	" " 1 1/4 x 3/4"	" .08 3.84
2	" " 1 1/2"	" .12 .24
2	" " 1 1/2 x 1"	" .12 .24
1	" " 1 1/4"	" .08 .08
3	" " 1 1/4 x 1 1/4 x 3/8"	" .08 .24
1	" " 1 1/4 x 1"	" .08 .08
1	" " 1 1/4 x 1/2	" .08 .08
1	" " 1 1/4 x 1 x 1"	" .08 .08
1	" " 1 1/4 x 1 x 3/4	" .08 .08
1	" " 1 1/4 x 3/4"	" .08 .08
2	" " 1 x 3/4"	" .06 .12
1	" " 1 x 1/2"	" .06 .06
22	" " 1 x 3/4 x 1/2"	" .06 1.32
19	" " 1 x 3/4 x 3/4"	" .06 1.14
3	" " 1 x 3/8 x 3/4"	" .06 .18
8	" " 1 x 3/8"	" .06 .48
13	" " 1"	" .06 .78
18	" " 3/4"	" .04 .72
16	" " 1/2"	" .03 .48
9	" " 3/8"	" .02 .18
18	" " 3/4 x 1/2 x 1/2"	" .04 .72
22	" " 3/4 x 1/2 x 3/8"	" .04 .88
5	" " 3/4 x 3/8"	" .04 .20
1	" " 3/4 x 1/4"	" .04 .04
4	" " 1/2 x 3/8"	" .03 .12
3	" " 3/8 x 3/8 x 1/2	" .03 .09
2	" " 3/8 x 1/4	" .02 .04
12	" " 3/4 x 3/4 x 1"	" .04 .48
12	" " 1 x 3/4 Crosses	" .07 .84
2	" " 1" "	" .07 .14
2	" " 1/2" "	" .02 1/2 .05
2	" " 3/4 x 1/2 x 3/8 Crosses	" .04 .08
6	" " 3/8" Bracket	" .03 .18
4	" " 1/4" "	" .03 .12
1	" " 1/2" "	" .03 .03
1	" " 3/4" "	" .04 .04
29	" " 3/8" Female	" .03 .87
17	" " 3/8" M. & F.	" .03 .51
23	" " 3/8 x 1/4 M. & F.	" .03 .69
2	" " 1/2 x 3/8 "	" .03 .06
2	" Ells 1 1/4"	" .05 .10
11	" " 3/4"	" .03 .33
3	" " 1/2"	" .02 .06
12	" " 3/8"	" .01 .12

Carried Forward

522.16

Brought Forward				522.16
1	Mall. Ell	1 1/4"	45°	.05
5	"	1 1/4"	Side Outlet	@ .10 .50
6	"	1"	" "	" .07 .42
1	"	1 1/4"	" "	" .10
1	"	1 1/4"	" "	" .10
7	R. & L. Couplings	2"		" .07 .49
71	"	1 1/2"		" .05 1/4 3.73
17	"	1 1/4"		" .04 1/4 .72
2	"	1"		" .03 1/4 .06
4	"	3/4"		" .02 1/4 .09
14	"	1/2"		" .02 .28
25	"	3/8"		" .02 .50
9	Reducing	1 x 1/2"		" .03 .27
1	"	3/4 x 1/2"		" .02 .02
1	Bushing	4 x 1"		" .20 .20
1	"	4 x 2 1/2"		" .20 .20
10	"	2 1/2 x 2"		" .12 1.20
6	"	2 x 1 1/2"		" .10 .60
10	"	1 1/2 x 1 1/4"		" .08 .80
3	"	3/4 x 1/2"		" .03 .09
1	"	1/2 x 3/8"		" .02 .02
5	"	1/4 x 1/8"		" .01 .05
1	"	2 1/2 x 1 1/2"		" .12 .12
1	"	2 1/2 x 1"		" .12 .12
1	"	2 1/2 x 3/4"		" .12 .12
5	"	2 1/2 x 1/2"		" .12 .60
3	"	2 x 1/2"		" .10 .30
5	"	2 x 1/8"		" .10 .50
10	"	1 1/2 x 1/2"		" .08 .80
1	"	1 1/2 x 3/4"		" .08 .08
3	"	1 1/2 x 1/8"		" .08 .24
1	"	1 1/4 x 3/4"		" .06 .06
4	"	1 1/4 x 1/2"		" .06 .24
1	"	1 1/4 x 3/8"		" .06 .06
2	"	1 1/4 x 1/4"		" .06 .12
6	"	1 1/4 x 1/8"		" .06 .36
4	"	1 x 1/2"		" .04 .16
2	"	1 x 1/8"		" .04 .08
3	"	3/4 x 1/8"		" .03 .09
1	Close Nipple	5"		" .36 .36
3	"	2"		" .05 .15
7	"	1 1/2"		" .03 .21
3	"	1 1/4"		" .02 1/2 .08
8	"	1"		" .02 .16
2	"	3/4"		" .02 .04
5	"	3/8"		" .01 .05
2	"	1/4"		" .01 .02
1	Cap	5"		" .40 .40
1	"	3"		" .17 .17
2	"	2"		" .10 .20
12	"	3/8"		" .01 .12
7	"	1/4"		" .01 .07
1	Plug	4"		" .17 .17
7	"	2 1/2"		" .07 .49
13	"	2"		" .04 .52
2	"	1 1/4"		" .02 .04
1	"	1"		" .02 .02
2	"	3/4"		" .01 .02
1	"	1/2"		" .01 .01
3	"	3/8"		" .01 .03
3	"	1/4"		" .01 .03
31	Pipe Rolls	1 1/4"		" .02 .62
55	"	1"		" .02 1.10
23	" Rings	4"		" .06 1.38
20	"	3 1/2"		" .05 1.00
1	"	2 1/2"		" .03 .03
9	"	2"		" .02 .18
12	"	1 1/2"		" .01 .12
2	"	1 1/4"		" .01 .02
7	"	1"		" .01 .07
37	"	3/4"		" .01 .37
14	S.S. Hooks	2"		" .02 .28
5	"	1 1/2"		" .02 .10
25	"	1 1/4"		" .02 .50
7	"	1"		" .02 .14

Carried Forward 545.97

.....

.....

.....

.....

Brought Forward					545.97
8	S.S. Hooks	3/4"			.16
1	"	"	1 1/4" Expansion	@ .02	.02
1	"	"	1"		.02
9	Six Branch Hook Plates		1 1/4"		1.17
80	Three	"	"	1"	3.20
2	"	"	"	1 1/4"	.12
15	Four	"	"	1"	.90
9	"	"	"	1 1/4"	.72
1	Five	"	"	1"	.07
8	Two	"	"	1 1/4"	.48
12	"	"	"	1"	.48
7	Eight	"	"	1 1/4"	2.45
2	Six	"	"	1" Expansion	.16
9	Four	"	"	1" "	.54
8	Three	"	"	1" "	.40
4	Two	"	"	1" "	.12
9	Three	"	"	1 1/4"	.72
2	Two	"	"	1 1/4"	.12
2	Six	Headers	1 1/2 x 1 1/4		.60
3	"	"	1 1/4 x 1 1/4		.90
5	"	"	1 1/4 x 1"		1.80
1	Five	"	1 1/2 x 1/4"		.25
10	Two	"	1 x 1"		1.50
1	"	"	1 1/4 x 1"		.15
7	Three	"	1 x 1		1.12
6	Three	"	1 1/4 x 1"		.96
2	"	"	1 1/2 x 1 1/4"		.36
2	"	"	1 1/2 x 1		.36
1	Four	"	1 1/2 x 1"		.21
1	Close Nipple	3 1/2"			.18
3	"	4"			.69
3	"	3"			.42
3	"	2 1/2"			.30
2	Space	7"	14" Long		2.28
1	"	8"	6" "		1.14
1	"	5"	9" "		.60
1	"	4"	10" "		.42
1	"	3"	13" "		.23
1	"	3"	6 1/2" "		.19
1	"	3"	6" "		.19
1	"	2 1/2"	6" "		.15
1	"	2 1/2"	4" "		.12
1	Close	6"			.50
1	Bushing	3 1/2 x 2 1/2			.15
1	"	3 x 1			.13
1	"	2 1/2 x 1 1/2"			.12
1	"	2 1/2 x 1/2"			.12
1	Foot Valve	6"			3.00
2	Pair Union Flanges	3 1/2"			1.10
3	"	2 1/2"			1.05
1	"	2"			.30
4	Floor Flanges	2"			.28
1	C.I.Tee	6 x 5 x 6"			1.62
1	"	6 x 4 x 4"			1.25
1	"	5"			1.02
1	"	4 x 3 x 2 1/2"			.50
1	"	4 x 1 1/2"			.50
1	"	4 x 3 1/2 x 2			.50
1	"	4 x 2 x 2			.50
1	"	5 x 2 1/2 Long Turn			2.70
1	"	4 x 3 1/2 x 2 1/2 Long Turn			1.75
1	"	3 1/2"			.40
1	"	3 1/2"			.40
1	"	3"			.35
1	"	3 x 1 1/2"			.35
2	"	3 x 1 1/2 Crosses			.90
2	"	3 x 1"			.70
2	"	2 1/2 x 2			.50
4	"	2 1/2 x 1/2"			1.00
2	"	2 1/2 x 2 x 2			.50
2	"	2 1/2 x 2 x 1 1/2			.50
1	"	2 1/2 x 1 1/2 x 1 1/2			.25
1	"	2 1/2 x 2 x 1			.25
1	"	2 x 1 1/2 x 2			.15
1	"	2 x 3/4 x 2			.15
2	"	2 x 1 1/2 x 1 1/4			.30

Carried Forward

596.71

Brought Forward				596.71
1	C. I. Tee	2 x 1 x 1		.15
1	"	2 x 1 1/2 x 1"		.15
3	"	2 x 1 1/2 x 3/4		.45
2	"	2" Crosses		.40
1	"	1 1/2 x 1 Crosses		.15
1	"	1 1/4 x 1 x 3/4 Crosses		.10
2	"	1 1/2 x 1/2 x 1 1/2 Crosses		.16
5	"	1 1/2 x 1 x 1 1/2		.40
2	"	1 1/4 x 1 x 1 1/2		.16
2	"	1 1/4 x 3/4 x 1 1/2		.16
1	"	2 1/2 Long Turn		.60
2	"	Y 2"		.40
2	"	" 1"		.20
4	"	" 3/4"		.30
11	"	Ells 4"		3.85
2	"	" 3"		.50
1	"	" 3 x 2		.25
6	"	" 4" 45°		2.52
10	"	" 2 1/2" 45°		3.00
1	"	" 2" 45°		.08
4	"	" 1 1/4" 45°	@ .05	.20
3	"	" 1" 45°	" .04	.12
1	"	" 3/4" 45°		.03
1	"	" 1/2" 45°		.02
3	"	" 2"	" .08	.24
4	"	" 2 x 1/2	" .08	.32
6	"	" 1 1/2 x 1 1/4	" .06	.36
4	"	" 1 1/4"	" .04	.16
8	"	" 1 1/4 x 1/2"	" .05	.40
2	"	" 1 x 1/2"	" .04	.08
4	"	" 3/4 x 1/2"	" .03	.12
3	"	" 1/2"	" .02	.06
10	R.L. C.I. Ells	1 1/2"	" .06	.60
7	"	" 1/2"	" .02	.14
1	C.I. Ells	2 x 1 1/2 Ex. Heavy		.28
4	"	1 1/2 x 1 1/4 Ex. Heavy	" .16	.64
4	"	1 1/4"	" .11	.44
20	"	1 1/4 x 1" " "	" .11	2.20
1	"	1 1/2 x 1 1/4 x 1 1/4 Ex. Heavy		.16
1	"	1 1/4 x 1 x 1 " "		.11
1	"	1" Ex/ Heavy		.09
4	"	Y 1 1/2"	" .18	.72
6	"	" 1 1/4"	" .12	.72
18	"	Tees 1 1/2"	" .08	1.14
1	"	" 2 x 1 1/2"		.15
1	"	" 2 x 3/4"		.15
1	"	" 2 x 1 1/2 x 1 1/4		.15
2	"	" 2 x 1 1/2 x 1 1/2	" .15	.30
22	"	" 1 1/2 x 1 1/4	" .08	1.76
1	"	" 1 1/2 x 1/2		.08
4	"	" 1 1/2 x 3/4	" .08	.32
3	"	" 1 1/2 x 1 1/4 x 3/4	" .08	.24
1	"	" 1 1/2 x 1 x 1 1/2		.08
1	"	" 1 1/2 x 1 x 1		.08
2	"	" 1 1/4"	" .07	.14
6	"	" 1 1/4 x 1/2	" .07	.42
5	"	" 1 1/4 x 1 x 1/2	" .07	.35
1	"	" 1 1/4 x 1 x 3/4		.07
4	"	" 1"	" .05	.20
1	"	" 1 x 3/4		.05
1	"	" 1 x 1/2 x 1		.05
2	"	" 1 x 3/4 x 1/2	" .05	.10
1	"	" 3/4 x 1/2 x 3/8		.03
5	"	" 1/2 x 1/2 x 3/4	" .03	.15
1	"	" 1/2 x 3/8 x 3/8		.02
21	"	" 1/2"	" .02	.42
14	"	" 1/4"	" .02	.28
1	"	" 1/4 x 1/2 x 1/4		.02
28	Open Pattern C.I. Return Bends	1 1/4"	" .10	2.80
4	"	" 1"	" .06	.24
3	Close	" 1 1/4"	" .08	.24
2	"	" 1"	" .04	.08
2	"	" 1" R. & L.	" .04	.08
8	C.I. Offset Couplings	1 1/2 x 1	" .30	2.40
7	"	Y Ex. Heavy 4"	" 3.50	24.50

Carried Forward

655.99

Brought Forward		655.99		
2	Running Traps	6"	@ 1.00	2.00
4	"	4"	" .45	1.80
1	Full S.	5"	"	.75
10	"	4"	" .45	4.50
13	3/4 Full S.	4"	" .45	5.85
4	1/2	4" Vent.	" .56	2.24
2	"	4" "	" .56	1.12
2	3/4	4" "	" .56	1.12
5	3/4	4" Heavy	" .80	4.00
7	Offsets	4 x 20	" .55	3.85
8	"	4 x 18	" .53	4.24
4	"	4 x 16	" .45	1.80
1	"	4 x 12	"	.35
5	"	4 x 8	" .23	1.15
9	"	4 x 6	" .20	1.80
6	Tees	6"	" .50	3.00
2	"	6 x 4	" .50	1.00
3	T & Y	6 x 4	" .50	1.50
1	Double Y	6"	"	.75
5	Y	6 x 4	" .50	2.50
5	"	5 x 4	" .55	2.75
1	1/2 Y	5 x 4	"	.55
1	T & Y	5 x 4	"	.55
5	"	4 x 4	" .30	1.50
28	Y	4 x 4	" .30	8.40
23	Tees	4 x 4	" .30	6.90
8	Y	4 x 2	" .30	2.40
10	Tees	4 x 2	" .30	3.00
9	Double Y	4 x 4	" .40	3.60
12	"	4 x 2	" .40	4.80
14	" T	4 x 2	" .40	5.60
4	1/2 Y	4 x 4	" .30	1.20
29	Vent Fittings	4 x 2	" .35	10.15
1	Double Y	2"	"	.20
9	Tees	2"	" .15	1.35
14	Y	2"	" .15	2.10
2	Double Hubs	6"	" .20	.40
10	"	2"	" .08	.80
18	Reducers	4 x 2	" .10	1.80
1	Double Hub	4"	"	.16
6	Vent Caps	4"	" .12 1/2	.75
1	Copper Roof Flange	2"	"	.75
1	Barret Cleanout	5"	"	2.06
10	1/6 Bends	8"	" .45	4.50
16	1/4	6"	" .25	4.00
15	1/6	6"	" .25	3.75
12	1/4	5"	" .25	3.00
5	1/6	5"	" .25	1.25
37	1/16	4"	" .20	7.40
37	1/8	4"	" .20	7.40
24	1/6	4"	" .20	4.80
4	1/4	4"	" .20	.80
5	1/4	3" Light	" .14	.70
5	1/8	3" "	" .14	.70
39	1/8	2" "	" .10	3.90
7	1/6	2" "	" .10	.70
2	1/4	2" "	" .10	.20
30	1/6	2" "	" .10	3.00
4	Y	8 x 5" Heavy	" 2.88	11.52
1	"	8 x 4" "	"	1.27
19	1/2	4 x 4 "	" .40	7.60
14	T & Y.	4 x 4 "	" .40	5.60
1	Double Y	4 x 4 "	"	.50
3	Y	4 x 3 "	" .40	1.20
6	"	4 x 2 "	" .40	2.40
1	Tee	4 x 2 "	"	.40
1	Double Tee	4 x 2 "	"	.50
6	Y	2" "	" .30	1.80
2	Tees	2" "	" .30	.60
1	Running Trap	4" "	"	.90
1	Offset	4 x 8 "	"	.40
2	Reducers	4 x 2 "	" .12	.24
2	Double Hubs	8" "	" .90	1.80
5	"	6" "	" .30	1.50
1	Barrett Cleanout	5" "	"	3.75
3	1/6 Bends	8"	" 1.00	3.00
5	1/4	8"	" 1.00	5.00

Carried Forward

859.16

Brought Forward				859.16
9	1/4 Bends	6" Heavy	@ .45	4.05
6	1/16 "	6" "	" .45	2.70
2	1/6 "	6" "	" .45	.90
22	1/16 "	4" "	" .30	6.60
20	1/8 "	4" "	" .30	6.00
13	1/4 "	4" "	" .30	3.90
16	1/6 "	4" "	" .30	4.80
2	1/5 "	4" "	" .30	.60
1	1/4 "	4" " 2" Outlet		.40
17	1/4 "	2" "	" .12 1/2	2.13
8	1/8 "	2" "	" .12 1/2	1.00
2	1/6 "	2" "	" .12 1/2	.25
2	1/4 "	2" " Long Turn with Hubs	" .25	.50
50	Ft. Soil Pipe	8" Heavy	" .55	27.50
35	" "	" 6" "	" .30	10.50
30	" "	" 5" "	" .25	7.50
100	" "	" 4" "	" .19	19.00
20	" "	" 4" " D. Hub	" .20	4.00
5	" "	" 2" " "	" .10	.50
10	" "	" 3" "	" .14	1.40
15	" "	" 2" "	" .09	5.85
30	" "	" 6" Light	" .15	4.50
17	" "	" 5" "	" .13	2.21
40	" "	" 2" "	" .06	2.40
12	" Akron	" 15"	" .46	5.52
22	" "	" 8"	" .16 1/2	3.63
26	" "	" 6"	" .11	2.86
1	Akron Y	8 x 6"		.60
6	1/4 Akron Bend	8"	" .54	3.24
1	1/8 "	" 6"		.41
1	1/8 "	" 4"		.18
20	Ft. Steam Pipe	4"	" .18	3.60
43	" "	3"	" .12	5.16
715	" "	2"	" .07	50.05
277	" "	1 1/2"	" .05	13.85
894	" "	1 1/4"	" .04	35.76
587	" "	1"	" .03	17.61
459	" "	3/4"	" .02 1/4	10.32
293	" "	1/2"	" .01 3/4	5.13
405	" "	3/8"	" .01 1/2	6.08
52	" "	1/4"	" .01	.52
42	" "	1/8"	" .01	.42
44	" "	3" Ex. Heavy	" .24	10.56
16	" "	2" " "	" .14	2.24
140	" Galv.	2"	" .17	23.80
32	" "	1 1/4"	" .07	2.24
179	" "	1"	" .05	8.95
169	" "	3/4"	" .04	6.76
TOTAL SEPT. 1 -----				1197.84
MATERIAL RECEIVED & CHARGED DURING SEPT. -----				92.40
				1290.24
MATERIAL USED DURING SEPT. -----				73.99
TOTAL PLUMBING DEPT. SEPT. 30, 1897 -----				1216.25

-:- STOCK - ARMATURE ROOM -:-

38	Lbs. Asbestos		@ .04	1.52
8	1/4 " Cone Mica		" 1.00	8.25
14	" Fuller Board		" .08 1/2	1.19
12	" # 4 D. C. C. Wire		" .16 1/2	1.98
81	" #10 " "		" .19	15.39
117	" # 5 " "		" .16 1/2	19.30
36	Yds. 1" Webbing		" 1.75 Gro.	.44
4	1/2 Lbs. Grimshaw Tape		" .35	1.58
2	Gals. Oil & Varnish		" 1.40	2.80
4	Lbs. 040 x 340 Wire		" .21 1/4	.85
1	W.P. Shaft			7.70
14	Lbs. Fibre		" .30	4.20
Carried Forward				65.20

Brought Forward			65.20
76	Lbs. Paper	@ .09	6.84
16	" Leatheroid	" .25	4.00
60	Binding Sticks - Small	" .52 Pr.C.	.31
180	" " - Large	" .03	5.40
400	" " - G. E.	" .12 pr.C.	.48
3	Yards Oiled Canvas	" .20	.60
6	Lbs. Special Rope	" .12	.72
86	Sheets Oiled Paper	" .07 1/2	6.45
5	Yards Oiled Linen	" .30	1.50
11	1/2 Lbs. Hartford Tape	" .60	6.90
10	W.P. Steel Thrust Rings	" 1.00	10.00
3	W.P. Brass Oil Rings	" .35	1.05
3	G.E. Sheet Iron Dust Rings	" .03	.09
2	Westinghouse Brass Oil Guards	" .75	1.50
1	" Spool Terminal	"	.10
20	Nut Locks 5/8	" .01	.20
3	G.E. Comtr. Screws	" .05	.15
2650	Ft. Cotton Tubing 1/8"	" .00 1/2	13.25
525	" " " 1/2"	" .01 1/2	7.87
200	W.P. Comtr. Screws	" .03	6.00
1	Gro. Machine Screws 1 1/8 x 14 x 20	" .35	.35
1	" " " 1 x 14 x 20	" .32	.32
1	" " " 3/4 x 12 x 24	" .25	.25
375	Yds. 5/8" Stay Binding	" .01	3.75
5	" Butcher's Linen	" .20	1.00
1	Lb. #26 D. C. C. Wire	"	.36
12	" German Silver Wire	" .47	5.64
20	" Bronze Wire	" .46	9.20
27	W.P. Shaft Nuts	" .75	20.25
1	3/4 Lbs. D. 62 Mica Segments	" 4.50	7.88
1	G.E. Vulcabeston Ring	"	.78
346	W.P. Armature Leads	" .03	10.38
1	Lb. Strip Copper 1/8 x 010	"	.25
3	" Solder	" .14	.42
4	1/2 Lbs. Micanite	" 1.44	6.48
2	G. E. Commutators W.E.	" 17.80	35.60
1	" " Part Assembled	" 15.00	15.00
7	Lbs. Cardboard	" .05	.35
1	Edison Commutator	"	150.00
2	1/4 Lbs. W.P. Mica Segments	" 1.25	2.81
1/2	" 5 x 10 Mica	" 2.55	1.28
8	1/4 " 1 3/8 x 0005 Strip Copper	" .30	2.48
5	3/4 " Sheet Copper	" .25	1.44
2	" Sheet Tin	" .06	.12
1	Yd. Painted Canvas	"	.20
2	Gro. Yds. 5/8 Linen Tape	" .60 Gro.	1.20
15	Ft. Clark Wire 75 x 26	" .05	.75
2	1/2 Gro. Yds. 1" Cotton Tape	" 1.00 Gro.	2.50
8	Balls Twine	" .15	1.20
1	1/4 Box Tissue Paper	" .85	1.06
12	Lbs. Manila Paper	" .08	.96
7	W.P. Steel Rings	" .11	.77
11	W.P. Steel Sleeves	" .60	6.60
308	Westinghouse Arm Coils	" .36 1/2	112.42
120	G. E. Arm. Coils	" .24 1/2	29.40
95	Walker Arm. Coils	" .23 1/2	22.32
2	3/4 Yds. Irish Linen	" .20	.55
20	Yds. Cotton Cloth	" .05 1/2	1.10
7	" Canvas	" .12	.84
7	Pinions	" 1.70	11.90
2	Gals. Shellac	" 2.50	5.00
5	Gro. Yds. 1/2" Cotton Tape	" .60 Gro.	3.00
1	Qt. Le Page Glue	"	.50
27	1/2 Lbs. Split Mica	" .97	26.67
3	G.E. Shaft Nuts	" .85	2.55
1	G.E. Thrust Ring	"	1.30
3	G.E. Pinion Nuts	" .60	1.80
3	W.P. Brass Com. Caps	" 2.25	6.75
2	" " " Nuts	" .75	1.50
1	" " " Shell	"	4.75
1	Westinghouse Fibre Disc	"	.50
50	Com. Set Screws	" .02	1.00
3	Westinghouse Pinion Keys	" .25	.75
14	W.P. Slot Insulations	" .04 1/2	.63
55	W.P. Copper Clips	" .50 Pr.C.	.28
36	" " Channels	" .01	.36

Carried Forward

666.11


Brought Forward			666.11
6 G.E. L Shaped Mica Rings	@	.60	3.60
5 Westinghouse Flat Mica Rings	"	.28	1.40
2 G.E. Mica Bands	"	.48	.96
6 G.E. Mica Cones	"	.40	2.40
1 Westinghouse Mica Cone			.88
30 W.P. Mica Rings	"	.36	10.80
TOTAL SEPT. 1	-----		686.15
MATERIAL RECEIVED & CHARGED DURING SEPT.	-----		3184.79
			3870.94
MATERIAL USED DURING SEPT.	-----		3192.46
TOTAL ARMATURE ROOM SEPT. 30, 1897	-----		678.48

--:-- LINE STOCK DIVISION #1 --:--

84 Track Connections #1	@	.11	9.24
23 " " #2	"	.11	2.53
62 4/0 Track Bonds 42"	"	.50	31.00
23 4/0 " " 12"	"	.34	7.82
75 2/0 " " 36"	"	.55	41.25
132 Bond Sleeves	"	.03	3.96
6 1/2 Bu. Charcoal	"	.10	.65
20 #6 Copper Fined Wire	"	.14 1/4	2.85
150 Lbs. 300,000 C.M. Wire (Second Hand)	"	.08	12.00
80 " White Lead	"	.05	4.00
5 Gals. Insulating Paint	"	1.05	5.25
7 Bbls. Portland Cement	"	2.10	14.70
432 Lbs. Green Paint	"	.05	21.60
17 2/0 Track Bonds 42"	"	.60	10.20
TOTAL SEPT. 1	-----		167.05
MATERIAL RECEIVED & CHARGED DURING SEPT.	-----		171.14
			338.19
MATERIAL USED DURING SEPT.	-----		193.03
TOTAL SEPT. 30, 1897	-----		145.16

--:-- LINE STOCK DIVISION #2 --:--

18 Lbs. Seizing Wire	@	.14 1/4	2.57
488 " 500,000 C. M. Wire S.H.	"	.14 1/4	69.54
628 " 500,000 C. M. Bars	"	.14 1/4	89.49
455 Trolley Wire - Scrap	"	8.00	36.40
101 Lbs. 4/0 Feed Wire Solid S.H.	"	8.00	8.08
250 #1 Connections	"	11.00	27.50
50 #2 " "	"	11.00	5.50
25 4/0 Flex. Bonds	"	.30	7.50
75 4/0 Solid " "	"	.50	37.50
23 Lbs. Solder	"	.10	2.30
2 #1 Iron Poles	"	21.50	43.00
1 #3 Hood & Plug	"	.83	.83
3 Gals. Muriatic Acid	"	.50	1.50
22 " Special Green Paint	"	1.00	22.00
50 Lbs. White Lead	"	.05	2.50
7 Bbls. Portland Cement	"	2.10	14.70
5 Gals. Asphaltum	"	.30	1.50
TOTAL SEPT. 1	-----		372.41
MATERIAL RECEIVED & CHARGED DURING SEPT. 1	-----		380.61
			753.02
MATERIAL USED DURING SEPT.	-----		440.35
TOTAL SEPT. 30, 1897	-----		312.67



--:-- LINE STOCK DIVISION #3 --:--

468 #1 Track Connections	@	.11	51.48
236 #2 " "	"	.11	25.96
134 Double Headed Connections 36"	"	.12	16.08
56 " " " 4' 6"	"	.14	7.84
12 Bu. Charcoal	"	.10	1.20
55 Track Bonds 36"	"	.55	30.25
367 " " 42"	"	.60	184.20
271 " Sleeves	"	.03	8.13
95 Lbs. Solder	"	.10	9.50
1 3/4 Gals. Acid	"	.50	.88
6 Lbs. Scrap Trolley Wire	"	.08	.48
1134 " 4/0 Wire S.H.	"	.08	90.72
9 1/2 Lbs. Seizing Wire	"	.14 1/4	1.35
TOTAL SEPT. 1 -----			428.07
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			446.38
MATERIAL USED DURING SEPT. -----			874.45
TOTAL SEPT. 30, 1897 -----			152.28
			<u>722.17</u>

--:-- LINE STOCK DIVISION #4 --:--

9 Diagonals 7"	@	1.30	11.70
10 Guard Wire Hangers	"	.20	2.00
12 Clevis Iron Hangers	"	.28	3.36
1 Lb. Staples			.13
18 Pieces Trolley Tubing	"	.15 1/4	2.75
2 Brooklyn Mains & Side Feed Ins.	"	2.95	5.90
2 " " Special	"	2.00	4.00
10 " " "	"	.92	9.20
1 Bridge Contact			8.00
1 " " Pin Side			2.50
2 " " Pans	"	4.45	8.90
1 " Truss			11.67
1 " Ear			2.75
1 Brass Casting G. 169			2.75
173 B.B. Trolley Wire	"	.12 1/2	21.62
207 S.D. " "	"	.12	24.84
81 Ft. Cable Wire	"	.08 3/4	7.09
18 Bond Sleeves	"	.03	.54
283 Iron Wire #11 Three Ply	"	.03 1/2	9.91
186' " " #9 " "	"	.03 1/2	6.51
50 Track Connections #1 & 2	"	.11	5.50
6 Link Clamps	"	.46	2.76
3 Anchor Ears	"	.42	1.26
5 Under Runs	"	5.60	28.00
17 " " Wood Centers	"	.50	8.50
12 Right Hand Frogs	"	1.20	14.40
9 Left Hand " "	"	1.20	10.80
1 Standard " "			1.20
18 St. Line Hangers	"	.88	15.84
12 Double Pull Offs	"	1.05	12.60
12 Single " "	"	.97	11.64
9 Splicing Ears	"	.60	5.40
10 " " Special	"	.90	9.00
24 Eureka " "	"	.20	4.80
30 W.F. " "	"	.23	6.90
6 Small Iron Pins	"	.20	1.20
13 Globe Insulators	"	.48	6.24
4 Frog Pull Offs	"	.48	1.92
6 Porcelains	"	.03	.18
6 Pull Offs	"	.50	3.00
6 Lbs. #6 Copper Wire	"	.14 1/2	.87
133 Cable Wire S.H.	"	.08	10.64
299 500,000 C.M. S.H.	"	.08	23.92
50 Ft. Guard Wood	"	.02	1.00
6 Frog Pull Offs	"	.50	3.00
Carried Forward			<u>336.69</u>

1870

1871

1872

1873

1874

1875

Brought Forward		336.69
4 Side Feed Bushings	@ .40	1.60
1 Hood & Plug		.61
TOTAL LINE STOCK DIVISION #4 - SEPT. 30, 1897 -----		338.90

--:- LINE STOCK DIVISION # 7 --:-

29 Gals. Green Paint	@ 1.00	29.00
2 " Insulating Paint	" .95	1.90
35 Lbs. White Lead	" .05	1.75
4 Gals. Raw Linseed Oil	" .31	1.24
3 " Turpentine	" .28	.84
150 2/0 Bonds 42"	" .60	90.00
45 2/0 " 36"	" .55	24.75
182 4/0 " 42"	" .50	91.00
89 4/0 " 12"	" .30	26.70
39 #1 connections	" .11	4.29
125 #2 "	" .11	13.75
50 #2 " Double Riveted	" .12	6.00
17 Lbs. Wire #6 Copper	" .14 1/4	2.42
657 " " 4/0 S.H.	" .08	52.56
681 " " Scrap	" .08	54.48
190 2/0 sleeves	" .03	5.70
25 Lbs. Staples	" .03 1/2	.87
30 " Solder	" .10	3.00
3 Bu. Charcoal	" .10	.30
1 1/2 Gal. Muriatic Acid	" .50	.75
4 Gals Machine Oil	" .22	.88
1 Quire Sand Paper		.09
7 Bbls. Hoffman Cement	" 1.09	7.63
13 " Portland Cement	" 2.20	28.60
6 #1 Hoods & Plugs	" .52	3.12
33 #2 " "	" .61	20.13
6 #3 " "	" .80	4.80
5 #4 " "	" 1.12	5.60
4 #2 Poles	" 21.50	86.00
TOTAL SEPT. 1 -----		568.15
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		34.53
		602.68
MATERIAL USED DURING SEPT. -----		215.60
TOTAL SEPT. 30, 1897 -----		387.08

--:- LINE STOCK DIVISION #9 --:-

6 Bbls. Portland Cement	@ 2.10	12.60
1 #3 Iron pole		29.50
1 #4 " "		39.50
3 #2 " "	" 21.50	64.50
1 Gal. Acid	" .50	.50
TOTAL SEPT. 1 -----		146.60
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		17.55
		164.15
MATERIAL USED DURING SEPT. -----		18.05
TOTAL SEPT. 30, 1897 -----		146.10

--:-- LINE STOCK BOSTON SECTION --:--

151	Lace Bonds	42"	@	.60		90.60
34	"	"	"	.55		18.70
152	"	"	"	.50		76.00
132	"	"	"	.30		39.60
144	Connections	#1	"	.11		15.84
37	"	#2	"	.11		4.07
35	Lbs. Solder		"	.10		3.50
76	Sleeves		"	.03		2.28
56	Bonds	4/0 35"	"	.40		22.40
61	"	4/0 39"	"	.45		27.45
400	Ft. 4/0 Wire	300 Lbs.	"	.08	Lb.	24.00
200	"	500,000 Wire 350 "	"	.14	1/4 Lb.	49.88
2	Gals. Acid		"	.50		1.00
5	32 T.H. Lamps		"	.28		1.40
55	16 T.H. Lamps		"	.17	1/2	9.63
2	Lbs. 2" Staples		"	.03	1/2	.07
TOTAL SEPT. 1 -----						386.42
MATERIAL RECEIVED & CHARGED DURING SEPT. -----						700.38
						1086.80
MATERIAL USED DURING SEPT. -----						311.05
TOTAL SEPT. 30, 1897 -----						775.75

--:-- STOCK --:--
--;- EMERGENCY CREW DISTRICT #1 --:--

4	Arms.	#2	4 Pin	@	1.90	7.60
1	"	#3	4 Pin. Special	"		3.76
2	"	#3	4 Pin.	"	2.10	4.20
2	"	#1	4 Pin.	"	1.75	3.50
1	Qt. Acid			"	.50	Pr. Gal. .13
13	Brackets Pole			"	.02	1/2 .32
44	Bodies Single			"	.97	42.68
38	"	Double		"	1.05	39.90
34	"	Guard Double		"	.20	6.80
45	"	"	Single	"	.20	9.00
18	Brass Bushings			"	.40	7.20
9	Crossings R. A.			"	1.00	9.00
11	"	Rigid		"	.85	9.35
46	Centers Wood			"	.50	23.00
14	Clamps Pole	#1		"	.46	6.44
37	"	"	#2	"	.46	17.02
29	"	"	#3	"	.46	13.34
21	"	"	#4	"	.46	9.66
18	Car House Castings			"	.05	.90
40	Diagonals			"	1.30	52.00
112	Ears W.E.			"	.23	25.76
72	"	B. & M.		"	.23	16.56
55	"	#126		"	.23	12.65
20	"	Deep Groove W.E.		"	.25	5.00
18	"	"	B. & M.	"	.25	4.50
16	"	"	126	"	.25	4.00
4	"	Anchor W.E.		"	.42	1.68
30	"	Left Hand Thread		"	.26	7.80
7	"	B. & M. Anchor		"	.42	2.94
16	"	126 Anchor		"	.42	6.72
12	"	W.E. Splicing		"	.60	7.20
5	"	B. & M. Splicing		"	.60	3.00
12	"	126 Splicing		"	.60	7.20
19	"	Eureka		"	.20	3.80
5	"	Special Splicing		"	.90	4.50
29	Frogs	Left Hand		"	1.30	37.70
16	"	Right Hand		"	1.30	20.80
1	"	Three Way		"		2.50
8	"	Standard		"	1.30	10.40
54	Hangers W.E.			"	.90	48.60
215	"	Guard		"	.20	43.00
20	"	Bell		"	1.10	22.00
Carried Forward						564.11

Brought Forward			564.11
8	Hangers Bridge	@ .90	7.20
5	Hoods #1 & Plug	" .53	2.65
2	" #2 "	" .61	1.22
2	" #3 "	" .80	1.60
1	" #4 "		1.12
24	Insulations W.E. Body	" .50	12.00
24	" B.M.	" .50	12.00
49	" #74	" .50	24.50
56	" 126	" .50	28.00
40	" Aetna Pin	" .42	16.80
5	" Jumbo	" .22	1.10
10	" Small Glass	" .03	.30
34	" Single Clevis	" .24	8.16
14	" Double Clevis	" .24	3.36
82	" Car House	" .50	41.00
9	" Side Feed	" .75	6.75
21	" Globe	" .48	10.08
14	" Special Globe	" .95	13.30
10	Insulating Joints	" 5.60	56.00
20	Pull Offs W.J.	" .48	9.60
46	" " Frog	" .48	22.08
50	Porcelains #F	" .03	1.50
20	" #Z	" .03	.60
4	Pins Small Iron	" .20	.80
6	" Ext. Bottom	" .23	1.38
13	" Large Wood	" .06	.78
108	Brooklyn Strains	" .92	99.36
16	Sp. Brook. Strains	" 2.10	33.60
62	Track Sleeves 2/0	" .03	1.86
33	" " 4/0	" .07	2.31
122	Lbs. Solder	" .10	12.20
36	Brass Tubing	" .12	4.32
3	Lbs. Tape	" .38	1.14
10	Eye Lags 9 x 5/8	" .15	1.50
6	" " with Br. Attached	" 1.07	6.42
1370	Lbs. Wire B.B. Trolley	" .13 1/2	184.95
150	" " 1/0 Soft Drawn	" .13 1/2	20.25
370	" " 4/0 Copper	" .13 1/2	49.95
705	" " #4 Iron	" .03	21.15
300	" " #8 Iron	" .03	9.00
750	" " #9 Three Ply	" .03	22.50
600	" " #11 "	" .03	18.00
850	" " #6 Iron	" .03	25.50
10	" Cotton Waste	" .06	.60
21	Body Caps	" .10	2.10
8	Special Brook. with Globe Attached	" 2.95	23.60
11	Bridge Bars 1/2 Splicing	" 1.00	11.00
1	Qr. Sand Paper		.10
9	500,000 C.M. Ears	" .50	4.50
10	500,000 Sleeves	" .24	2.40
TOTAL SEPT. 1 -----			1406.30
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			41.70
			1448.00
MATERIAL USED DURING SEPT. -----			300.00
TOTAL EMERGENCY STATION #1 SEPT. 30, 1897 -----			1148.00

--:-- STOCK --:--
--:-- EMERGENCY CREW DISTRICT #2 --:--

6	Insulating Joints O.S.	@ 5.75	34.50
7	" " N.S.	" 5.60	39.20
25	West End Straight Line Hangers	" .88	22.00
30	" " Double Bodies	" 1.05	31.50
37	" " Single Bodies	" .97	35.89
25	" " Insulations	" .50	12.50
84	" " #45 Ears	" .23	19.32
16	" " Anchor Ears	" .42	6.72
17	" " Splice Ears	" .60	10.20
Carried Forward			211.83

Brought Forward			211.83
7	West End Special Splice Ears	@	.90
21	" " Deep Groove Ears	"	.25
19	" " Caps	"	.10
32	B. & M. Insulations	"	.50
34	" " #45 Ears	"	.23
7	" " Anchor Ears	"	.42
30	" " Splice Ears	"	.60
18	#74 Insulations	"	.50
19	#126 "	"	.50
5	#126 Anchor Ears	"	.42
14	#126 #45 Ears	"	.23
14	Frog Insulations	"	.48
15	Side Feed Insulations	"	.75
27	Aetna Feed Wire	"	.42
42	Globe Insulations	"	.48
24	W.J. "	"	.48
3	Large Glass Insulations	"	.22
14	Small " "	"	.03
66	#F Porcelains	"	.03
33	Tree Clevises	"	.24
25	" Bridles	"	.24
9	Wooden Pin Brackets	"	.02 1/2
9	" Arm Pins - Small	"	.01
15	" " " - Large	"	.08 1/2
1	Iron " " - Small	"	.20
6	" " " - Large	"	.23
6	Arm Straps	"	.12
42	Car House Insulations	"	.50
5	Three Way Frogs	"	2.50
19	L.H. Frogs O.L.	"	1.20
20	R.H. " O.L.	"	1.20
6	R.H. " N.S.	"	1.60
7	Diagonals O.S.	"	1.30
15	" N.S.	"	2.75
4	" 9 S.	"	2.45
13	R.A. Crossings O.S.	"	1.00
4	" " N.S.	"	2.50
10	Standard Frogs	"	1.20
9	Bridge Half Ears	"	1.00
10	" Splicing Ears	"	1.00
1/2	" Contact	"	8.00
5	" Frogs	"	2.95
11	" Bells	"	.90
35	Straight Line Guard Hangers	"	.20
20	Double Body Guard Hangers	"	.20
17	Single " " "	"	.20
31	Bell Hanger Skirts	"	.25
21	Brooklyn Strains	"	.92
9	" " Special	"	2.10
11	" " with 10" Lags	"	1.25
3	" " with 6" "	"	1.25
2	" " with 3" Bolts	"	1.13
4	" " with 18" "	"	1.31
31	Brass Bushings	"	.40
38	Car House Castings	"	.05
9	Lag screws 10"	"	.04
2	" " 6"	"	.02
50	" " 2 1/2"	"	.01
20	Tubing	"	.13
42	Lbs. Solder	"	.10 1/2
1	Quire Sand Paper	"	
6	Hood Bolts	"	.04
9	Feed "	"	.03
23	Butt " 1 1/2 x 5/8	"	.01 1/2
12	" " 1 3/4 x 3/4	"	.02 1/8
23	Wood Centers O.S.	"	.50
26	" " N.S.	"	.50
3	Car House T. Irons	"	1.00
8	2 O. Sleeves	"	.03
12	4 O. "	"	.07
12	Lbs. Tape	"	.38
4	Mich. Clip Ears	"	.25
3	5/8 Turn Buckles	"	.45
23	Cross Arm Bolts	"	.03
26	Eureka Ears	"	.20
Carried Forward			758.59

Brought Forward

758.59

25	Frog Pull Off Bolts	@	.00	3/4	.19
28	W. J. " " "	"	.00	3/4	.21
5	Pole Clamps #1 Plain	"	.10		.50
3	" " #2 "	"	.10		.30
4	" " #3 "	"	.16		.64
2	" " #4 "	"	.23		.46
9	" " #1 Linked	"	.46		4.14
28	" " #2 "	"	.46		12.88
3	" " #3 "	"	.46		1.38
8	" " #4 "	"	.46		3.68
2	Cross Arms #1 (2 pind.)	"	1.94		3.88
5 1/2	" " #2 "	"	1.09		6.00
2	" " #3 "	"	2.62		5.24
5	" " #4 "	"	2.28		11.40
4	Pole Hoods #1 "	"	.53		2.12
13	" " #2 "	"	.61		7.93
12	" " #3 "	"	.80		9.60
8	" " #4 "	"	1.12		8.96
3	6 Ft. Wooden Cross Arms	"	.75		2.25
1128	Lbs. B.B. Trolley Wire	"	.12	1/2	141.00
150	" 2 0. Side Feed Wire	"	.12		18.00
91	" 4 0. " " "	"	.12		10.92
115	Soft Drawn Wire	"	.12	1/2	14.38
23	Lbs. #11 Three Ply Wire	"	.03	1/2	.81
33	" # 9 " " "	"	.03	1/2	1.15
132	" # 8 Iron Wire	"	.03	1/2	4.62
644	" # 5 " " "	"	.03	1/2	22.54
594	" # 4 " " "	"	.03	1/2	20.79
25	" #10 " " "	"	.04		1.00
54	" #300,000 Feed Wire	"	.11	1/2	6.21
100	" #500,000 " " "	"	.08	2/3	8.67
30	Ft. Okinite Wire	"	.24		7.20
1	Reel #139				10.00

TOTAL SEPT. 1 -----	1107.64
MATERIAL RECEIVED & CHARGED DURING SEPT. -----	56.04
	1163.68
MATERIAL USED DURING SEPT. -----	78.60
TOTAL EMERGENCY CREW DIST. #2 SEPT. 30, 1897 -----	1085.08

--:-- STOCK --:--
 --:-- EMERGENCY CREW DISTRICT #3 --:--

1	Iron Arm #1			1.65
1	" " #2			1.09
1	" " #3			2.13
1	" " #4			2.28
1	Gal. Acid			.50
23	Bodies W.E. Double	@	1.05	24.15
29	" " Single	"	.97	28.13
9	Brass Bushings	"	.40	3.60
8	Bodies B. & M. Double	"	.50	4.00
8	" " Single	"	.50	4.00
19	Body Guards - Single	"	.20	3.80
16	" " - Double	"	.20	3.20
1	Bridge Ear G. #14			2.45
2	" Pans O.S.	"	2.95	5.90
2	" Guards #55	"	4.45	8.90
23	Body Caps W.E.	"	.08	1.84
1	Bridge Ear G. #18			2.75
26	Link Clamps #1	"	.46	11.96
20	" " #2	"	.46	9.20
17	" " #3	"	.46	7.82
14	" " #4	"	.46	6.44
6	Clevises for Trees	"	.28	1.68
10	Bu. Charcoal	"	.10	1.00
18	Diagonals	"	1.30	23.40
2	" special	"	2.45	4.90
17	Ears W.E. Splice	"	.60	10.20

Carried Forward

176.97

Brought Forward			176.97
13	Ears W.E. Special	@ .90	11.70
37	" " D. Groove	" .25	9.25
57	" #45	" .23	13.11
24	" W.E. Anchor	" .42	10.08
6	" Feed W.E.	" .25	1.50
8	" W.E. Bridge	" 1.00	8.00
39	" Eureka	" .20	7.80
9	" #126 Splicing	" .60	5.40
39	" #126	" .23	8.97
6	" B. & M. Splicing	" .60	3.60
13	" B. & M. Anchor	" .42	5.46
75	" B. & M.	" .23	17.25
35	" B. & M. D. Groove	" .25	8.75
21	Frogs Standard	" 1.20	25.20
5	" Three Ways	" 2.50	12.50
33	" L.H.	" 1.20	39.60
31	" R.H.	" 1.20	37.20
36	" Pull Offs	" .48	17.28
50	" " " Bolts	" .00 1/5	.10
2	Hoods for Poles #1	" .52	1.04
2	" " " #2	" .61	1.22
2	" " " #3	" .80	1.60
2	" " " #4	" 1.12	2.24
27	Hangers W.E. Str. Line	" .90	24.30
18	" Bell	" 1.10	19.80
6	" Bridge	" .95	5.70
10	" B. & M. Str. Line	" .35	3.50
19	" Guard Str. Line	" .20	3.80
15	Insulators Glass	" .03	.45
41	" Brooklyn Strains	" .92	37.72
10	" " " Special	" 2.10	21.00
12	" Aetna for Pins	" .42	5.04
43	" B. & M.	" .50	21.50
30	" Wide Jaw	" .48	14.40
27	" #126	" .50	13.50
30	" Ball	" .48	14.40
10	" Side Feed	" .75	7.50
4	" Ball Special	" .97	3.88
50	" W.E. Body	" .50	25.00
20	" #74	" .50	10.00
10	Incandescent Lamps	" .18	1.80
7	Insulator Joints W.R.	" 5.60	39.20
7	" " O.S.	" 5.75	40.25
28	Porcelain Insulators	" .03	.84
10	Iron Pins	" .20	2.00
20	R. A. Crossings	" 1.00	20.00
53	Sleeves #2/0	" .03	1.59
24	" #4/0	" .07	1.68
60	Lbs. Solder	" .10	6.00
1	Quire Sand Paper		.10
10	Straps for Wood Arms	" .12	1.20
54	Tubings	" .15 1/4	8.23
6	Track Connections #1	" .11	.66
6	" " #2	" .11	.66
2	Lbs. Black Tape	" .38	.76
119	Wood Centers W.R.	" .50	59.50
65	" " O.S.	" .50	32.50
1	" " Winsor Wide		.45
7	" " "	" .45	3.15
960	Lbs. #11 Three Ply Iron Wire	" .03 1/2	33.60
89	" #9 " " " "	" .03 1/2	3.12
23	" #5 Iron Wire	" .03 1/2	.81
25	" #8 " "	" .03 1/2	.87
25	" #4/0 Solid Copper	" .12	3.00
150	" #500,000 Copper	" .14 1/4	21.38
25	" #300,000 "	" .11 1/2	2.87
40	" #2/0 Solid Copper	" .12 1/2	5.00
19	" #1/0 " "	" .12	2.28
343	" #1/0 Soft "	" .13 1/2	46.31
20	" #6 " "	" .14 1/4	2.85
1	Gross Wood Cutters Screws		.70
TOTAL SEPT. 1 -----			1000.67
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			82.02
			1082.69
MATERIAL USED DURING SEPT. -----			32.56
TOTAL EMERGENCY STATION DIST. #3 SEPT. 30, 1897 -----			1050.13

--:-- STOCK --:--
 --:-- EMERGENCY CREW DISTRICT #4 --:--

90	Lbs. 4/0 Solid Feed Wire		@	.12	1/2	11.25
67	" 1/0 " Insulated Feed Wire		"	.12	1/2	8.37
330	" #9 Three Ply Iron Wire		"	.03	1/4	10.73
691	" #11 " " " "		"	.03	1/4	22.45
899	" #5 Iron Wire		"	.03		26.97
1	#1 Iron Arm. 1 pin					1.94
2	#2 " " 2 "		"	1.09		2.18
2	#3 " " 2 "		"	2.13		4.26
2	#4 " " 2 "		"	2.28		4.56
4	Wooden Arms 6 Ft.		"	.75		3.00
2	" " 4 "		"	.50		1.00
11	Iron Pins		"	.22		2.42
14	Lbs. Black Tape		"	.35		4.90
2	#1 Hoods		"	.52		1.04
6	#2 "		"	.61		3.66
5	#3 "		"	.80		4.00
1	#4 "					1.12
21	Eye Bolts with S. Hooks	12"	"	.23		4.83
3	" " " "	14"	"	.23		.69
26	" " " "	18"	"	.23		5.98
24	Bolts 4 x 1/2		"	1.24	Pr.C.	.30
7	" 6 x 5/8		"	2.50	"	.17
22	Lag Bolts 9 x 1/2		"	1.25	"	.28
30	Bolts 3 1/2 x 1/2		"	1.26	"	.38
25	Lag Screws 2 x 1/2		"	.87	"	.22
2	Turn Buckles 3 1/4		"	.45		.90
1	" " Small					.20
10	#1 Link Pole Clamps		"	.46		4.60
43	#2 " " "		"	.46		19.78
35	#3 " " "		"	.46		16.10
40	#4 " " "		"	.46		18.40
1	#2 Pole 8 Ft. Bracket Arm Complete					5.50
1	#3 " " " " "					6.00
1	Reel #168					10.00
1	Reel					10.00
21	Bricks		"	11.00	Pr.M.	.23
9	Lbs. Cement		"	2.10		18.90
34	Wide Jaw Frog Pull Offs		"	.50		17.00
41	Porcelains		"	.03		1.23
2	Side Feed Strain Insulators		"	.70		1.40
3	" " " " Special		"	1.25		3.75
8	Insulation Joints W.E.		"	5.60		44.80
3	" " Second Hand		"	5.75		17.25
16	Aetna Pin Insulators		"	.40		6.40
4	Glass pin Ins. Jumbo		"	.22		.88
13	" " Small		"	.03		.39
48	Clevis Irons		"	.24		11.52
14	Tree Insulations		"	.24		3.36
10	Gals. Kerosene Oil		"	.10		1.00
17	16 C.P. Lamps		"	.16	1/4	2.76
16	32 C.P. Lamps		"	.28		4.48
12	16 C.P. Lamps T.H.		"	.17	1/2	2.10
294	Lbs. Green Paint		"	.05		14.70
2	Gals. Linseed Oil		"	.31		.62
50	Lbs. White Lead		"	.05		2.50
10	Gals. Bridge Paint		"	.90		9.00
4	" P.B. Paint		"	1.05		4.20
2	Quires Sand Paper		"	.09		.18
48	S. Hooks		"	.10		4.80
69	Pieces Trolley Tubing		"	.12		8.28
304	#1 Track Connections		"	.11		33.44
50	#2 " "		"	.11		5.50
33	Lace Bonds 42"		"	.60		19.80
25	" " 36"		"	.55		13.75
100	Flexible Plug Bonds 12"		"	.30		30.00
100	4/0 " " 42"		"	.50		50.00
246	Bond Sleeves		"	.03		7.38
6	4/0 Bond sleeves		"	.07		.42
25	Wood Centers W.R.		"	.25		6.25
26	" " W.R.		"	.25		6.50
14	" "		"	.50		7.00
6	Wooden pins - Small		"	.01		.06
3	" " - Large		"	.08	1/2	.25


Carried Forward

580.26

Brought Forward			580.26
55 Ft. 500,000 Grooved Wood	@	.02 2/5	1.32
8 Side Brackets	"	.02 1/2	.20
252 Lbs. 500,000 Feed Wire	"	.14 1/4	35.91
113 " 4/0 Cable Feed Wire S.H.	"	.08	9.04
93 " Solder	"	.10	9.30
51 " Trolley Wire	"	.13	6.63
4 Gals. Muriatic Acid	"	.50	2.00
5 Receiving Pans	"	2.95	14.75
9 Beam Plates	"	.43	3.87
23 Brass Bushings	"	.40	9.20
5 Brass Centers for Ins. Joints	"	1.75	8.75
12 Bu. Charcoal	"	.10	1.20
14 R. A. Crossings	"	1.00	14.00
14 Standard Crossings	"	.85	11.90
12 Diagonals	"	1.30	15.60
131 W.E. 45 Ears	"	.23	30.13
43 Eureka Ears	"	.20	8.60
18 Splicing Ears	"	.60	10.80
8 Special Splicing Ears	"	.90	7.20
10 Anchor Ears	"	.42	4.20
7 Bridge Ears	"	1.00	7.00
2 Bridge Splicing Ears	"	1.00	2.00
15 Mechanical Clip Ears	"	.25	3.75
20 R.H. Frogs	"	1.20	24.00
15 L.H. Frogs	"	1.20	18.00
16 Standard Frogs	"	1.20	19.20
1 L.H. Frog W.R.	"		1.60
14 Guard Dogs	"	.24	3.36
20 Straight Line Hangers	"	.90	18.00
3 Bell Hangers	"	1.10	3.30
48 Bell Taps	"	.25	12.00
22 Bridge Hangers	"	.85	18.70
12 Car House Hangers	"	.05	.60
65 Trolley pull Offs - Double	"	1.05	68.25
39 " " " - Single	"	.97	37.83
17 Bell Skirts	"	.25	4.25
36 Straight Line Guard Hangers	"	.20	7.20
36 Guard Pull offs - Double	"	.20	7.20
30 " " " - Single	"	.20	6.00
13 Block Straight Line Guard Hangers	"	.08 1/2	1.11
41 W.E. Insulations Steel Bushings	"	.30	12.30
21 " " Brass "	"	.50	10.50
45 Car House Insulations	"	.30	13.50
86 Brooklyn Str. Insulations	"	.92	79.12
6 Special Brooklyn Str. Ins.	"	2.10	12.60
3 Brooklyn Str. Ins. with 9" Lags	"	1.00	3.00
14 Globe Strain Insulations	"	.48	6.72
16 Special Globe Str. Insulations	"	.95	15.20
55 Frog Pull Offs	"	.50	27.50
TOTAL SEPT. 1-----			1228.65
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			240.47
			1469.12
MATERIAL USED DURING SEPT. -----			832.47
TOTAL EMERGENCY CREW DIST. #4 SEPT. 30, 1897 -----			636.65

--:-- STOCK --:--
--:-- EMERGENCY CREW DISTRICT #5 --:--

5 Ins. Joints N.S.	@	5.60	28.00
3 " " O.S.	"	5.75	17.25
34 Ft. Tubing	"	.15 1/4	5.19
37 Wood Brackets	"	.02 1/2	.93
17 Wood Pins	"	.02 1/2	.43
2 Jumbo Ins. (Glass)	"	.22	.44
14 Small Ins. "	"	.03	.42
14 Mica Ins.	"	.42	5.88
7 R. H. Frogs	"	1.20	8.40
Carried Forward			66.94



Brought Forward			66.94
8 L.H.Frogs	@ 1.20		9.60
1 Standard Frogs			1.20
2 Diagonals 9"	" 2.45		4.90
7 " 7"	" 1.30		9.10
8 R.H. Crossings	" 1.00		8.00
16 #126 Splice Ears	" .60		9.60
11 #126 Anchor "	" .42		4.62
16 #126 S.L. "	" .23		3.68
31 Eureka Ears	" .20		6.20
4 W.E. Splice Ears (Special)	" .90		3.60
6 " " "	" .60		3.60
18 Deep Groove "	" .30		5.40
19 W.E. #45 "	" .23		4.37
20 B. & M. "	" .23		4.60
5 B.& M.Anchor"	" .42		2.10
12 B.& M.Deep Groove Ears	" .30		3.60
11 B.& M.Splice Ears	" .60		6.60
70 W.E. S.L. Hangers	" .88		61.60
21 W.E. Double Bodies	" 1.05		22.05
12 " Single "	" .97		11.64
12 Bell Hangers	" 1.10		13.20
30 Lbs. Solder	" .10		3.00
8 Brooklyn Sta. Ins.	" .92		7.36
2 " " " (Special)	" 2.10		4.20
9 S.L. Guard Hangers	" .20		1.80
27 Double Body Guard Hangers	" .20		5.40
55 Single " " "	" .20		11.00
20 Guard Clevises & Ins.	" .28		5.60
24 Ceiling Hanger Castings	" .05		1.20
19 W.E. Ins.	" .50		9.50
14 Side Feed Bushings	" .40		5.60
16 #126 Ins.	" .50		8.00
4 Side Feed Ins.	" .70		2.80
5 " " " (Special)	" 1.25		6.25
6 Globe Ins.	" .48		2.88
8 " " (Special)	" .95		7.60
6 Frog Pull Offs	" .48		2.88
15 Ins. " "	" .48		7.20
46 Wood Centers	" .50		23.00
1 Three Way Frog			2.50
6 Lag Screws 8 x 1/2	" .02		.12
10 " " 6 x 1/2	" .01 1/2		.15
40 " " 3 x 1/2	" .01		.40
115 " " 2 1/2 x 1/2	" .01		1.15
12 #4 Pole Clamps	" .46		5.52
19 #3 " "	" .46		8.74
18 #2 " "	" .46		8.28
13 #1 " "	" .46		5.98
4 8 x 5/8" Lag Screws & Brooklyn Ins.	" 1.25		5.00
21 Single Tree Clevises & Ins.	" .24		5.04
15 Double " " " "	" .24		3.60
1 Truss Pan			4.45
4 Truss Ears	" 2.95		11.80
1 Eye Bolt 16 x 5/8"			.23
5 " " 20 x 5/8"	" .23		1.15
23 Car House Hanger Ins.	" .50		11.50
20 Iron Pins	" .20		4.00
4 #4 Pole Straps (Iron)	" .12		.48
6 #3 " " "	" .12		.72
2 #2 " " "	" .12		.24
1 #4 Hood & Plug			1.12
3 #3 " "	" .90		2.70
2 #2 " "	" .61		1.22
1 #1 " "			.52
2 #2 Iron Arms	" 1.99		3.98
1 #1 " "			1.94
197 Lbs. 4/0 Solid Wire	" .12		23.64
114 " 300,000 Feed Wire	" .14 1/4		16.25
11 B. & M. Ins.	" .50		5.50
490 Lbs. Trolley Wire	" .12 1/2		61.25
25 W.E. Anchor Ears	" .42		10.50
5 Lbs. Tape	" .58		2.90
400 Lbs. #5 Iron Wire	" .03		12.00
100 Ft. Gate Cable	" .01 3/4		1.75
420 Lbs. #8 Iron Wire	" .03		12.60
Carried Forward			620.39

Faint, illegible text, possibly bleed-through from the reverse side of the page. The text is arranged in several columns and appears to be a list or a series of entries, but the characters are too light to be read accurately.

Brought Forward		620.39
724 Lbs. #4 Iron Wire	@ .03	21.72
3 Bu. Charcoal	" .10	.30
2 Gals. Kerosene Oil	" .10	.20
12 Beam Plates	" .43	5.16
9 W.E. Hanger Caps	" .08	.72
TOTAL SEPT. 1 -----		648.49
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		59.71
		708.20
MATERIAL USED DURING SEPT. -----		380.64
TOTAL SEPT. 30, 1897--EMERGENCY CREW DIST.#5 -----		327.56

--:- STOCK --:-
--:- EMERGENCY CREW DISTRICT #6 --:-

5 Insulator Joints N.S.	@ 5.60	28.00
1 " " O.S.		5.75
12 Lbs. Black Tape	" .38	4.56
23 Aetna Pin Ins.	" .42	9.66
17 Small Glass Insulators	" .03	.51
5 Large " "	" .22	1.10
2 Qrs. Sand Paper	" .10	.20
6 Large Wooden Pins	" .08 1/2	.51
12 Small " "	" .01	.12
11 Small Iron "	" .20	2.20
14 Small Side Feed Ins.	" .75	10.50
4 Special Side Feed Ins.	" 1.25	5.00
4 " Globe Ins.	" .95	3.80
11 " Brooklyn Strains	" 2.10	23.10
2 " Splicing Ears	" .90	1.80
19 W.E. Anchor Ears	" .42	7.98
12 " Splicing Ears	" .60	7.20
29 Deep Groove Ears	" .25	7.25
134 W.E. #45 Ears	" .23	30.82
28 Eureka Ears	" .20	5.60
3 Hinge Ears R. St. Bridge	" 2.50	7.50
1 Contact Pan " "		2.95
2 Wooden Blocks " "	" .30	.60
2 Contact Pans (Harvard Bridge)	" 4.45	8.90
90 Lbs. Solder	" .10	9.00
22 Ins. Joints Pull Offs	" .50	11.00
17 Frog pull Offs	" .50	8.50
35 Brooklyn Strains	" .92	32.20
21 Globe Ins. - Small	" .48	10.08
31 Wood Centers	" .50	15.50
13 Brass Bushings	" .40	5.20
22 S. Hooks	" .08	1.76
5 15" Eye Bolts	" .15	.75
14 15" " " & Brooklyn Strain Attached	" 1.15	16.10
13 8" " Lags	" .08	1.04
27 3 1/2 x 5/8 Lags	" .01 1/4	.34
83 Guard Wire Pull Offs	" .20	16.60
28 Cap Screws 1 1/2 x 1/2	" .02 1/4	.63
13 Guard Lag Clevises Comp.	" .28	3.64
52 St. Louis Guard Hangers	" .20	10.40
17 Bracket Line Hangers	" .90	15.30
14 " " " Ins.	" .50	7.00
20 W.E. Ins.	" .30	6.00
13 74 x 75 Ins.	" .50	6.50
29 126 Insulators	" .50	14.50
15 B. & M. Insulators	" .50	7.50
7 Standard Frogs O.S.	" 1.20	8.40
10 Right Hand Frogs O.S.	" 1.20	12.00
3 Left " " O.S.	" 1.20	3.60
4 Frogs W.S.	" 1.60	6.40
6 Diagonals 7" O.S.	" 1.30	7.80
4 " 9" O.S.	" 2.45	9.80
5 " N.S.	" 2.75	13.75
6 Right Angle Crossings O.S.	" 1.00	6.00
Carried Forward		442.90

THE HISTORY OF THE

Faint, illegible text, possibly bleed-through from the reverse side of the page. The text is arranged in several columns and is mostly illegible due to fading and low resolution.

Brought Forward		442.90
1 Right Angle Crossing N.S.		1.75
56 W.E. Double Hangers	@ 1.05	58.80
34 " Single "	" .97	32.98
53 " St.Line "	" .90	47.70
10 12" Beam Plates	" .34	3.40
23 Wooden Pin Brackets	" .02 1/2	.58
40 Trolley Tubings	" .13 1/2	5.40
30 pcs. Iron packing	" .03 1/2	1.05
62 Pole Clamps	" .46	28.52
30 Car House Castings	" .05	1.50
6 " " Insulations	" .50	3.00
1/2 Gal. Muriatic Acid	" .50 Gal.	.25
40 Pull Off Bolts	" .00 3/4	.30
5 Feeder Taps	" .25	1.25
18 W.E. Hanger Caps	" .10	1.80
9 Lbs. Cotton Waste	" .06	.54
10 Gals. Kerosene Oil	" .10	1.00
10 Bu. Charcoal	" .07 1/2	.75
180 Ft. Grooved Wood for 1/0	" .02	3.60
220 " " " " 500,000	" .02 2/5	5.28
2 Trolley Reels	" 10.00	20.00
5 Bolts 8 1/2 x 3/4	" .03 1/2	.17
1 Switch Box Lock		1.25
1 Gross 3/4" Screws 14"		.72
810 Lbs. S.B. Trolley Wire	" .15 3/4	127.58
1300 " B.B. " "	" .13 1/2	175.50
518 " #5 Iron "	" .03	15.54
210 " #9 Three Ply "	" .03 1/2	7.35
379 " #8 Iron "	" .03 1/2	13.26
453 " #11 Three Ply "	" .03 1/4	14.72
17 " 1/0 Cable "	" .12	2.04
540 " 500,000 C.M. "	" .14 1/4	76.95
51 " S.D. "	" .13	6.63
166 " Heavy Guy "	" .03 1/2	5.81
59 " 1/0 Iron "	" .03 1/2	2.06
1 1/4 Gal. P.B. Paint	" 1.05	1.31
8 #1 Hoods & Plugs	" .52	4.16
17 #2 " "	" .61	10.37
6 #3 " "	" .80	4.80
9 #4 " "	" 1.12	10.08
23 Shims for Extensions	" .25	5.75
5 #1 4 Ft. "	" .33 Ft.	6.60
7 #2 4 Ft. "	" .33 "	9.24
6 #3 4 Ft. "	" .53 "	12.72
6 #4 6 Ft. "	" .77 "	27.72
5 Pr. #4 - 4 Pin Iron Arms	" 2.28	11.40
4 " #2 - 2 " " "	" 1.09	4.36
1 " #1 - 2 " " "		1.94
8 " #3 - 2 " " "	" 2.62	20.96
4 " #2 - Special " "	" 4.00	16.00
4 " #3 - " " "	" 3.76	15.04
5 " #4 - " " "	" 4.08	20.40
4 8 Ft. Wooden Arms	" 1.00	4.00
32 Straps or W. Bolts	" .09	2.88
8 30" Iron Braces	" .10	.80
8 20" " "	" .10	.80
10 Lbs. Washers	" .03 1/2	.35
10 Bolts 3 x 5/8	" .02 1/2	.25
75 Lag Screws 3 x 1/2	" .01	.75
20 Bolts 4 x 5/8	" .03	.60
12 " 3 x 1/2	" .01	.12
25 " 3 1/2 x 5/8	" .03	.75
20 " 6 x 5/8	" .02 1/4	.45
TOTAL SEPT. 1 -----		1306.53
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		7.90
		1314.43
MATERIAL USED DURING SEPT. -----		217.77
TOTAL EMERGENCY CREW DIST. #6 SEPT. 30, 1897 -----		1096.66

-:- GROVE HALL CAR HOUSE -:-

2	Lts. Glass	21 x 28	Lettered	@	1.09	2.18
2	"	18 x 29	"	"	.71	1.42
4	"	20 x 29	"	"	.73	2.92
2	"	19 x 28	"	"	.93	1.86
9	"	20 x 30	"	"	.37	3.33
6	"	28 x 28	"	"	.40	2.40
10	"	28 x 32	"	"	.58	5.80
12	"	18 x 36	"	"	.35	4.20
27	Ft. Boards			"	.075	2.03
4	Wood Car Supports			"	.35	1.40
1	Snow Plow Ring					1.00
3	"	"	"	"	.88	2.64
1	"	"	Shear for Wood Plow			2.80
1	"	"	"			2.50
2	"	"	Iron	"	3.20	6.40
1	Wood Brake Beam					.60
2	3" Draw Bar Rests			"	.25	.50
1	4" " " "					.35
4	Wood Cross Bars			"	.20	.80
2	Side " "			"	.30	.60
1	Trolley Plank					.90
1	Life Guard					.25
1	"					.35
2	"			"	.64	1.28
2	Tow Irons			"	.50	1.00
1	Steel Neck Plate					1.25
2	"	"	"	"	1.67 1/2	3.35
2	Jaw Brake Rod Ends			"	.75	1.50
30	Compo Shoes			"	.45	13.50
34	Lappin Shoes			"	1.00	34.00
2	Snow Plow Sprocket Wheels			"	5.00	10.00
2	Rad. Truck Yokes			"	6.50	13.00
1	S.T. 27 Truck Yokes					6.50
1	S.T. 6 O. Truck Yoke					6.41
1	6 A. 3 " "					3.50
1	Centre Journal Box					4.00
1	Top Half Journal Box					1.00
2	H. 15 " "			"	6.00	12.00
2	Wood Dasher Rails			"	.25	.50
2	" " "			"	.20	.40
2	Top Spring Box Castings			"	1.10	2.20
2	Bottom Spring Box Castings			"	.75	1.50
1	1 E.4 Casting					1.50
2	Snow Plow Drums			"	.30	.60
1	H. 327 Casting					.15
2	Corner Castings			"	.60	1.20
6	Brake Handle Set Screws			"	.04	.24
42	Pieces Steel 4 1/2 x 7/8 x 1/2			"	.04	1.68
4	Rubber Buffers			"	.85	3.40
7	Brake Shoe Links			"	.25	1.75
9	1/2 Lbs. Brake Hose			"	.36	3.42
13	Fender Castings			"	.38	4.94
3	Bunter Sill Sockets			"	.16	.48
6	Brake Staff Ratchets			"	.32	1.92
1	" " Dasher Socket					.12
2	Lower " Sockets			"	.03	.06
7	6 A 6 Life Guard Hangers			"	.75	5.25
3	S T 27 Life Guard Hangers			"	.75	2.25
2	St. Louis Life Guard Hangers			"	.75	1.50
2	H. 755 Castings			"	.15	.30
1	1 F 1 " "					.46
4	Asst. 568 Casting			"	3.50	14.00
8	Ratchet Dogs			"	.03	.24
3	Journal Brasses			"	1.10	3.30
1	" " "					1.50
7	H. 133, 137 Wedges			"	.43	3.01
5	H. 18 Wedges			"	.30	1.50
2	H. 21 " "			"	.35	.70
2	Screw Me Up Covers			"	.20	.40
1	Gear Case Cover					.50
2	Journal Keys			"	.65	1.30
2	Composition Thimbles			"	.90	1.80
2	Radial Couplings			"	.90	1.80

Carried Forward

225.39


Brought Forward			225.39
2	Wood Brake Beam Castings	@	.25 .50
5	Top Chafing Irons	"	1.25 6.25
2	Bottom Chafing Irons	"	1.75 3.50
3	Snow Plow Digger Shoes	"	.50 1.50
1	Top Rocker Plate		.55
2	Bar pins	"	.30 .60
2	Springs 7 x 4 x 11/16	"	.75 1.50
2	" 6 x 4 x 13/16	"	.43 .86
2	" 5 1/2 x 4 x 13/16	"	.20 .40
1	" 5 1/2 x 4 1/2 x 1		.35
3	" 5 1/2 x 4 1/2 x 1	"	.32 .96
10	Ratchet Springs	"	.02 .20
2	Crow Foot Zincs	"	.25 .50
2	Truss Pipe Pockets	"	.32 .64
3	Hinge Bolts	"	.07 .21
3	Dog "	"	.04 .12
3	King "	"	.15 .45
1	Stud " 7/8"		.20
1	Cap "		.20
34	Bolts 2 x 1/2 C.	"	1.40 .47
100	" 1 1/2 x 1/4 C.		.43
8	" 2 1/2 x 3/4 M.	"	3.05 .24
7	" 3 x 3/4 M.	"	2.13 .14
13	" 3 1/2 x 3/4 M.	"	3.41 .44
8	" 4 1/2 x 3/4 M.	"	3.94 .32
7	" 4 1/2 x 7/8 M.	"	4.65 .32
2	" 7 x 1 M.	"	.06 .12
22	M. Bolts 2 x 5/8	"	1.50 .33
30	" 2 1/2 x 5/8	"	1.57 .47
23	" 3 x 5/8	"	1.65 .38
14	" 3 1/2 x 5/8	"	1.73 .24
80	" 4 x 5/8	"	1.27 1.01
3	" 4 1/2 x 5/8	"	1.89 .06
7	" 5 1/2 x 5/8	"	2.05 .14
12	" 6 x 5/8	"	2.13 .25
2	" 8 x 5/8	"	2.19 .04
34	" 1 1/2 x 1/2	"	.97 .33
24	" 1 3/4 x 1/2	"	1.00 .24
34	" 2 x 1/2	"	1.04 .35
25	" 2 1/2 x 1/2	"	1.08 .27
46	" 3 x 1/2	"	1.13 .52
23	" 3 1/2 x 1/2	"	1.19 .27
9	" 4 x 1/2	"	1.24 .11
75	" 4 1/2 x 1/2	"	1.30 .98
12	" 5 x 1/2	"	1.35 .16
25	" 5 1/2 x 1/2	"	1.40 .35
15	" 6 x 1/2	"	1.24 .18
4	" 6 1/2 x 1/2	"	1.51 .06
4	" 8 x 1/2	"	1.65 .06
8	" 10 x 1/2	"	1.62 .13
12	" 10 x 5/8	"	2.78 .33
9	Screw Bolts West. Motor	"	.18 1.62
40	M. Bolts 8 1/2 x 1/2	"	1.73 .70
40	" 9 1/2 x 5/8	"	2.70 1.08
144	Ft. Bell Cord	"	.02 1/4 3.24
100	" Rheostat Cable	"	.01 3/4 1.75
3	Push Buttons	"	.12 .36
2	" "	"	.18 .36
1	Pit Fuse Block		.20
6	Rosettes	"	.16 .96
4	T.H.Sockets	"	.15 .60
6	Edison Sockets	"	.12 1/2 .75
3	" " (Wall)	"	.15 .45
1	Waterproof Socket		.18
2	Three Pt. Switches	"	.42 .84
2	Hart Switches	"	.60 1.20
2	Comb. Switches	"	.50 1.00
7	W.P. Com. Brass	"	.70 4.90
1	" " Lines		.11
4	" Gear Brass	"	1.30 5.20
4	" " Lines	"	.15 .60
2	" Axle Brasses	"	3.00 6.00
4	Extension Collars 3 3/4	"	2.15 8.60
15	Thrust Plates	"	.25 3.75
9	Trolley Poles	"	2.40 21.60
Carried Forward			320.67

Brought Forward			320.67
6	Trolley Springs	@ .15	.90
23	" Wheels	" .35	8.05
1176	Ft. Trolley Cord	" .00 6/10	7.05
455	W.C. Carbons	" .01 1/2	6.82
10	G.E. Carbons	" .02	.20
25	Ft. Spool Cable	" .05	1.25
38	" Cable #6	" .03 1/2	1.33
150	" Wire #14	" .01	1.50
10	" W. 2 1/2 Lbs. G.E. 800 Cable	" .02 1/2	.25
1	West. Brush Holder Spring	"	.20
5	W.C. " " "	" .03	.15
11	" " " Blocks	" .10	1.10
2	" " " "	" 2.00	4.00
6	" " " Castings	" .44	2.64
5	" " " Sc. Plugs	" .05	.25
2	Heater Springs	" .05	.10
36	Ft. Tubing 3/8"	" .05	1.80
33	" " 9/16	" .06	1.98
6	Brass Connections	" .05	.30
2	Grease Cups	" .25	.50
3	Double Galv. Pulleys	" .30	.90
12	Ft. Linen Hose	" .03	.36
9	Turn Buckles 3/8"	" .23	2.07
23	Ft. Sprocket Chain #51	" .08	1.84
7	Ground Wire Terminals	" .22	1.54
7	" " " Leads	" .35	2.45
2	M. M. Switches	" 3.25	6.50
2	Set Vulcabeston Bushings	" 1.16	2.32
1	Small Reverse Switch contacts	"	.08
2	Large " " "	" .10	.20
1	Vulcabeston Piece	"	.20
6	Resistance Bricks	" .13	.78
1	Finger Seat	"	.10
2	" Boards	" .06	.12
2	Controller Wheels	" .05	.10
3	" Tips	" .06	.18
21	" Fingers	" .13	2.73
4	" Reverse Fingers	" .06	.24
2	" Springs	" .13	.26
3	" Hinge Bolts & Nuts	" .25	.75
3	14598 Bending Posts	" .05	.15
2	Rheostat Arms	" .80	1.60
2	Cylinder Contacts	" .13	.26
10	Leatheroid Washers	" .01 1/2	.15
8	F. Bushings	" .05	.40
4	Cable Eyes	" .05	.20
2	Small Spindle Bushings	" .10	.20
3	Large " "	" .35	1.05
8	Bemis Swivel Front Gear Casing Straps	" .90	7.20
9	Axle Gear Keys	" .30	2.70
5	Body Grab Handles	" 2.13	10.65
2	Dasher Grab Handles	" .90	1.80
1	Window Guard Rail	"	1.65
5	Door Rolls and Frames	" 1.00	5.00
1	Door Roll	"	.06
4	Gate Castings #22	" .15	.60
1	B. 3 " "	"	.15
2	Gate " #38	" .25	.50
3	Gate Spikes	" .17	.51
2	Body Gate Dowels	" .10	.20
8	Dasher Gate Dowels	" .15	1.20
2	Gongs 8"	" .80	1.60
1	" 10"	"	1.00
2	" Frames	" .50	1.00
11	" Tapper Dowels	" .07	.77
1	B. 39 Gate Hooks	"	.10
4	B. 37 " "	" .13	.52
3	Bonnet Pulleys	" .75	2.25
2	Shutter Bars	" .25	.50
5	Dasher Post Nuts	" .08	.40
3	Jones Seat Arm Screws	" .10	.30
3	Rugg " " "	" .15	.45
1	End Running Board Hanger	" .58 1/2	.59
2	Step Hangers	" .50	1.00
1	Draw Bar Box and Spring	"	1.75
Carried Forward			433.22


Brought Forward			433.22
4	Mesco Batteries	@ .23	.92
1	King Bell		.50
4	Bell Cord Hooks	" .10	.40
1	Seat Back Arm		1.65
3	Head Light Rims	" .30	.90
2	G.E. 800 Pinions	" 1.85	3.70
3	" " Shaft Nuts	" .60	1.80
5	" " Keys	" .25	1.25
28	Truss Pipe Pockets	" .32	8.96
177	Ft. 1 1/2" Truss Pipe	" .07	12.39
25	H. Glass	" .05	1.25
2	Qts. Shellac	" 2.65 Pr. Gal.	1.33
5	Lbs. Solder	" .10	.50
122	" Waste	" .06	7.32
8	" Wire Nails 3" & 4"	" .01 3/4	.14
TOTAL SEPT. 1 -----			476.23
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			271.16
			<hr/>
MATERIAL USED DURING SEPT. -----			747.39
TOTAL GROVE HALL CAR HOUSE SEPT. 30, 1897 -----			300.44
			<hr/>
			446.95

--:-- DORCHESTER CAR HOUSE --:--

6	Lts. Glass	28 x 28	@ .40	2.40
12	" "	18 x 36	" .35	4.20
10	" "	20 x 30	" .36 1/2	3.65
6	" "	20 x 34	" .26	1.56
7	" "	28 x 32	" .58	4.06
4	Set	19 x 28	" 1.09	4.36
2	" "	24 x 28	" 1.04	2.08
19	Ventilator Glass		" .09	1.71
7	Draw Bar Rests	3w	" .25	1.75
2	" "	" 4"	" .35	.70
30	Ft. #57 Sprocket Chain		" .07 1/4	2.18
19	Fibre Washers		" .02	.38
9	" Bushings		" .05	.45
3	Small	" "	" .10	.30
2	Large	" "	" .35	.70
25	Controller Fingers		" .13	3.25
6	" Springs		" .13	.78
3	Reverse S. Fingers		" .06	.18
11	Trolley Wheels		" .35	3.85
17	Axle Gear Keys		" .30	5.10
33	M. Bolts	1 1/2 x 1/2	" .97	.32
45	" "	1 3/4 x 1/2	" .89	.40
99	" "	2 x 1/2	" 1.04	1.03
81	" "	2 1/2 x 1/2	" 1.08	.87
64	" "	3 x 1/2	" 1.13	.72
42	" "	3 1/2 x 1/2	" 1.19	.50
22	" "	4 x 1/2	" 1.10	.24
38	" "	4 1/2 x 1/2	" 1.16	.44
9	" "	5 x 1/2	" 1.14	.10
19	" "	5 1/2 x 1/2	" 1.19	.23
7	" "	6 x 1/2	" 1.24	.09
14	Hex. H.X. Nut	4 1/2 x 7/8	" 5.00	.70
6	" "	" 5 x 7/8	" 4.17	.25
9	Sq. H.	" 5 x 3/4	" 3.53	.32
8	Motor Bolts	1"	" .40	3.20
1	" "	7/8"		.15
4	B. 36 Gate Spikes		" .17	.68
7	B. 39 Gate Hooks		" .10	.70
2	B. 37 Gate Castings		" .13	.26
4	B. 38 Dowels		" .10	.40
8	B. 40 & 41 Dowels		" .15	1.20
5	Double Reg. Pulleys		" .75	3.75
13	Fender Castings		" .38	4.94
440	Ft. Bell Cord		" .02 1/4	9.90
10	T. H. Sockets		" .15	1.50
Carried Forward				<hr/>
				76.53




Brought Forward			76.53
2 H. 16 Journal Boxes		@ 2.65	5.30
1 H. 14 " "			4.50
2 H. 6 " "		" 4.00	8.00
2 H. 20 " "		" 4.00	8.00
3 Wooden B. B. Castings		" .25	.75
6 Screw Me Up Covers		" .20	1.20
12 H. 18 & 137 Wedges		" .30	3.60
6 H. 6 & 14 Composition Brasses		" 1.50	9.00
4 Bar Pins		" .30	1.20
2 Top Rocker Plates		" .55	1.10
2 J. Brake Rad. Ends		" .50	1.00
50 M. Bolts 2 x 5/8		" 1.50	.75
60 " 2 1/2 x 5/8		" 1.57	.94
77 " 3 x 5/8		" 1.65	1.27
32 " 3 1/2 x 5/8		" 1.51	.48
60 " 4 x 5/8		" 1.27	.76
60 " 4 1/2 x 5/8		" 1.29	.77
32 " 5 x 5/8		" 1.97	.63
44 " 5 1/2 x 5/8		" 2.05	.90
25 " 6 x 5/8		" 1.88	.47
48 " 6 1/2 x 5/8		" 1.95	.94
12 C.S.H. 10 1/2 x 5/8		" 2.50	.30
27 C.B. 6 x 1/2		" 2.07	.56
9 " 8 x 1/2		" 2.39	.22
22 " 4 x 1/2		" 1.66	.37
1 Trolley Plank			.90
7 Jones Car Steps		" .30	2.10
2 Bell Cord Hooks		" .10	.20
4 Single Reg. Pulleys		" .33 1/3	1.33
1 Toe Guard			.50
3 St. Louis Clock Springs		" .10	.30
3 Bottom Chafing Irons		" .35	1.05
6 Brake Staff Ratchets		" .32	1.92
1 Laconia Journal Box Brass		" 1.50	1.50
4 Composition Thimbles		" .90	3.60
1 Jones D. G. Handle		" .90	.90
2 Rheostat Arms		" .75	1.50
2 Top Spring Pockets		" .75	1.50
1 Bottom Spring Pocket			1.10
5 B.S.T. #27 - 11 x 12 Casting		" .57	2.85
2 " Yokes #27 - 6		" 6.50	13.00
10 J. Box Hinges		" .30	3.00
3 Push Buttons		" .18	.54
129 Ft. Rheo. Cable		" .01 3/4	2.26
9 Life Guards		" .25	2.25
47 Ft. 3/8 Rd. Tubing		" .05	2.35
1 Wooden B. Beam			.61
3 B.S.T. #27 Life Guard Hangers		" .75	2.25
20 Edison Lamps		" .16 1/4	3.25
1 King Electric Bell			.50
2 Wooden Draw Bar Sills		" .22 1/2	.45
4 Wooden Centre Plat. Supports		" 1.88	7.52
1 Gong 8"			1.00
3 Gong Frames 8"		" .50	1.50
3 Three Pt. Switches		" .42	1.26
3 Wooden D. Rails		" .25	.75
3 Wooden Draw Bar Supports		" .79	2.37
8 Controller Tips		" .06	.48
3 Brake Twister Blocks		" .12	.36
2 Iron Brake Beams		" 1.17 1/2	2.35
75 Ft. 9/16 Rd. Tubing		" .06	4.50
3 Springs 5 x 3 1/2 x 5/8		" .45	1.35
2 Jones Door Rolls		" 1.00	2.00
5 Car Lamp Switches		" .50	2.50
2 Draw Bars		" 1.70	3.40
28 Ft. #6 Cable		" .04	1.12
48 G.F.800 3/4 Carbons		" .02	.96
60 " 1/2 "		" .01 1/2	.90
5 " Motor Bolt 4 1/4 x 7/8		" .45	2.25
5 " Com. End Brasses		" 2.00	10.00
6 " Gear End Brasses		" 2.50	15.00
1 " Axle Bars			3.90
23 " Armt. Rings		" .11	2.53
2 " Bottom Spools		" 15.00	30.00
Carried Forward			279.25



Brought Forward		279.25
2 G.F. 800 Armt. Shaft Nuts	@ .60	1.20
4 " " Pinions	" 1.70	6.80
6 Bolts for W.E.R. Shoe Hangers	" .20	1.20
1 St. Louis L.G. Hanger		.75
13 End Springs	" .50	6.50
30 Lappins Shoes	" 1.00	30.00
25 Compo Shoes	" .45	11.25
2 Springs 6 x 4 x 13/16	" .43	.86
1 Controller Magnet		3.75
2 Corner Castings	" .80	1.60
7 Springs 4 x 4 x 3/4 Rep.	" .10	.70
25 " 7 x 5/8 "	" .10	2.50
2 Heater Handles	" .50	1.00
5 M. M. Switch H. & Blades	" .50	2.50
3 H. 165 Castings	" .20	.60
7 Rims for Head Lights	" .30	2.10
3 Gongs 8"	" .80	2.40
8 B. Pivotal Trolley Springs	" .25	2.00
33 Chilled Angle Iron Castings	" .08	2.64
5 H. 755 Castings	" .15	.75
2 #2 Wood Gate Castings	" .15	.30
1 Resistance Box		12.50
13 Car Lamps	" .17 1/2	2.28
30 W. H. 12 A. Carbons	" .02	.60
2 Bottom Truss Pockets	" .25	.50
2 Top " "	" .32	.64
2 Brake Staff Ratchet Handles	" 2.45	4.90
3 Jones Seat Back Arms	" 1.65	4.95
2 Springs 5 1/2 x 4 1/2 x 1	" .35	.70
2 Draw Bar Sp. Boxes	" 1.75	3.50
15 Springs 5 1/2 x 4 x 13/16	" .20	3.00
8 " 8 1/2 x 4 x 13/16	" .30	2.40
2 W. Hg. Armt. Shaft Nuts	" .65	1.30
2 10" Gongs and Frames	" 1.50	3.00
2 12 A Gear End Brasses	" 1.85	3.70
2 12 Com. " "	" 2.00	4.00
14 Jones Seat Arm Screws	" .10	1.40
8 12-A Brush Holder Springs	" .20	1.60
11 K-2 Controller Contacts	" .08	.88
7 Finger Seats	" .10	.70
2 Subway Trolley Poles	" 2.40	4.80
3 10" Gong Frames	" .50	1.50
1/2 Lb. Sealing Wax	" .20	.10
5 " Okenite Tape	" .58	2.90
5 " Grimshaw's Tape	" .35	1.75
5 " 5/8 Iron Washers	" .03 1/2	.18
2 Doz. Screws 1/2 #14/24	" .01	.02
TOTAL SEPT. 1 -----		424.45
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		108.91
		<u>533.36</u>
MATERIAL USED DURING SEPT. -----		127.37
TOTAL DORCHESTER CAR HOUSE SEPT. 30, 1897 -----		<u>405.99</u>

--- BARTLETT STREET CAR HOUSE ---


144 W.P. Carbon Brushes	@ .01 1/2	2.16
272 Register Cord	" .02 1/4	6.12
400 Trolley "	" .00 6/10	2.40
19 " Wheels	" .35	6.65
2 " Planks	" .90	1.80
1 " Pole		3.50
12 " Tension Springs	" .15	1.80
10 " Wheel Spindles	" .06	.60
134 Rheostat Cable	" .01 3/4	2.34
3 " Bushings 4"	" .35	1.05
5 " " 2"	" .10	.50
20 " Fibre Bushings	" .05	1.00
30 " " Washers	" .02	.60
3 " Spindles 4	" 1.40	4.20
Carried Forward		<u>34.72</u>



Brought Forward			34.72
29	Sprocket Chains 5l	@ .08	2.32
2	Turn Buckles 3/8	.23	.46
54	H. 2 Cylinder Segments "1	.16	8.64
66	Controller Contact Fingers	.13	8.58
8	" Reverse Fingers	.06	.48
11	" Set Screws	.02	.22
2	" Tension Springs	.13	.26
2	" Finger Boards	.06	.12
4	" Finger Seats	.10	.40
2	Single Register Pulleys	.33 1/3	.67
8	Double Register Pulleys	.75	6.00
1	Laconia Push Button		.18
1	Resistance Box		12.50
1	Rugg Seat Sweep		.60
1	" " Post Casting		.10
6	" " Screws	.15	.90
1	Jones " "		.15
12	Galv. Pulley Wheels	.05	.60
8	Grab Handles - Open Cars	.12	.96
5	Met. Signal Bells	.75	3.75
2	Jones " "	1.65	3.30
20	9/16 Rubber Tubing	.06	1.20
50	" 6 Clark Wire	.02 6/10	1.30
25	"14 " "	.01	.25
30	" 6 " Cable	.03 1/2	1.05
12	Gong Tapper Dolls	.07	.84
1	Single R.S. Cover		.75
5	Register Back Springs	.09	.45
11	Brush Holder Blocks	.10	1.10
2	" " Hammers	.25	.50
3	" " Springs	.05	.15
19	F. Box Thumb Screws	.04	.76
6	Brush Holder Plugs	.02 1/2	.15
1	100 Amp. Fuse Box		3.25
2	Car Gongs Complete	1.30	2.60
5	Com. End Brasses	.70	3.50
4	" " Liners	.11	.44
1	Pin. " "		.15
4	" " Brasses	1.30	5.20
25	Brass Ferrules 7/8	.03 1/2	.88
41	" Connections "6	.05	2.05
4	Motor Oil Feeders	.12 1/2	.50
1	Body Grab Handle		2.13
4	Gate Spikes	.13	.52
2	" Hooks	.10	.20
13	" "	.13	1.69
9	Dasher Dowels	.15	1.35
6	Body Dowels	.10	.60
6	Bell Cord Hooks	.10	.60
7	" " Fasteners	.10	.70
8	" " Knobs	.02	.16
28	T. H. Lamps	.17 1/2	4.90
25	Edison Lamps 16 C.P.	.16 1/4	4.06
15	" " 32	.26 1/4	3.94
1	" " Socket		.11
3	T. H. " "	.15	.45
1	Pit Fuse Block		.13
1	Three Light Lamp Clusters		.75
1	Bryant Lamp Switch		.90
3	Comb. Cut Outs	.50	1.50
2	Three Point Lamp Switch	.42	.84
56	Running Boards	.05	2.80
5	" "	.07 1/2	.38
8	Wooden Toe Guards	.04	.32
2	" Foot Rests	.20	.40
9	Glass 18 x 36	.35	3.15
9	" 28 x 28	.40	3.60
4	" 28 x 30	.40	1.60
6	" 20 x 30	.29	1.74
2	" 28 x 32	.58	1.16
4	" 24 x 36 Ground	.60	2.40
2	" 6 x 13 Figured	.09	.18
1	" 24 x 28 Lettered		.86
1	" 24 x 30 Lettered		1.09
10	Head Light Glasses	.05	.50
2	Hart Snap Switches	.60	1.20

Carried Forward

159:90



Brought Forward			159.90
4	W.P. Axle Brasses 3 3/8	@ 2.50	10.00
5	Draw Bar Rests "4 End	" .35	1.75
1	" " Box Spring		.75
1	Shear Iron Plow		3.20
1	" Wood "		2.85
3	Wings Iron "	" .88	2.64
10	Snow Plow Sprocket Chain	" 1.50	15.00
1	" " " Wheel		5.00
47	Compo Shoes	" .45	21.15
8	Brake Rat Springs	" .02	.16
2	" " Pawls	" .05	.10
7	" Staff Ratchets	" .32	2.24
2	" Beam Castings 27	" .25	.50
3	" " " 6 A 32	" .35	1.05
3	Stud Bolts 7/8	" .20	.60
4	End Truck Springs 57 "6	" .87	3.48
3	" " " 57 "7	" .90	2.70
4	" " " 57 "8	" .87	3.48
1	Spring Post 57		.35
2	" " 6 A	" .45	.90
4	Wooden Brake Beams	" .60	2.40
4	" Life Guards	" .75	3.00
3	Brake Rad. Dogs	" .03	.09
1	Journal Box "14		4.50
2	" Screw Caps	" .20	.40
6	Pig Nose Wedges	" .43	2.58
1	Journal Feeder "14		.15
2	Truck Yokes 6 A 3	" 3.50	7.00
5	Bottom Twister Blocks "3	" .12 1/3	.62
2	Journal Box Oil Feeders 6 A	" .25	.50
5	" " " " 57	" .21	1.05
3	Brake Rod Jaws "12	" .50	1.50
8	W. P. Axle Keys	" .30	2.40
1	Back Gear Support		.75
2	Front 27 Gear Supports	" .90	1.80
2	" 27 " "	" .90	1.80
14	Fender Castings	" .38	5.32
2	Iron Toe Guards	" .50	1.00
20	Corner Castings	" .60	12.00
1	Top Chafing Iron		1.25
2	Bottom Chafing Irons	" 1.75	3.50
2	H. 755 Castings	" .20	.40
1	Draw Bar Clevis		.60
1	Car Lamp Switch		.38
25	M. Bolts 4 x 5/8	" 1.27 Pr.C.	.32
25	" 2 1/2 x 5/8	" 1.57 "	.39
25	" 3 x 1/2	" 1.13 "	.28
25	" 3 1/2 x 1/2	" 1.19 "	.30
25	" 4 x 1/2	" 1.24 "	.31
50	" 4 1/2 x 5/8	" 1.89 "	.95
50	" 5 1/2 x 5/8	" 2.05 "	1.03
25	Hex. Bolts 5 1/2 x 7/8	" 5.75 "	1.44
100	E. C. " 2 1/2 x 1/2	" 1.50 "	1.50
2	Long Dog Bolts	" .04	.08
5	Motor Bolts	" .15	.75
4	Mesco Batteries	" .23	.92
TOTAL SEPT. 1 -----			301.06
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			58.77
			359.83
MATERIAL USED DURING SEPT. -----			103.60
TOTAL BARTLETT ST. CAR HOUSE SEPT. 30, 1897 -----			256.23

--- FOREST HILLS CAR HOUSE ---

4	Set Com. End Brasses	@ .70	2.80
3	Set Gear End Brasses	" 1.30	3.90
3	Com End Liners	" .11	.33
10	Thrust Plates	" .25	2.50
2	F. 30 Grease Cups	" .25	.50
Carried Forward			10.03

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Brought Forward			10.03
8 Motor Oil Feeders	@	.12 1/2	1.00
8 #6 Connections	"	.05	.40
18 Ft. #6 Clark Cable	"	.03 1/2	.63
25 " #6 Hard Wire	"	.026	.65
6 Axle Keys	"	.30	1.80
6 Gear Casing Cover Springs	"	.10	.60
2 Back Supporters	"	.75	1.50
3 Front "	"	.90	2.70
4 Journal Box Wedges	"	.30	1.20
6 Fender Castings	"	.38	2.28
4 Fender Casting Hangers	"	.25	1.00
3 Draw Bar Rests	"	.35	1.05
12 Trolley Tension Springs	"	.15	1.80
50 Ft. 9 1/6 Rubber Tubing	"	.06	3.00
3 Ratchet Wheels	"	.32	.96
1 St. 27 Truck Yoke			6.38
3 Castings 194 x 196	"	.45	1.35
9 Journal Box Wings	"	.30	2.70
3 W.E. Swivel Top Chafing Irons	"	.65	1.95
2 " " Bottom Chafing Irons	"	.35	.70
1 Malleable Casting			.25
1 Casting C.202			.25
2 Iron Chafing Iron Liners	"	.20	.40
2 H. 17 Journal Boxes	"	4.00	8.00
2 H. 20 " "	"	4.00	8.00
1 R. Radial Truck Yoke			6.88
1 Radial Dust collar			1.00
7 R. Radial Carriage Rollers	"	.40	2.80
1 6 A 3 Truck Yoke			3.50
2 Springs 8 x 4 x 3/4	"	.52	1.04
3 Draw Bar Springs	"	.65	1.95
3 57 End Springs	"	.25	.75
8 Springs 6 x 4 x 13/16	"	.43	3.44
4 St. 11 x 12 Castings	"	.59	2.36
3 12 M. Composition Castings	"	2.44	7.32
6 Brake staff Sockets	"	.10	.60
2 Journal Box Keys	"	.43	.86
2 H. 20 Journal Brasses	"	1.50	3.00
1 W.E.R. Centre Journal Brass			1.50
1 Bottom Spring Box			.75
2 Wooden Brake Beam Castings	"	.45	.90
2 Brake Staff Handles	"	2.45	4.90
8 Gate Hooks	"	.10	.80
6 Dasher Dowels	"	.15	.90
3 Gate Hooks 137	"	.13	.39
1 Gong & Frame			1.50
4 Gong Frames	"	.50	2.00
7 Mesco Batteries	"	.23	1.61
4 King Electric Bells	"	.50	2.00
5 Body Grab Handles	"	2.13	10.65
2 Dasher Grab Handles	"	.90	1.80
2 St. Louis Seat Arms	"	1.65	3.30
1 Rugg Seat Slide			.60
4 Rugg Seat Castings	"	.25	1.00
2 Body Dowels	"	.10	.20
1 Three Point Switch			.42
2 Car Lamp Switches	"	.50	1.00
2 Double Sheave Register Pulleys	"	.75	1.50
5 Wooden Dasher Rails	"	.25	1.25
6 Edison Lamp Sockets	"	.20	1.20
3 T.H. Lamp Sockets	"	.15	.45
1 Top Ratchet Plate			.55
3 Snow Plow Sprocket Wheels	"	5.00	15.00
1 Snow Plow Wing			1.00
2 " " "	"	.88	1.76
2 " " Shears	"	2.85	5.70
4 Long Draw Bar Cages	"	2.00	8.00
2 Wood Gate Castings	"	.15	.30
4 Brush Holder Hammers	"	.25	1.00
3 Long Side Life Guards	"	.25	.75
4 Window Guard Rails	"	1.65	6.60
2 Corner Castings	"	.60	1.20
3 Draw Bar Clevises	"	.60	1.80
1 K. 2 Shunt Box			12.50
2 M. M. Switches	"	3.25	6.50
6 Bunter Sill Sockets	"	.15	.90

Carried Forward

200.26

.....

...

.....

.....

Brought Forward			200.26
4	Set Life Guard Hangers	@ .75	3.00
1	St. Louis Life Guard Hanger		.75
2	Springs 5 1/2 x 4 1/2 x 1	" .32	.64
6	Controller Springs	" .13	.78
6	" Fingers	" .13	.78
7	" Tips - Small	" .05	.35
6	" Tips - Large	" .15	.90
1	" Magnet		3.75
3	Small Wheels for Controller	" .15	.45
6	Binding Posts 14958	" .05	.30
5	" " 14627	" .15	.75
6	Head Light Rings	" .30	1.80
5	Life Guards	" .25	1.25
10	Pit Lamps	" .16 1/4	1.62
13	Car Lamps	" .17 1/2	2.27
4	W.P. Extension Collars	" 2.15	8.60
5	Car Straps	" .30	1.50
2	Ground Wire Terminals	" .20	.40
84	Ft. Rheostat Cable	" .01 3/4	1.47
200	" Bell Cord	" .02 1/4	4.50
500	" Trolley Cord	" .006	3.00
5	Lights Glass 18 x 36	" .35	1.75
5	" " 22 x 28	" .35	1.75
5	" " 24 x 32	" .34	1.70
6	" " 28 x 28	" .40	2.40
5	" " 28 x 32	" .58	2.90
3	" " 20 x 30 Lettered	" .52	1.56
9	Leather Eye Washers	" .02	.18
4	Bolt Bushings	" .05	.20
3	Small Spindle Bushings	" .10	.30
2	Castings 225	" .20	.40
2	" 226	" .20	.40
6	G. 800 Brush Holder Springs	" .04	.24
2	Rheostat Arms	" .80	1.60
1	Set G. 800 Com. End Brasses		2.00
2	Bottom Connecting Boards	" .33	.66
2	Finger Boards	" .06	.12
27	Carbon Brushes 3/4	" .02	.54
300	" " 5/8	" .01 1/2	4.50
23	Trolley Wheels	" .35	8.05
26	Compo Shoes	" .45	11.70
15	Lappin Shoes	" 1.00	15.00
10	Screw Me Up Covers	" .20	2.00
40	Lbs. Sal Soda	" .01	.40
404	" 3 1/2 Cup Grease	" .04 1/4	18.18
15	M. Bolts 3 x 3/4	" 3.00 Pr.C.	.46
15	" 4 x 3/4	" 3.54 "	.53
15	" 6 x 3/4	" 4.06 "	.61
11	" 10 x 3/4	" 4.36 "	.47
6	Hex. Bolts 4 1/2 x 7/8		.27
3	M.M. Bolts 10 x 7/8	" .15	.45
6	" " 10 x 1	" .15	.90
1	Length Snow Plow Sprocket Chain		15.37
TOTAL SEPT. 1 -----			336.71
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			235.19
			571.90
MATERIAL USED DURING SEPT. -----			255.10
TOTAL FOREST HILLS CAR HOUSE SEPT. 30, 1897 -----			316.80


--:-- NORFOLK HOUSE CAR HOUSE --:--

1	Rheostat Pan		1.90
2	Life Guards	@ .25	.50
1	5" Draw Bar Rest		.35
2	Corner Dasher Posts	" .87 1/2	1.75
7	C. 202 Castings	" .25	1.75
4	Trolley Wheels	" .35	1.40
1	Grease Cup		.63
Carried Forward			8.28

Brought Forward			8.28
8 Motor Axle Feeders	@	.12 1/2	1.00
1 Thrust plate	"		.32
2 6 A 33 Castings	"	.35	.70
3 6 A 32 "	"	.35	1.05
1 3/8 Turn Buckles	"		.23
5 Axle Gear Keys	"	.30	1.50
2 T.H. Keyless Sockets	"	.20	.40
2 Edison Sockets	"	.20	.40
2 6 A Truck Yokes	"	3.50	7.00
2 Com. End Liners	"	.11	.22
3 Gear End Liners	"	.15	.45
2 Signal Bells	"	1.65	3.30
9 7/8 Stud Bolts	"	.20	1.80
19 Trolley Tension Springs	"	.12	2.28
5 Rheostat Bolt Bushings	"	.05	.25
1 " Spindle Bushings - Long	"		.35
1 " " - Short	"		.10
12 Leatheroid Washers	"	.01	.12
1 Double G. Iron Pulley	"		.30
3 Spare Lamp Brackets	"	.25	.75
3 Peatfield Nuts	"	.35	1.05
2 Dasher Grab Handles	"	.90	1.80
1 " " "	"		.45
10 #6 Connections	"	.05	.50
5 Gong Tapper Dowels	"	.07	.35
32 Register Cord Eyes	"	.10	3.20
14 Cable Eyes	"	.05	.70
3 Brake Staff Sockets	"	.08	.24
2 West End Toe Guards	"	.50	1.00
50 M. Bolts 3 x 1/2	"	1.13 Pr.C.	.57
50 " " 4 x 1/2	"	1.24 "	.62
50 " " 2 x 5/8	"	1.50 "	.75
50 " " 2 1/2 x 5/8	"	1.57 "	.79
50 " " 3 x 5/8	"	1.65 "	.83
30 " " 3 1/2 x 5/8	"	1.51 "	.45
50 " " 4 x 5/8	"	1.27 "	.64
50 " " 4 1/2 x 5/8	"	1.29 "	.65
13 " " 10 x 3/4	"	4.36 "	.57
12 " " 12 x 3/4	"	5.32 "	.64
5 " " 8 x 7/8	"	.05 Ea.	.25
20 " " 5 x 7/8	"	5.00 Pr.C.	1.00
4 Rheostat Spindles	"	1.00	6.00
3 " Arms	"	.80	2.40
5 W.P. 50 Brush Holders	"	2.00	10.00
10 Controller Direction Screws	"	.02	.20
3 Pair Arm Brasses Gear End	"	1.30	3.90
25 Headlight Glasses	"	.05	1.25
5 Bonnet Pulleys	"	.70	3.50
4 Lights Glass 32 x 28	"	.58	2.32
8 " " 18 x 36	"	.35	2.80
9 " " 28 x 28	"	.43	3.87
2 " Fuse Boxes	"	.40	.80
3 " Switches	"	1.00	3.00
5 Wooden Brake Beam Castings	"	.25	1.25
3 St. 27 - 11 - 12 Castings	"	.59	1.77
4 Screw Me Up Covers	"	.20	.80
2 10" Car Gongs	"	1.00	2.00
2 Controller Wheels	"	.15	.30
4 " Springs	"	.13	.52
2 Grease Cups without Covers	"	.33	.66
2 8" Car Gongs	"	.80	1.60
2 57 Journal Brasses	"	1.50	3.00
2 Lettered Glass 28 x 20	"	.94	1.88
29 Compo Brake Shoes	"	.45	13.05
24 Controller Seg. #15	"	.16	3.84
24 " " # 9	"	.05	1.20
8 " " # 7	"	.08	.64
80 5/8 W.P. 50 Carbon Brushes	"	.01 1/2	1.20
8 Rugg Seat Arm Screws	"	.15	1.20
1 " " " Sweep	"		.60
10 57 Brake Shoes	"	.50	5.00
100 Ft. Register Cord	"	.02 1/2	2.25
335 " Trolley Cord	"	.006	2.01
2 Springs 4 x 3 x 3/4 x 9/16	"	.35	.70
1 Bottom Chafing Shoe	"		.35

Carried Forward

133.71



Brought Forward			133.71
2 Bottom Spring Pockets	@	.75	1.50
2 Top " "	"	1.10	2.20
2 Pair Motor Axle Brasses 3 3/4	"	5.00	10.00
1 H. 14 Journal Box			4.50
7 Back Gear Casing Supports	"	.75	5.25
2 Front " " " Bemis Swivel	"	.90	1.80
3 " " " " 57 Truck	"	.90	2.70
27 Ft. 51 Sprocket Chain	"	.08	2.16
3 8" Fender Hangers	"	.25	.75
1 K.2 Controller Handle			1.50
3 Rugg Seat Plates	"	.10	.30
2 Single Switch Contacts #14629	"	.15	.30
128 Ft. Rheostat Cable	"	.01 3/4	2.24
2 3 3/8 Axle Collars	"	1.00	2.00
3 Spring Posts	"	.45	1.35
1 Life Guard Hanger			.75
1 3 3/4 Axle Collar			1.00
2 Trolley Poles	"	3.50	7.00
25 Ft. #6 Flexible Cable	"	.03 1/2	.88
2 Double Reverse Switch Pans	"	2.10	4.20
2 Brake Dogs	"	.03	.06
45 Ft. 9/16 Tubing	"	.06	2.70
36 Controller Contact Fingers	"	.13	4.68
4 M. Bolts 11 x 7/8	"	.15	.60
2 " 11 x 1	"	.15	.30
22 " 1 1/2 x 1/2	"	.83 Pr.C.	.18
44 " 2 x 1/2	"	.90 "	.40
15 " 2 1/2 x 1/2	"	.90 "	.14
1 King Electric Bell			.50
1 Push button			.18
1 H. 187 Casting			1.00
3 Toggle Bolts	"	.30	.90
3 Car Gong Frames	"	.50	1.50
3 End Springs	"	.50	1.50
5 H. 18 Wedges	"	.30	1.50
6 H.137 Wedges	"	.43	2.58
8 Com. End Shields	"	.50	4.00
6 Gear " "	"	.25	1.50
1 Pair Motor Axle Brasses 3 3/8			5.00
1 H. 169 Casting			2.90
3 B. 3 Gate Castings	"	.15	.45
2 Three Point Light Switches	"	.42	.84
4 Brake Ratchet Pawls	"	.05	.20
5 " " " Springs	"	.02	.10
2 Pair Arm Brasses Com. End	"	.70	1.40
4 Gear Casing Covers	"	.20	.80
1 100 Amp. Fuse Box			3.25
2 10" Car Gong Frames	"	.50	1.00
2 6 A Life Guard Hangers	"	.75	1.50
2 M.M. Switch Handles & Blades	"	.30	.60
3 " " "	"	.05	.15
4 W.P. 50 Brush Holder Hammers	"	.25	1.00
1 100 Amp. Fuse Box			4.00
3 Fender Castings	"	.38	1.14
3 3 3/8 Journal Brasses	"	1.10	3.30
4 Edison Sockets	"	.15	.60
3 Brake Jaws	"	.50	1.50
2 Controller Contact Finger Boards	"	.06	.12
2 " Connection Boards	"	.33	.66
2 Pieces Vulcabeston	"	.20	.40
3 Binding Posts 14958	"	.05	.15
2 Controller Board Trolley Connections	"	.15	.30
12 Bell Cord Knobs	"	.02	.24
1 K. 2 Controller Cylinder			20.00
6 Thrust Plates	"	.25	1.50
8 Gear Casing Cover Springs	"	.12	.96
TOTAL SEPT. 1 -----			264.37
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			27.00
			291.37
MATERIAL USED DURING SEPT. -----			55.21
TOTAL NORFOLK HOUSE CAR HOUSE SEPT. 30, 1897 -----			236.16

--:-- WEST LENOX STREET CAR HOUSE --:--

6	Brush Holders	W.P.	@	2.00	12.00	
1	"	B.K.	"		3.50	
3	"	Yokes	G.E.	"	.35	1.05
6	"	Hammers	W.P.	"	.25	1.50
1	M. M. Switch					3.25
9	Armature Brasses	Pin. End	"	1.30	11.70	
10	"	Com. End	"	.70	7.00	
16	"	Liners	Pin End	"	.15	2.40
4	"	Thrust Plates	"	.32	1.28	
3	3 3/4	Axle Brasses	W.P.	"	3.00	9.00
2	F. 30	Grease Cups	"	.25	.50	
2	Grease Cups	W.P.	"	.23	.46	
4	"	Covers	"	.30	1.20	
2	"	Arms	"	.12	.24	
44	Two Way	Connections	"	.05	2.20	
84	Ft. 9/16	Rubber Tubing	"	.06	5.04	
89	Carbon	Brushes	"	.01	1/2	1.34
12	Lbs. Rubber	Buffers	"	.36	4.32	
3	Axle Oil	Feeders	"	.12	1/2	.37
26	Armature	Cap Bolts	"	.20	5.20	
2	Hinge	Bolts	"	.07	.14	
18	1" Motor	Bolts	"	.15	2.70	
20	7/8" Motor	Bolts	"	.15	3.00	
13	Yds. Painted	Canvas	"	.25	3.25	
5	Shields for	Fuse Boxes	"	.20	1.00	
3	Snow Plow	Oil Cups	"	1.25	3.75	
6	M. M. Switch	Contacts - Front	"	.06	.36	
6	"	" - Back	"	.18	1.08	
4	Reverse	Switch Covers	"	.76	3.04	
3	"	Bolts	"	.10	.30	
4	"	Levers	"	.35	1.40	
580	Ft. Rheostat	Cable	"	.01	3/4	10.15
4	Rheostat	Spindles 51 D.	"	1.40	5.60	
1	"	Sliding Contact	"		1.25	
10	"	Contact Arms	"	.80	8.00	
74	Ft. 51	Sprocket Chain	"	.07	1/4	5.37
4	3/8" Turn	Buckles	"	.18	.72	
4	peatfield	Nuts	"	.35	1.40	
22	Fibre	Bushings	"	.04	.88	
50	"	Washers	"	.01	1/2	.75
5	Spindle	Bushings #51	"	.10	.50	
7	"	" #51 D.	"	.35	2.45	
7	Res. Box	Bushings	"	.08	.56	
3	Sheave	Pulleys S.D.	"	.05	.15	
3	Switch	Rod Brads	"	.25	.75	
15	Pipe Rod	Brad Irons	"	.25	3.75	
3	"	" Brasses	"	.40	1.20	
2	Offset	Bell Cranks	"	1.80	3.60	
1	Bell	Crank bracket	"		.60	
14	Cont. Stand	Brackets	"	.35	4.90	
3	Cable	Eyes	"	.04	.12	
1	Controller	Finger	"		.13	
9	"	Reverse	"	.06	.54	
11	"	Tension Springs	"	.13	1.43	
3	"	Reverse Handles	"	1.00	3.00	
1	"	Spindle Collar	"		.10	
1	"	Connection #6	"		.15	
6	"	Handles Wood	"	.15	.90	
2	Contacts for	K. 2 Cylinder	"	.15	.30	
4	Finger	Boards K. 2	"	.06	.24	
3	"	Seats K.2	"	.10	.30	
2	Field	Com. Boards	"	.33	.66	
2	Segments for	Arc Reflectors	"	.20	.40	
3	Single	Switch Conts. & Bind Posts	"	.15	.45	
3	"	" " " Double Posts	"	.20	.60	
4	#2	Reverse switch Contacts	"	.08	.32	
3	Castings	6 A 32	"	.35	1.05	
18	"	6 A 33	"	.50	9.00	
1	"	H.329 Snow Plow	"		1.50	
4	"	H.537 " "	"	1.00	4.00	
35	Lbs. Castings	C. 207 & 8	"	.02	1/4	.79
2	Castings -	Equalizing Bar	"	.25	.50	
1	Bottom	Spring Pocket S.F. 27	"		.75	
1	Draw	Bar Spring Box	"		1.65	

Carried Forward

175.03

Brought Forward			175.03
13	Life Guards	@ .25	3.25
28	Lappin Shoes	" 1.00	28.00
25	compo Shoes	" .45	11.25
1	5/8 Turn Buckles		.28
2	Journal Brasses S.T. 27	" 1.50	3.00
7	" " Randall	" 1.50	10.50
2	" " Laconia	" 1.50	3.00
2	" " W.E.R.	" 1.50	3.00
1	" " Pig Nose		1.10
7	" Box Caps Nose	" .20	1.40
2	" " Wedges Nose	" .30	.60
5	" " " 57	" .30	1.50
5	" " Oil Feeders	" .15	.75
6	Brake Lever Stud Bolts	" .20	1.20
3	Springs 8 x 4 x 3/4	" .32	.96
11	" 6" End	" .55	6.05
2	Snow Plow Sprocket Wheels	" 5.00	10.00
1	" " Axle Box		7.00
1	57 E. Sill Plate		.40
1	57 C. " "		1.35
1	H. 169 Casting		.69
432	Ft. Trolley Cord	" .006	2.59
16	Trolley Wheels	" .35	5.60
12	" " Spindles	" .21	2.52
4	" Pole Forks	" .90	3.60
26	" Tension Springs	" .20	5.20
29	" " " T.H.	" .12	3.48
13	Axle Keys	" .30	3.90
13	Gear Case Supports - Back	" .75	9.75
6	" " Covers	" .50	3.00
1	" " " Springs		.10
1	Bunter Sill		.75
5	Draw Bar Rests 3"	" .25	1.25
5	" " " 4"	" .35	1.75
3	Pcs. Ash 8' x 7' x 2 1/2"	" .97 1/2	2.93
1	" " 8' x 12" x 2 1/2"		1.97
5	Scraper Levers	" .64	3.20
25	Fender Castings	" .38	9.50
7	Dasher Rails	" .25	1.75
1	" "		.33
21	Gate Sockets B.40 - 41	" .04	.84
6	" " B.38	" .10	.60
8	" Hooks B.37	" .13	1.04
7	" " B.39	" .10	.70
5	" spikes B.36	" .17	.85
5	" Castings Wood	" .10	.50
2	Door Catches #548	" .30	.60
9	" Rollers Randall	" .20	1.80
1	" " Jones		1.00
1	" " Small		.02
4	Top Sash Lifts Jones	" .10	.40
9	Window Guards	" 1.65	14.85
8	Body Grab Handles	" 3.00	24.00
5	Dasher Grab Handles	" .90	4.50
1	Brake Handle		3.00
6	Seat Handles Jones	" 2.00	12.00
1	Seat Back Wood		3.00
5	Hand Rail Brackets	" .30	1.50
2	Seat Arm Screws Jones	" .15	.30
1010	Ft. Register Cord	" .02 1/4	22.73
2	Register Cord Pulleys	" .35	.70
3	Box Car Leads	" .10	.30
6	Open Car Leads	" .10	.60
1	Gong Tapper Plate		.05
1	Signal Bell		1.65
2	Alarm Gongs 10"	" 1.00	2.00
3	" " Frames	" .50	1.50
7	Dry Batteries	" .23	1.61
3	King Electric Bells	" .50	1.50
3	Car Push Buttons	" .12	.36
4	Head Light Rims	" .30	1.20
22	Lamps Edison	" .16 1/4	3.58
3	" T.H.	" .17 1/2	.52
20	" Brackets	" .15	3.00
6	" Switches 3 Pt.	" .42	2.52
Carried Forward			448.80

Brought Forward			448.80
4	Comb. Lamp Switches	@ .50	2.00
1	T.H. Wall Socket		.15
6	Edison Sockets	" .11	.66
1	" " Waterproof		.18
64	Brass Ferrules	" .05	3.20
3	Heater Switch Springs	" .05	.15
2	Brake Ratchet Springs	" .02	.04
14	" " "	" .05	.70
13	" " Wheels	" .32	4.16
4	" Pawls	" .04	.16
4	" Dogs	" .03	.12
4	" Handle Screws	" .04	.16
1	" " "		.10
8	" Staff Socket Top	" .10	.80
8	" " " Bottom - Small	" .07 1/2	.60
8	" " " " - Large	" .20	1.60
2	Snow Plow Shears (Iron)	" 3.20	6.40
1	" " " (Wood)		2.88
2	" " Wings	" .88	1.76
9	" Sled Posts	" .38	3.42
18	Foot Rests	" .20	3.60
1	Jones Seat Arm		1.65
3	C. S. Bolts 2 x 3/8	" .03 1/2	.11
12	" " 2 x 1/2	" .04	.48
67	Nut Locks 1"	" 1.00 Pr.C.	.67
27	" " 7/8"	" .70 "	.19
51	" " 3/4"	" .63 "	.32
266	" " 5/8"	" .58 "	1.54
42	" " 1/2"	" .53 "	.22
11	Lts. Glass 20 x 24	" .21	2.31
12	" " 20 x 28	" .25	3.00
11	" " 24 x 28	" .38	4.18
9	" " 28 x 28	" .36	3.24
1	" " 30 x 38		.57
6	" " 18 x 32	" .36	2.16
12	" " 18 x 36	" .35	4.20
9	" " 20 x 38	" .43	3.87
4	" " 20 x 22 Lettered	" .89	3.56
3	" " 20 x 24 "	" .71	2.13
5	" " 20 x 34 "	" .71	3.55
1	" " 18 x 32 "		.76
1	" " 9 x 52 "		.75
3	" " 6 x 41 "	" .42	1.26
1	" " 6 x 29 "		.18
1	" " 7 x 26 "		.35
4	" " 24 x 42 Ground	" .85	3.40
4	" " 20 x 27 Plate	" 2.20	8.80
4	" " 6 x 14 1/2 Embossed	" .09	.36
5	Lag Screws 3 x 5/8	" .58 Pr.C.	.03
4	" " 3 x 1/2	" .67 "	.03
2	" " 4 x 1/2	" .75 "	.02
27	Machine Bolts 1 3/4 x 5/8	" 1.44 "	.39
45	" " 2 5/8	" 1.50 "	.68
34	" " 2 1/2 5/8	" 1.57 "	.53
17	" " 3 5/8	" 1.65 "	.28
40	" " 3 1/2 5/8	" 1.73 "	.69
100	" " 4 5/8	" 1.27 "	1.27
36	" " 4 1/2 5/8	" 1.89 "	.68
42	" " 5 5/8	" 1.97 "	.83
30	" " 5 1/2 5/8	" 2.05 "	.62
38	" " 6 5/8	" 2.13 "	.81
44	" " 6 1/2 5/8	" 2.20 "	.97
25	" " 7 5/8	" 2.29 "	.57
32	" " 8 5/8	" 2.46 "	.79
10	" " 10 5/8	" 2.78 "	.28
22	" " 1 1/2	" .96 "	.21
7	" " 1 1/2 1/2	" .97 "	.07
32	" " 2 1/2	" 1.04 "	.33
16	" " 2 1/2 1/2	" 1.08 "	.17
28	" " 3 1/2	" 1.13 "	.32
42	" " 3 1/2 1/2	" 1.19 "	.50
32	" " 4 1/2	" 1.24 "	.40
197	" " 4 1/2 1/2	" 1.38 "	2.72
58	" " 5 1/2	" 1.44 "	.84
10	" " 5 1/2 1/2	" 1.50 "	.15
29	" " 6 1/2	" 1.56 "	.45

Carried Forward


551.08

Brought Forward							551.08	
26	Machine Bolts	6	1/2	x	1/2	@	1.62 Pr.C.	.42
24	"	1	1/2		5/8	"	.65 "	.16
28	"	2			5/8	"	.68 "	.19
31	"	2	1/2		5/8	"	.71 "	.22
26	"	3			5/8	"	.75 "	.20
20	"	3	1/2		5/8	"	.75 "	.15
51	"	4			5/8	"	.81 "	.41
18	"	6	3/4		3/4	"	3.89 "	.70
13	"	10			3/4	"	4.36 "	.57
16	"	4	1/2		7/8	"	5.17 "	.83
19	"	5			7/8	"	5.00 "	.95
16	"	12			1	"	.12 Ea.	1.92
38	Carriage	1	1/2		5/16	"	.56 Pr.C.	.21
49	"	2			5/16	"	.60 "	.29
142	"	2	1/2		5/16	"	.63 "	.89
44	"	3			5/16	"	.64 "	.28
31	"	4			5/16	"	.75 "	.23
30	"	4	1/2		5/16	"	.80 "	.24
28	"	5			5/16	"	.85 "	.24
86	"	6			5/16	"	.91 "	.78
40	"	2			1/2	"	.71 "	.28
52	"	2	1/2		1/2	"	.77 "	.40
49	"	3			1/2	"	.82 "	.40
62	"	3	1/2		1/2	"	.88 "	.55
41	"	4			1/2	"	.92 "	.38
43	"	4	1/2		1/2	"	.98 "	.42
66	"	6			1/2	"	1.17 "	.77
10	"	2			1/2	"	1.40 "	.14
9	"	2	1/2		1/2	"	1.35 "	.12
19	"	3			1/2	"	1.57 "	.30
8	"	3	1/2		1/2	"	1.63 "	.13
29	"	4			1/2	"	1.66 "	.48
24	"	4	1/2		1/2	"	1.75 "	.42
41	"	5			1/2	"	1.84 "	.75
25	"	5	1/2		1/2	"	1.93 "	.48
25	"	6			1/2	"	2.00 "	.50
10	"	6	1/2		1/2	"	2.08 "	.21
23	"	7			1/2	"	2.20 "	.51
23	"	7	1/2		1/2	"	2.28 "	.52
26	"	8			1/2	"	2.30 "	.60
25	"	8	1/2		1/2	"	2.28 "	.57
13	"	9			1/2	"	2.60 "	.34
4	"	9	1/2		1/2	"	2.40 "	.10
10	Lbs. Soap Powder					"	.05	.50
TOTAL SEPT. 1 -----								570.83
MATERIAL RECEIVED & CHARGED DURING SEPT. -----								282.41
								853.24
MATERIAL USED DURING SEPT. -----								265.53
TOTAL WEST LENOX STREET CAR HOUSE SEPT. 30, 1897 -----								587.71


--- JAMAICA PLAIN CAR HOUSE ---

3	Window Guard Rails			@	1.65		4.95	
16	Body Grab Handles			"	2.12	1/2	34.00	
12	Dasher Grab Handles			"	.90		10.80	
3	Iron Toe Guards			"	.50		1.50	
7	Fender Castings			"	.38		2.66	
3	St. Louis Seat Arms			"	1.65		4.95	
9	St. Louis Seat Arm Screws			"	.15		1.35	
3	Reg. Cord Pulleys - Open Cars			"	.42		1.26	
76	Ft. Register Cord			"	.02	1/4	1.71	
4	Alarm Gongs			"	.80		3.20	
3	Top Door Rollers with Screws			"	1.56		4.68	
4	Back Door Rollers			"	1.00		4.00	
10	Bottom Door Rollers			"	.25		2.50	
3	Large " "			"	.18		.54	
5	3" Draw Bar Rests			"	.25		1.25	
Carried Forward								79.35

Brought Forward			79.35
5	4" Draw Bar Rests	@ .35	1.75
2	Edison Keyless Sockets	.22	.44
5	St. " "	.13	.65
6	" " "	.15	.90
3	Bryant Paiste Switches Reverse	.42	1.26
4	" Switches	.90	3.60
2	Combination Switches	.50	1.00
3	Slate Fuse Blocks	.20	.60
10	Edison Incandescent Lamps	.16 1/4	1.63
2	Randall Seat Backs	.75	1.50
10	" " Arms	.15	1.50
3	Gate Sockets B. 40	.15	.45
6	" " B. 41	.08	.48
12	" " B. 38	.04	.48
2	" Hangers B. 37	.10	.20
6	" " B. 39	.10	.60
18	Mesco Batteries	.23	4.14
2	King Electric Bells	.50	1.00
4	Electric Push Buttons	.12	.48
3	Journal Bore Compositions	1.50	4.50
7	Brake Shoes 184 - 5	.56	3.92
6	" " C 1 - 2	.50	3.00
34	Comp. Brake Shoes	.45	15.30
48	Lappin Shoes	1.00	48.00
4	H. 16 Journal Boxes	3.50	14.00
4	Car Springs 6, 4, 3 1/2, 11/16	.40	1.60
4	" " 6, 4, 13/16	.40	1.60
3	" " 5 1/2, 4 1/2, 1"	.35	1.05
3	Brake Beam Castings 6, 10 3/4	.50	1.50
6	" " " 6 A 32	.35	2.10
1	" " " B. Swivel		.25
2	Life Guards	.25	.50
4	" " Hangers S.T. 27	.75	3.00
3	" " " 6 A 6	.75	2.25
4	St. Louis Guard Hangers	.75	3.00
4	Brake Lever Castings C. 202	.25	1.00
3	" " " S.T. 2712	.30	.90
7	" " Stud Bolts	.20	1.40
12	W.F. Brake Rad. Jaws	.75	9.00
6	Brake Staff Ratchet Wheels	.32	1.92
2	Top Spring Pockets B. Swivel	1.10	2.20
2	Bottom " "	.75	1.50
4	Top Rocker Plates	.55	2.20
2	1/4 Lbs. Rubber B. Hose	.36	.81
2	Ratchet Pawls	.04	.08
2	" " Springs	.02	.04
6	Lts. Glass 6 x 30	.18	1.08
7	" " 18 x 36	.35	2.45
6	" " 24 x 32	.34	2.04
5	" " 28 x 28	.40	2.00
6	" " 20 x 30	.29	1.74
15	" " 20 x 24	.35	5.25
5	" " 20 x 22	.30	1.50
9	" " 24 x 28	.38	3.42
5	" " 22 x 32	.37	1.85
2	" " 28 x 32	.58	1.16
10	" " 22 x 28	.35	3.50
6	" " 22 x 30 Lettered	.96	5.76
1	" " 24 x 30		1.09
1	Pair W.P. Arm. Brasses G. End		1.60
2	Liners G. End	.15	.30
5	" Com. End	.11	.55
3	G.F. 800 Arm. Brasses Gear End	2.50	7.50
1	" " " Com. End		2.00
1	" " Motor Cover		3.80
16	" " B.H. Springs	.04	.64
2	" " B. Holders	3.50	7.00
4	" " " Yokes	.35	1.40
8	" " Arm. Thrust Plates	.10	.80
7	" " " Bearing Rings	.11	.77
2	" " " Shims	.40	.80
130	" " 1/2 Carbon Brushes	.01 1/2	1.95
10	" " 3/4 " "	.02	.20
10	W.N. 12 A Carbon Brushes	.02	.20
10	Fuse Box Thumb Screws	.04	.40
1	122 Shunt K. 2		12.50
Carried Forward			303.88



Brought Forward			303.88
4	Rheostat Arms	@ .80	3.20
26	Ft. Rheostat Cable	" .01 3/4	.46
6	Rheostat Spindle Bushings	" .35	2.10
46	" Fibre Bushings	" .05	2.30
92	" " Washers	" .01	.92
1	Rev. Switch Box Cover		2.10
1	" " " "		.75
8	Peatfield Nuts	" .35	2.80
2	" Fibres	" .15	.30
16	Ft. Sprocket Chain	" .08	1.28
50	Ft. " "	" .07 1/4	3.63
4	Controller Tension Springs	" .13	.52
8	" Contact Fingers	" .13	1.04
4	" " Seats	" .10	.40
24	" " Tips	" .06	1.44
1	" Handle - Wood		.15
15	" Rev. Switch Fingers	" .06	.90
9	Yds. 48" Canvas	" .40	3.60
2	Controller Wheels	" .05	.10
4	Trolley Wheel Spindles	" .21	.84
1	Anderson Trolley Base		3.50
12	" " Tension Springs	" .20	2.40
6	S. L. " " "	" .12	.72
11	Pittbuy Trolley Poles	" 2.40	26.40
4	Trolley Wheels	" .35	1.40
2	Snow Scraper Points	" .50	1.00
2	Large Sprocket Wheels	" 5.00	10.00
25	M. Bolts 10 x 1"	" .40	10.00
14	" 10 x 1"	" .10	1.40
42	" 7 x 5/8	" .0203	.85
11	" 6 x 5/8	" .0237	.26
80	" 3 1/2 x 5/8	" .0173	1.38
19	" 3 x 5/8	" .0165	.31
52	" 2 1/2 x 5/8	" .015	.78
72	" 2 x 5/8	" .015	1.08
24	" 4 1/2 x 1/2	" .0109	.26
100	" 4 x 1/2	" .0124	1.24
90	" 3 1/2 x 1/2	" .0119	1.07
48	" 3 x 1/2	" .0113	.54
80	" 2 1/2 x 1/2	" .0108	.86
82	" 2 x 1/2	" .0104	.85
36	" 1 3/4 x 1/2	" .0084	.30
18	" 10 x 3/4	" .0395	.71
51	Carriage Bolts 6 x 1/2	" .0207	1.06
15	" 4 x 1/2	" .0156	.23
35	" 7 1/2 x 3/8	" .0134	.47
6	" 3 x 3/8	" .0083	.05
49	" 2 1/2 x 3/8	" .0077	.38
35	" 1 1/2 x 3/8	" .0049	.17
32	" 5 1/2 x 5/16	" .0093	.30
75	" 3 1/2 x 5/16	" .0071	.53
37	" 3 x 5/16	" .007	.26
25	" 2 3/4 x 5/16	" .0064	.16
100	" 2 x 5/16	" .006	.60
13	" 1 1/2 x 5/16	" .0057	.07
91	C.S. Head 2 x 1/2	" .04	3.64
100	" 1 1/2 x 5/16	" .0072	.72
38	Lag Screws 4 x 1/2	" .0091	.35
40	" 3 1/2 x 1/2	" .0086	.34
38	" 3 x 1/2	" .008	.30
8	" 2 1/2 x 1/2	" .0062	.05
TOTAL SEPT. 1 -----			409.70
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			119.34
			<hr/>
			529.04
MATERIAL USED DURING SEPT. -----			147.62
TOTAL JAMAICA PLAIN CAR HOUSE SEPT. 30, 1897 -----			<hr/> 381.42




--:-- SEWALL STREET CAR HOUSE --:--

21	Trolley Wheels	@	.35	7.35
7	" " Spindles	"	.06	.42
3	" Poles	"	3.50	10.50
4	" "	"	2.40	9.60
1	" Base	"		3.00
415	Ft. Trolley Cord	"	.006	2.49
188	Ft. Rheostat Cable	"	.01 3/4	3.29
2	Rheostat Drums	"	1.88	3.76
1	" Arm	"		.80
2	" Arms	"	1.90	3.80
5	Fibre Washers	"	.01	.05
13	" Bushings	"	.05	.65
3	5l D. Bushings	"	.35	1.05
5	5l A. Bushings	"	.10	.50
32	Ft. 5l Sprocket Chain	"	.07 1/4	2.32
6	Turn Buckles 3/8	"	.20	1.20
4	Cable Eyes	"	.04	.16
4	Spark Segments	"	.12 1/2	.50
1	Finger Contact	"		.13
2	Com. End Liners W.P. 5l	"	.11	.22
6	Pair Com. End Brasses W.P. 5l	"	.70	4.20
6	" Gear " " W.P. 50	"	1.30	7.80
3	" " Liners W.P. 50	"	.15	.45
6	Motor Oil Feeders W.P. 50	"	.12 1/2	.75
2	Grease Cups W.P. 50	"	.25	.50
51	Ft. R. Tubing 9/16 W.P. 50	"	.06	3.06
27	" " 3/8 W.P. 50	"	.05	1.35
152	Carbon Brushes W.P. 50	"	.01 1/2	2.28
10	Yds. Canvas	"	.25	2.50
16	Two Way Connections	"	.05	.80
2	Pair Axle Brasses	"	2.50	5.00
8	Motor Bolts 7/8	"	.15	1.20
7	" " 1"	"	.15	1.05
7	Arm. Cap Bolts	"	.20	1.40
10	Motor Hinge Bolts	"	.07	.70
7	Ground Leads with Terminals	"	.35	2.45
7	Brush Holder Woods	"	.10	.70
4	Axle Collars	"	1.00	4.00
1	Ex. Axle Collar	"		2.15
1	Fuse Box	"		3.25
2	Axle Gears 3 3/4	"	14.50	29.00
5	Pair Arm. Brasses Com. End G.F.800	"	2.00	10.00
4	" " " Gear " G.F.800	"	2.50	10.00
4	Brush Holder R. G.F.800	"	3.50	14.00
4	" " L. G.F.800	"	3.50	14.00
100	Carbon Brushes G.F.800	"	.01 1/2	1.50
1	Gear Case	"		10.00
4	Lts. Glass 20 x 30 Lettered	"	.71	2.84
4	" " 20 x 38	"	.43	1.72
2	" " 28 x 32	"	.58	1.16
3	" " 28 x 28	"	.43	1.29
8	" " 24 x 28	"	.38	3.04
13	" " 20 x 24	"	.21	2.73
10	Brass Castings B.38	"	.10	1.00
6	Machine Bolts 13 x 1	"	8.86 Pr.C.	.53
4	Brass Castings H. 169	"	2.90	11.60
4	Iron " H. 181	"	.35	1.40
4	T. H. Lamp Sockets	"	.15	.60
4	Jones Seat Arms	"	2.40	9.60
6	Sliding Contacts	"	.90	5.40
17	Brush Holders W.P.	"	2.00	34.00
42	C. Bolts 1 1/2 x 5/16	"	.56 Pr.C.	.24
42	" 2 x 5/16	"	.61 "	.26
44	" 2 1/2 x 5/16	"	.61 "	.27
50	" 3 x 5/16	"	.64 "	.32
46	" 4 x 5/16	"	.75 "	.35
50	" 2 x 3/8	"	.71 "	.36
50	" 2 1/2 x 3/8	"	.75 "	.38
2	" 3 x 3/8	"	.83 "	.02
45	" 3 1/2 x 3/8	"	.85 "	.38
32	" 4 x 3/8	"	.94 "	.30
39	" 2 x 1/2	"	1.40 "	.55
36	" 2 1/2 x 1/2	"	1.50 "	.54
50	" 3 x 1/2	"	1.57 "	.79

Carried Forward

267.55




Brought Forward				267.55
50	C. Bolts	3 1/2 x 1/2	@ 1.63	Pr.C. .82
50	"	4 x 1/2	" 1.66	" .83
21	"	3 1/2 x 5/8	" 2.80	" .59
50	Mch. Bolts	2 x 5/16	" .60	" .30
50	"	1 1/2 x 5/16	" .54	" .27
47	"	2 x 3/8	" .68	" .32
50	"	2 1/2 x 3/8	" .71	" .36
50	"	3 x 3/8	" .75	" .38
50	"	3 1/2 x 3/8	" .77	" .38
25	"	4 x 3/8	" .81	" .20
50	"	2 1/2 x 1/2	" 1.04	" .52
30	"	3 x 1/2	" 1.13	" .34
14	"	3 1/2 x 1/2	" 1.00	" .14
53	"	4 x 1/2	" 1.24	" .66
50	"	2 1/2 x 1/2	" 1.08	" .54
47	"	4 1/2 x 1/2	" 1.30	" .61
50	"	5 x 1/2	" 1.35	" .68
26	"	1 3/4 x 5/8	" 1.44	" .37
43	"	2 x 5/8	" 1.36	" .58
38	"	2 1/2 x 5/8	" 1.57	" .60
52	"	3 x 5/8	" 1.52	" .79
3	"	3 1/2 x 5/8	" 1.51	" .05
83	"	4 x 5/8	" 1.27	" 1.05
42	"	4 1/2 x 5/8	" 1.29	" .54
23	"	7 x 5/8	" 2.03	" .47
24	"	8 x 5/8	" 2.35	" .56
23	"	9 x 5/8	" 2.47	" .57
21	"	4 1/2 x 7/8	" 4.67	" .98
24	"	5 x 7/8	" 5.00	" 1.20
10	"	3 1/2 x 3/4	" 3.45	" .35
5	"	6 x 3/4	" 3.45	" .17
36	"	5/8	" .58	" .21
36	"	3/4	" .63	" .23
18	"	7/8	" .70	" .13
45	"	1"	" 1.00	" .45
50	Lag Screws	3 x 1/2	" .80	" .40
5	Journal Oil Feeders		" .15	" .75
12	"	Brasses	" 1.10	13.20
4	"	Thrust Plates H/ 18	" .30	1.20
12	"	Box Covers - pig Nose	" .20	2.40
20	Compo Shoes		" .45	9.00
8	Springs	5 1/2 x 4 x 7/8	" .45	3.60
4	Ped. Springs		" .50	2.00
6	"	Bolts	" .30	1.80
7	Life Guards	W.E. Short	" .25	1.75
4	"	" Long	" .25	1.00
25	Brake Ratchet Pawls		" .05	1.25
20	"	" Springs	" .02	.40
2	Brass Castings	#671	" .85	1.70
3	Draw Bar Rests		" .35	1.05
6	"	"	" .25	1.50
8	Fender Castings		" .38	3.04
2	Alarm Gongs		" 2.00	4.00
2	S. Bells		" 1.75	3.50
1	Draw Bar Box			1.00
2	"	" Clevises	" .60	1.20
5	Gate Hooks	B. 37	" .10	.50
4	Sign Castings	H. 116	" .50	2.00
4	"	H. 117	" .50	2.00
3	Bonnet Pulleys		" .75	2.25
240	Ft. Floor Strips	3/4 x 3/4	" .01	2.40
10	"	Boards	" .04 1/5	.42
29	"	Running Board 9 x 1	" .07 1/2	2.18
30	"	Toe Guards 3	" .04	1.20
14	Mesco Batteries		" .23	3.22
48	Ft. Register Cord		" .02 1/4	1.08
2	Register Cord	D. Pulleys	" .42	.84
4	"	" S. "	" .33 1/3	1.33
3	Front Gear Cover	Supports	" .90	2.70
3	Back	"	" .75	2.25
6	Axle Keys		" .30	1.80
31	T. H. Lamps		" .17 1/2	5.43
25	Edison Lamps		" .16 1/4	4.06
3	Lamp Switches		" .35	1.05
1	Large Sprocket Wheel			5.00
1	Plow Shear			2.85
Carried Forward				385.09

Brought Forward		385.09
2 Plow Shear Wings	@ 1.00	2.00
2 " " "	" .88	1.76
2 Digger Shoes	" .50	1.00
1 Dasher Spring		.30
4 Draw Bar Cages	" 2.00	8.00
2 Journal Boxes H. 20	" 3.75	7.50
2 M. M. Switch Magnets	" .42	.84
10 Brake Lever Bolts	" .30	3.00
4 " " Stud Bolts	" .20	.80
2 " Beam Castings H. 169	" .64	1.28
TOTAL SEPT. 1 -----		411.57
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		118.04
		529.61
MATERIAL USED DURING SEPT. -----		143.75
TOTAL SEWALL STREET CAR HOUSE SEPT. 30, 1897 -----		385.86

-:- AMORY STREET CAR HOUSE -:-

7 Drums G.E. 800	@ .35	2.45
1 Armature Pinion	" 2.15	2.15
2 " " Nuts - Iron G.E.800	" 1.50	3.00
1 " " Nut - Brass G.E.800		2.00
10 Axle Oil Feeders G.E.800	" .15	1.50
2 Armature Brass Com. Ends G.E.800	" 2.00	4.00
1 " " Gear "		2.50
2 Brush Holders 1/2 G.E.800	" 2.00	4.00
2 " " 3/4 G.E.800	" 3.50	7.00
7 " " Springs	" .04	.28
2 Armature Brasses W.P. 50 Com. End	" .70	1.40
3 1/2 Pr. Armature Brasses W.P. 50 Gear End	" 1.30	4.55
11 Armature Brass Liners W.P. 50 Gear End	" .15	1.65
5 " " " W.P. 50 Com. End	" .13	.65
2 " Thrust Plates	" .32	.64
4 " " "	" .25	1.00
1 Gear W.P. 50		14.50
6 Axle Oil Feeders W.P.50	" .12 1/2	.75
4 Gear Pan Covers W.P.50	" .50	2.00
3 " " " Springs W.P. 50	" .10	.30
1 Brush Holder Spring W.P. 50		.03
2 M. M. Switches	" 3.25	6.50
4 M. M. Switch Handles - Wood	" .05	.20
27 1/2 Tubing 9/16	" .06	1.65
26 1/2 " 3/8	" .04 1/2	1.19
2 F. 30 Grease Cups	" .25	.50
29 Two Way Connections	" .05	1.45
5 Ground Terminals	" .22	1.10
10 1/2 Rubber Buffers	" .40 Lb.	4.20
4 Motor Hinge Pins	" .07	.28
124 Carbon Brushes 1/2 - 5/8	" .01 1/2	1.86
58 " " 3/4	" .02	1.16
11 Fuse Box Thumb Screws	" .04	.44
1 Fuse Box		3.25
7 Pig Nose Journal Box Caps	" .20	1.40
10 " " " " Castings H. 18	" .30	3.00
2 " " " " Brasses	" 1.10	2.20
2 Brake Staff Sockets - Top	" .08	.16
1 " " " - Bottom		.20
2 " " Complete with Handles	" 5.00	10.00
1 " Beam Casting H. 287		.40
2 " " " H. 187	" 1.00	2.00
1 " " " H. 169		.64
2 " " " H. 32 - 6 A	" .35	.70
6 " Rod Jaws - West End	" .75	4.50
5 " Ratchet Wheels - West End	" .32	1.60
4 " " Springs Pfingst	" .05	.20
9 " " " Small	" .02	.18
12 " " Pawls	" .04	.48
17 " Shoes Compo	" .45	7.65
14 " " Lappin	" 1.00	14.00
Carried Forward		129.44



Brought Forward			129.44
8	Brake Handle Set Screws	@ .04	.32
2	Axle Extension Collars	" 2.15	4.30
8	Axle Reg. (Standard)	" .30	2.40
1	Housing S.T. 28 - 7		2.00
3	Bottom Spring Pockets	" .75	2.25
1	Top " "		1.10
2	Rocker Plates	" .55	1.10
7	Journal Feeders	" .15	1.05
4	" " H. 16	" 2.65	10.60
3	Bemis Castings St. 27 - 12	" .60	1.80
2	" " " 27 - 11	" .60	1.20
1	Life Guard Hanger St. 27		.75
4	Bemis Journal Box Wings	" .30	1.20
4	Truss Pockets	" .32	1.28
3	Equalizing Bar Castings	" .25	.75
9	Stud Bolts	" .20	1.80
2	St. Louis Life Guard Hangers	" .75	1.50
4	" Journal Box Springs	" .35	1.40
6	Life Guards	" .25	1.50
2	Draw Bar Spring Pockets	" 2.25	4.50
9	Springs 5 1/2 x 4 x 13/16	" .20	1.80
5	Alarm Gongs	" .80	4.00
364	Bell Cords	" .02 1/4	8.19
3	Bell Cord Bonnet Pulleys	" .75	2.25
7	" " Leads	" .10	.70
1	Bonnet Sill		.75
1	Randall Seat Back Bracket		1.50
7	Chain Snaps	" .50 Dz.	.30
3	Dasher Rails - Wood	" .30	.90
2	" Grab Handles	" .90	1.80
8	Draw Bar Rests 3"	" .25	2.00
8	" " " 4"	" .35	2.80
2	Jones Door Rollers (Front)	" 1.00	2.00
1	" " " (Back)		.18
15	" Seat Arm Screws	" .15	2.25
1	" Bonnet Casting		.85
2	Randall Door Rollers	" .18	.36
4	" " "	" .50	2.00
6	Ellis Seat Arm Screws	" .20	1.20
2	Single Deck Reg. Pulleys	" .15	.30
4	Double " " "	" .75	3.00
4	Tapper Plates	" .10	.40
4	Yds. Painted Canvas	" .20	.80
1	Platform Support		1.50
1	Push Button		.12
8	Head Light Rims	" .30	2.40
16	Fender Castings	" .38	6.08
4	Foot Rests	" .20	.80
2	Hand Strap Rail Brackets	" .75	1.50
1	King Electric Bell		.50
4	Mesco Dry Batteries	" .23	.92
5	Sign Stick Castings	" .02 1/2	.13
3	Shutter Bars	" .25	.75
3	Gong Frames	" .50	1.50
5	Gate Spikes B. 36	" .13	.65
1	" Hook B. 37		.13
5	" " B. 38	" .10	.50
9	" " B. 39	" .10	.90
2	Set Body Grab Handles	" 8.50	17.00
3	St. Louis Open Car Step Hangers	" .50	1.50
2	Snow Scraper Planks	" .28	.56
1	" Plow Shear		2.85
4	" " Wings	" .88	3.52
1	Coil Snow Plow Sprocket Chain		15.37
1	Snow Plow Sprocket Wheel		5.00
3	" " Digger Shoes	" .50	1.50
4	Controller Handles - Wood	" .15	.60
1	" Finger		.13
10	" Springs	" .13	1.30
4	" Connections	" .15	.60
2	" "	" .20	.40
8	" Point Set Screws	" .02	.16
1	" Collar (14961)		.10
4	Cylinder Contacts	" .08	.32
2	Connecting Boards	" .33	.66
3	Cylinder Contacts	" .15	.45
Carried Forward			282.97

Brought Forward			282.97
4	Cable Pulleys - Single	@ .15	.60
12	Cable Eyes	" .04	.48
9	Reverse Fingers	" .06	.54
1	" Handle		1.00
1	Finger Strip		.06
9	" Seats	" .10	.90
6	Arc Deflector Segments	" .20	1.20
31	Fibre Washers	" .02	.62
22	Fibre Bushings	" .05	1.10
4	Rheostat Bushings 51 A	" .10	.40
3	" " 51 B	" .35	1.05
4	" Arms	" .80	3.20
53	" Cables	" .01 3/4	.92
3	3/8 Turn Buckles	" .20	.60
36	1/2 Sprocket Chain 51	" .08 Ft.	2.92
2	Comb. Lamp Switches	" .50	1.00
2	Three Point Lamp Switches	" .42	.84
5	Edison House Lamp Sockets	" .11	.55
3	" Car " "	" .20	.60
5	" Wall " "	" .11	.55
2	T. H. " " "	" .20	.40
3	Head Light Sockets	" .07	.21
19	Car Lamps	" .17 1/2	3.33
23	House Lamps	" .16 1/4	3.74
3	Lamp Brackets	" .15	.45
12	Trolley Wheels	" .35	4.20
12	" Tension Springs	" .15	1.80
11	" Wheel Spindles	" .06	.66
274	" Cord	" .006	1.64
26	Sign Castings H. 460	" .45	11.70
25	" " H. 461	" .45	11.25
3	" " H. 115	" .50	1.50
7	" " H. 116	" .50	3.50
7	" " H. 117	" .50	3.50
2	" " H. 723	" .20	.40
3	Hood "	" .08	.24
8	Castings 5"	" .35	2.80
9	Lts. Glass 18 x 36	" .35	3.15
4	" " 28 x 28	" .40	1.60
8	" " 28 x 32	" .58	4.64
4	" " 20 x 38	" .43	1.72
13	" " 23 x 24	" .25	3.25
3	" " 24 x 32	" .34	1.02
1	" " 21 x 28 Warning		1.04
3	" " 20 x 40 Ground	" .64	1.92
4	Pcs. " 6 x 36 Monitor	" .18	.72
1	" " 7 x 17 1/2 Ventilator Sash		1.00
102	Nut Locks 1/2"	" .53	.54
129	" " 5/8"	" .58	.75
108	" " 3/4"	" .63	.68
66	" " 7/8"	" .70	.46
21	" " 1"	" 1.00	.21
51	Gals. Car Oil	" .18	9.18
148	Carriage Bolts 1 1/2 x 5/16	" .56	.83
41	" " 2 x 5/16	" .60	.25
48	" " 2 1/2 x 5/16	" .63	.30
50	" " 3 x 5/16	" .66	.33
17	" " 4 x 5/16	" .75	.13
37	" " 5 x 5/16	" .85	.31
7	" " 3 x 3/8	" .82	.06
28	" " 4 x 3/8	" .92	.26
23	" " 6 x 3/8	" 1.15	.26
25	" " 3 x 1/2	" 1.57	.39
16	" " 3 1/2 x 1/2	" 1.63	.26
22	" " 4 x 1/2	" 1.66	.37
31	" " 4 1/2 x 1/2	" 1.75	.55
9	" " 5 x 1/2	" 1.84	.17
7	" " 6 x 1/2	" 2.00	.14
13	" " 7 x 1/2	" 2.20	.29
4	" " 7 1/2 x 1/2	" 2.28	.09
18	" " 8 x 1/2	" 2.30	.41
19	" " 9 x 1/2	" 2.50	.48
20	" " 9 1/2 x 1/2	" 2.60	.52
11	Lag Screws 2 1/2 x 1/2	" .75	.08
53	" " 3 x 1/2	" 1.00	.53

Carried Forward

392.31

1. The first part of the document is a list of names and addresses, which appears to be a directory or a list of subscribers. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

2. The second part of the document is a list of names and addresses, similar to the first part. It also appears to be a directory or a list of subscribers. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

3. The third part of the document is a list of names and addresses, similar to the first two parts. It also appears to be a directory or a list of subscribers. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

4. The fourth part of the document is a list of names and addresses, similar to the first three parts. It also appears to be a directory or a list of subscribers. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

5. The fifth part of the document is a list of names and addresses, similar to the first four parts. It also appears to be a directory or a list of subscribers. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

6. The sixth part of the document is a list of names and addresses, similar to the first five parts. It also appears to be a directory or a list of subscribers. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

7. The seventh part of the document is a list of names and addresses, similar to the first six parts. It also appears to be a directory or a list of subscribers. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

8. The eighth part of the document is a list of names and addresses, similar to the first seven parts. It also appears to be a directory or a list of subscribers. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

Brought Forward						392.31
50	Lag Screws	3	1/2 x 1/2	@	1.05	.53
34	"	4	x 1/2	"	.91	.31
24	"	2	x 3/8	"	.49	.12
50	"	2	1/2 x 3/8	"	.53	.27
23	"	3	1/2 x 3/8	"	.62	.14
5	"	3	1/2 x 5/8	"	1.22	.06
25	G.S.H. Bolts	2	x 1/2	"	.04	1.00
7	"	2	x 1/2	"	.01	.07
22	M. Bolts	1	1/4 x 3/8	"	.51	.11
34	"	1	1/2 x 3/8	"	.65	.22
45	"	2	x 3/8	"	.68	.31
45	"	2	1/2 x 3/8	"	.71	.32
36	"	3	x 3/8	"	.75	.27
25	"	3	1/2 x 3/8	"	.77	.19
21	"	4	x 3/8	"	.65	.14
22	"	2	1/2 x 5/16	"	.59	.13
7	"	1	1/4 x 1/2	"	.88	.06
50	"	2	x 1/2	"	.90	.45
34	"	2	1/2 x 1/2	"	1.04	.35
23	"	3	x 1/2	"	1.13	.26
32	"	3	1/2 x 1/2	"	1.19	.38
57	"	4	x 1/2	"	1.24	.71
57	"	4	1/2 x 1/2	"	1.16	.66
55	"	5	x 1/2	"	1.21	.67
10	"	5	1/2 x 1/2	"	1.25	.13
9	"	6	x 1/2	"	1.31	.12
23	"	6	1/2 x 1/2	"	1.35	.31
11	"	7	x 1/2	"	1.42	.16
36	"	1	3/4 x 5/8	"	1.44	.52
48	"	2	x 5/8	"	1.50	.72
16	"	2	1/2 x 5/8	"	1.57	.25
31	"	3	x 5/8	"	1.65	.51
45	"	3	1/2 x 5/8	"	1.73	.78
250	"	4	x 5/8	"	1.27	3.18
74	"	4	1/2 x 5/8	"	1.89	1.40
84	"	5	x 5/8	"	1.97	1.65
38	"	5	1/2 x 5/8	"	2.05	.78
38	"	6	x 5/8	"	1.97	.75
23	"	6	1/2 x 5/8	"	2.20	.51
14	"	7	x 5/8	"	2.29	.32
12	"	7	1/2 x 5/8	"	2.38	.29
23	"	8	x 5/8	"	2.46	.57
12	"	9	x 5/8	"	2.47	.30
25	"	10	1/2 x 5/8	"	2.78	.70
23	"	3	1/2 x 3/4	"	2.70	.62
13	"	4	1/2 x 3/4	"	2.80	.36
10	"	6	1/2 x 3/4	"	3.17	.32
8	"	4	1/2 x 7/8	"	4.65	.37
17	"	5	x 7/8	"	5.00	.85
3	Motor Bolts	7/8	x 10 1/2	"	.15	.45
12	"	1	x 10 1/2	"	.15	1.80
TOTAL SEPT. 1 -----						418.76
MATERIAL RECEIVED & CHARGED DURING SEPT. -----						147.07
						565.83
MATERIAL USED DURING SEPT. -----						120.92
TOTAL AMORY STREET CAR HOUSE SEPT. 30, 1897 -----						444.91

--- PARK STREET CAR HOUSE ---

2	Springs	5	1/2 x 4 1/2 x 1	@	.32	.64
11	"	8"	End	"	.25	2.75
1	Snow Plow	Shear	Plank			2.50
1	"	"	Wing			1.00
2	"	"	Castings H. 531	"	1.00	2.00
2	"	"	Sprocket Wheels	"	5.00	10.00
3	"	"	Oil Cups	"	1.00	3.00
3	"	"	Digger Shoes	"	.40	1.20
18	Ft. #51	Sprocket	Chain	"	.07 1/4	1.30
1	St. Louis	Seat	Back Arm			1.65
Carried Forward						26.04

The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that every entry should be supported by a valid receipt or invoice. This ensures transparency and allows for easy verification of the data.

In the second section, the author outlines the various methods used to collect and analyze the data. This includes both primary and secondary data collection techniques. The analysis focuses on identifying trends and patterns over time, which is crucial for making informed decisions.

The third part of the document provides a detailed breakdown of the results. It shows that there has been a significant increase in sales volume, particularly in the online channel. This is attributed to the implementation of the new marketing strategy and the improved user experience on the website.

Finally, the document concludes with a series of recommendations for future actions. It suggests continuing to invest in digital marketing and exploring new product lines. The author also notes that regular audits and updates to the data collection process are necessary to maintain the accuracy and reliability of the information.

Brought Forward			26.04
29	Trolley Wheels	@ .35	10.15
11	" " Spindles	" .06	.66
35	T. H. Lamps	" .17 1/2	6.13
15	" Wall Sockets	" .15	2.25
51	M. Bolts 4 x 1/2	" 1.24 Pr.C.	.63
25	" 5 x 1/2	" 1.35 "	.34
42	" 5 1/2 x 1/2	" 1.40 "	.59
48	" 2 x 5/8	" 1.50 "	.72
48	" 2 1/2 x 5/8	" 1.43 "	.69
32	" 3 1/2 x 5/8	" 1.59 "	.51
122	" 4 x 5/8	" 1.27 "	1.55
42	" 4 1/2 x 5/8	" 1.76 "	.74
8	" 4 1/2 x 7/8	" 5.17 "	.41
20	" 5 x 3/4	" 2.22 "	.44
10	" 10 x 1	" 7.63 "	.76
3	Armature Brasses W.P. 50 C.F.	" .70	2.10
1	" " W.P. 50 G.F.	"	1.30
9	" " G.E.800 C.F.	" 2.00	18.00
10	" " G.E.800 G.F.	" 2.50	25.00
2	" " W.H.12A C.F.	" 1.45	2.90
2	" " W.H.12A G.F.	" 1.25	2.50
27	" Brass Rings G.E. 800	" .11	2.97
8	Motor Axle Brasses G.E. 800	" 3.00	24.00
1	" " W.P. 50	"	3.50
4	" " Collars W.H. 12 A	" 1.00	4.00
9	Ash Platform Supports	" 1.50	13.50
5	" " End Sills	" .75	3.75
1	" Bonnet Bow	"	.65
5	" " Castings	" .20	1.00
1	Controller Arc Deflector	"	.20
10	Brake Staff Ratchets	" .32	3.20
4	" " Sill Blocks	" .20	.80
37	" Shoes Compo	" .45	16.65
6	" " Lappin	" 1.00	6.00
5	Body Grab Handles	" 2.12 1/2	10.63
3	Brush Holders G.E. 800	" 3.50	10.50
2	" " W.H. 12 A	" 1.75	3.50
4	" " Springs 12 A	" .20	.80
2	" " Yokes G.E.800	" .35	.70
4	" " Wood W.P. 50	" .10	.40
5	Controller Springs	" .13	.65
4	" " Fingers	" .13	.52
6	" " Seats	" .10	.60
7	K. 2 Controller Segments R. 4	" .15	1.05
16	K. " Tips	" .06	.96
3	Controller Pawls	" .15	.45
5	" Reverse Fingers	" .06	.30
6	Dasher Grab Handles	" .90	5.40
1	" Rail (Brass)	"	5.00
8	Draw Bar Rests	" .25	2.00
2	" " Clevises	" .60	1.20
19	Dry Batteries	" .23	4.37
57	Edison Lamps	" .16 1/4	9.26
11	Fender Slides	" .38	4.18
2	Fender Locks	" .10	.20
6	Gate Hook Eyes	" .10	.60
3	Gate Hooks	" .13	.39
2	" Bottom Spikes	" .13	.26
5	Armature Pinion Keys G.E. 800	" .30	1.50
14	" " G.E. 800	" 1.85	25.90
2	Comb. Light Switches	" .50	1.00
6	Lts. Glass 18 x 36	" .35	2.10
4	" " 20 x 30	" .29	1.16
12	" " 22 x 28	" .35	4.20
7	" " 30 x 32	" .65	4.55
6	" " 28 x 28	" .40	2.40
13	" " 28 x 32	" .58	7.54
4	" " 22 x 32	" .50	2.00
4	" " 20 x 34	" .33	1.32
7	" " 24 x 32	" .60	4.20
8	" " 28 x 30	" .40	3.20
2	" " 24 x 42 Ground	" .85	1.70
1	" " 24 x 34 Enameled	"	.54
4	Headlight Rings	" .30	1.20
10	Jones Seat Arm Screws	" .10	1.00
2	Jones Door Rolls	" 1.00	2.00

Carried Forward

316.06

.....

.....

.....

.....

.....

.....

.....

.....

Brought Forward			316.06
4	Journal Boxes H. 20	@ 3.50	14.00
4	" Box Caps H. 71	" .08	.32
7	" " " H. 77	" .20	1.40
7	" " Keys H. 21	" .35	2.45
3	" " " H. 48	" .30	.90
2	K. 2 Shunt Resistances		25.00
5	Life Guards	" .25	1.25
4	" " Hangers St. Louis	" .75	3.00
2	M. M. Switches	" 3.25	6.50
7	Rheostat Spindle Bushings A.	" .35	2.45
15	" Fibre Bushings	" .05	.75
20	" Leatheroid Washers	" .01	.20
7	" Arms	" .80	5.60
7	Register Pulleys & Drip Rail	" .25	1.75
5	" " Single Deck	" .35	1.75
2	" " Double Deck	" .75	1.50
20	5/8 Carbon Brushes	" .01 1/2	.30
76	1/2 & 3/4 Carbon Brushes	" .02	1.52
4	Electric Bells	" .50	2.00
TOTAL SEPT. 1-----			388.70
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			267.40
			656.10
MATERIAL USED DURING SEPT. -----			307.64
TOTAL PARK STREET CAR HOUSE SEPT. 30, 1897 -----			348.46

-:- NEPONSET CAR HOUSE -:-

2	G. E. 800 Axle Bearings	@ 3.00	6.00
7	G.E. 800 Axle Keys	" .30	2.10
2	Alarm Gongs	" 1.50	3.00
1	G.E. 800 Armature Bearings G.S.		2.50
1	" " " C.S.		2.00
3	W.H. 12 A " " G.S.	" 1.25	3.75
2	" " " C.S.	" 1.45	2.90
11	G.E. 800 " Rings	" .11	1.21
4	" Axle Oil Feeders	" .15	.60
6	W.H. 12 A " " "	" .20	1.20
2	Bonnet Bows	" 1.00	2.00
6	Arc Deflector Segments	" .20	1.20
2	Brake Ratchet Wheels	" .32	.64
16	Lappin Brake Shoes	" 1.00	16.00
19	Compo " "	" .45	8.55
6	Bonnet Pulleys	" .70	4.20
1	G. E. 800 Brush Holder		3.50
2	" " " Yokes	" .35	.70
4	" " " Springs	" .04	.16
4	W.H. 12 A " " "	" 1.75	7.00
12	" " " Springs	" .20	2.40
19	K.2 Controller Tips	" .06	1.14
18	" " Segments	" .12	2.16
75	G.E. 800 Carbons	" .02	1.50
90	W.H. 12 A "	" .02	1.80
16	Contact Fingers	" .13	2.08
11	" " "	" .06	.66
6	Controller Pawl Springs	" .03 1/2	.21
5	" " Rollers	" .05	.25
4	" Trolley Rings	" .15	.60
2	Car Bells	" 1.65	3.30
6	Draw Bar Rests	" .25	1.50
2	" " Clevises	" .60	1.20
2	Dry Batteries	" .23	.46
38	Edison Lamps	" .16 1/4	6.17
5	Edison Wall Sockets	" .17 1/2	.87
2	Electric Bells	" .50	1.00
6	End Springs	" .25	1.50
6	Edison Lamp Sockets	" .13	.78
14	Fender Slides	" .38	5.32
2	Fender Locks	" .10	.20
2	Fuse Boxes	" 3.25	6.50
2	Light Switches	" .50	1.00
Carried Forward			111.81

1. The first part of the document is a list of names and addresses of the members of the committee.

2. The second part of the document is a list of the names and addresses of the members of the committee.

3. The third part of the document is a list of the names and addresses of the members of the committee.

4. The fourth part of the document is a list of the names and addresses of the members of the committee.


5. The fifth part of the document is a list of the names and addresses of the members of the committee.

6. The sixth part of the document is a list of the names and addresses of the members of the committee.

7. The seventh part of the document is a list of the names and addresses of the members of the committee.

8. The eighth part of the document is a list of the names and addresses of the members of the committee.

Brought Forward			111.81
6	Ground Terminals	@ .22	1.32
4	Gate Castings B. 36	" .17	.68
5	" " B. 37	" .13	.65
5	" " B. 38	" .10	.50
9	" " B. 39	" .10	.90
4	Motor Cover Latches	" .30	1.20
2	G.E. 800 Armature Nut Locks	" .05	.10
2	" " " Pinions	" 1.85	3.70
11	Lts. Glass 18 x 36	" .35	3.85
9	" " 22 x 28	" .35	3.15
5	" " 28 x 28	" .40	2.00
4	" " 28 x 32	" .58	2.32
4	" " 28 x 30	" .40	1.60
3	" " 24 x 42	" .85	2.55
6	" " 6 x 14	" .09	.54
4	" " 6 x 29	" .09	.36
5	G. E. 800 Pinion Keys	" .25	1.25
3	" " " Nuts	" .60	1.80
1	Set G. E. 800 Brush Holder Castings		1.25
2	Headlight Rings	" .30	.60
10	Journal Box Screw Caps	" .20	2.00
10	" " Keys H. 18	" .30	3.00
5	" " " H. 21	" .35	1.75
4	" Bearings	" 1.10	4.40
3	" Box Covers H. 71	" .08	.24
1	K. Resistance		12.50
1	Headlight Reflector		.15
7	Journal Box Oil Feeders	" .15	1.05
3	Life Guards	" .25	.75
1	Lightning Arrester		3.00
1	Three Pt. Switch		.42
2	Hart Switches	" .60	1.20
4	M. M. Switches	" 3.25	13.00
6	Pedestal Springs	" .50	3.00
3	Rheostat Bushings	" .35	1.05
3	" Contacts	" 1.25	3.75
12	" Bushings	" .05	.60
3	" "	" .10	.30
5	" Arms	" .80	4.00
1	" Spindle		1.50
6	Double Register Pulleys	" .75	4.50
6	Single " "	" .35	2.10
2	St. Louis Seat Back Arms	" 1.65	3.30
8	Trolley Wheels	" .35	2.80
18	" " Spindles	" .06	1.08
3	" Poles	" 3.50	10.50
5	" Forks	" .50	2.50
2	" Forks	" .90	1.80
31	T. H. Lamps	" .17 1/2	5.42
4	T. H. Wall Sockets	" .15	.60
4	Truss Pockets	" .32	1.28
3	" "	" .25	.75
3	Brake Staff Sockets	" .07	.21
8	Bell Strap Hooks	" .10	.80
1	W.H. Armature Pinion		2.25
2	" Axle Bearings	" 2.20	4.40
3	St. Louis Register Back Slides	" .15	.45
20	" " Seat Arm Screws	" .15	3.00
2	Fender Locks	" .10	.20
3	Brake Ratchet Dogs	" .09	.27
9	Sign Castings	" .35	3.15
7	" "	" .08	.56
6	Wood Controller Handles	" .15	.90
2	Journal Boxes H. 20	" 3.50	7.00
10	1/2 Lbs. Norway Iron	" .028	.29
TOTAL SEPT. 1 -----			259.90
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			79.28
			<hr/>
			339.18
MATERIAL USED DURING SEPT. -----			99.32
TOTAL NEPONSET CAR HOUSE SEPT. 30, 1897 -----			<hr/> 239.86



-:- EAST BOSTON CAR HOUSE -:-

3	W.P. Armature Bearings C.E.	@	1.60	4.80
2	" " " G.E.	"	2.25	4.50
6	" " Thrust Plates	"	.32	1.92
5	" Oil Feeders	"	.10	.50
2	" Axle Bearings	"	5.00	10.00
4	" Brush Holders	"	.50	2.00
3	W.H. Armature Keys	"	.30	.90
1	" " Bearings G.E.	"		2.00
1	" " " C.E.	"		2.00
1	" Axle Bearings	"		4.85
8	" " Keys	"	.30	2.40
1	" " Gear	"		17.75
1	" Brush Holder	"		7.50
13	" " " Springs	"	.20	2.60
5	" " " Insulators	"	.58	2.90
7	" Motor Shields	"	.40	2.80
252	Brass Cleats	"	.06 Dz.	1.26
3	Brake Staff Sockets	"	.08	.24
4	" " Lower	"	.20	.80
5	" Ratchet Wheels	"	.32	1.60
6	" Stud Bolts	"	.20	1.20
3	" Castings H. 287	"	.40	1.20
1	" " H. 168	"		.64
9	Trolley Wheels	"	.35	3.15
7	Rheostat Spindles	"	1.40	9.80
2	" Arms	"	.75	1.50
7	" Spindle Bushings 51 D.	"	.35	2.45
4	" " " 51	"	.10	.40
1	" Drum	"		1.88
2	Journal Boxes H. 20	"	3.75	7.50
6	Rubber Buffers	"	.40	2.40
3	Journal Brasses P. N.	"	1.50	4.50
9	" " Bemis	"	1.10	9.90
10	T. H. Lamps	"	.18	1.80
2	" Com. Switches	"	.50	1.00
1	" Wall Socket	"		.15
95	Edison Lamps	"	.16 1/2	15.68
9	" " Sockets	"	.17	1.53
1	T. H. Fuse Box	"		3.25
63	Register Cable Eyes	"	.05	3.15
7	Controlling Fingers	"	.13	.91
6	Reverse "	"	.06	.36
2	6 A Castings	"	.35	.70
3	End Springs	"	.25	.75
1	Journal Oil Feeder	"		.15
1	Dasher Rail	"		5.00
4	Reversing Tubes	"	.30	1.20
1	Snow Plow Sprocket Chain	"		15.75
2	" " " Wheels	"	5.00	10.00
3	" " " Keys	"	.25	.75
4	" " Diggers	"	.50	2.00
1	" " Axle Gear	"		12.00
7	" " Castings H. 531	"	1.00	7.00
5	" " " H. 527	"	.15	.75
1	" " " H. 42	"		3.50
1	" " Shear	"		3.20
2	" " Wings	"	.88	1.76
2	" Scraper Hangers	"	.50	1.00
1	" Plow Countershaft Bearing	"		2.00
2	" Scraper Dasher Springs	"	.40	.80
12	Lts. Glass 32 x 28	"	.58	6.96
6	" " 34 x 20	"	.33	1.98
12	" " 28 x 20	"	.25	3.00
5	" " 28 x 18 Lettered	"	.92	4.60
5	" " 28 x 7 1/2	"	.14	.70
3	New Jones Seat Arms	"	1.65	4.95
6	S. D. Pulleys	"	.15	.90
4	D.D. Pulleys	"	.85	3.40
5	Bonnet Pulleys	"	.70	3.50
2	S. D. Pulley Brasses	"	.35	.70
4	D. D. " "	"	.75	3.00
4	Life Guards	"	.25	1.00
2	Draw Bar Rests	"	.25	.50
1	Bunter Sill	"		2.00
100	Ft. White Wood	"	.05	5.00

Carried Forward

258.17

The first part of the book is devoted to a general history of the world, from the beginning of time to the present day. The author discusses the various races of men, their physical characteristics, and their social and political organizations. He also touches upon the progress of science and the arts, and the influence of religion and philosophy upon human civilization.

The second part of the book is a detailed account of the history of the United States, from the first settlement of the continent to the present day. The author describes the struggles of the early colonists, the growth of the nation, and the various conflicts and revolutions that have shaped its destiny. He also discusses the political and social changes that have taken place since the adoption of the Constitution.


The third part of the book is a history of the world from the year 1800 to the present day. The author discusses the various revolutions and wars that have taken place, and the progress of science and the arts. He also touches upon the influence of religion and philosophy upon human civilization.

The fourth part of the book is a history of the world from the year 1800 to the present day. The author discusses the various revolutions and wars that have taken place, and the progress of science and the arts. He also touches upon the influence of religion and philosophy upon human civilization.


Brought Forward			258.17
12 Foot Rests	@	.30	3.60
10 Foot Rest brackets	"	.10	1.00
2 Car Gongs	"	1.00	2.00
3 " " Frames	"	.50	1.50
7 Gate Hooks	"	.10	.70
5 " "	"	.17	.85
8 Pedestal Bolts	"	.35	2.80
10 Fender Castings	"	.38	3.80
1 W.H. Gear Case			12.40
6 Lappin Brake Shoes	"	1.00	6.00
15 Compo " "	"	.45	6.75
14 Rheostat Cable Eyes	"	.05	.70
12 Sliding Contact Springs	"	.06	.72
2 M. M. Switches	"	3.25	6.50
8 Journal Box Thrust Plates	"	.42	3.36
1 Signal Bell			1.50
500 Ft. Rheostat Cable	"	.01 3/4	8.75
51 1/2 Gal. Car Oil	"	.18	9.27
TOTAL SEPT. 1 -----			330.37
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			131.99
			462.36
MATERIAL USED DURING SEPT. -----			137.65
TOTAL EAST BOSTON CAR HOUSE SEPT. 30, 1897 -----			324.71

--:-- CHARLESTOWN NECK CAR HOUSE --:--


1 Union Brass 1/2"			.17
1 " " 1 1/4"			.53
1 " " 1 1/2"			.67
2 Elbows Iron 3/4"	@	.02	.04
2 " " 1 1/4"	"	.05	.10
2 Tees Iron 1 1/4"	"	.07	.14
1 " " 1 1/2"			.09
1 Bushing Iron 1/2 x 3/4			.02
2 " " 3/4 x 1	"	.03	.06
4 " " 1 x 1/4	"	.03	.12
4 " " 1 x 1 1/4	"	.03	.12
4 " " 1 1/4 x 1 1/2	"	.04	.16
2 Nipples Close 1/2	"	.01	.02
4 " " 3/4	"	.01 1/2	.06
4 " " 1	"	.02	.08
2 " " 1 1/4	"	.02 1/2	.05
2 " " 1 1/2	"	.03	.06
2 Armature Brasses W.P. 50 G.S.	"	1.30	2.60
2 " " W.P. 50 C.S.	"	.70	1.40
11 " Brass Liners G.S.	"	.20	2.20
5 " " " C.S.	"	.11	.55
9 " Thrust Plates	"	.32	2.88
1 " Brass W.H. 12 G.S.			1.50
3 " " W.H. 12 C.S.	"	1.60	4.80
1 " " W.H. 12 A			3.75
2 " Pinions 12 A	"	2.25	4.50
2 Axle Brasses 3 3/4 W.H.	"	3.75	7.50
1 Armature Brass 12 A G.S.			1.50
1 " " 12 C.S.			1.85
4 Bolts M. 10 1/2 x 1	"	.15	.60
4 Brake Staff Castings H. 282	"	.07	.28
6 " Castings 6 A 32	"	.35	2.10
9 " " 6 A 33	"	.35	3.15
10 " Staff Ratchets	"	.35	3.50
5 " Castings Brass H. 495	"	2.90	14.50
20 " Shoes Compo	"	.45	9.00
3 " " Steel	"	.75	2.25
6 " Link Castings H. 755	"	.05	.30
2 " Double Offset Links	"	.75	1.50
1 Bonnet Bow			1.00
1 Bunter Sill			1.76
12 Bemis Stud Bolts	"	.20	2.40
Carried Forward			79.86



Brought Forward			79.86
5	Brake Ratchet Dogs	@ .03	.15
3	Brush Holders W.P. 50	" 2.00	6.00
1	" " W.P. 50 Repd.		.50
1	" " W.H. 12		7.50
5	" " W.H. 12 No Springs	" 6.90	34.50
6	" " Springs	" .20	1.20
4	" " Bushings	" 1.16	4.64
15	" " Blocks W.P.	" .10	1.50
6	" " Hammers W.P.	" .25	1.50
5	" " Springs	" .05	.25
3	Body Grab Handles	" 2.13	6.39
1	Chafing Iron Top		1.00
17	Controller Contact Fingers	" .13	2.21
7	" Reverse "	" .06	.42
31	" Tips K.	" .06	1.86
20	" Tips K. 2	" .06	1.20
6	" Pawl Springs	" .13	.78
21	Cylinder Contacts	" .16	3.36
4	Arc Deflectors	" .20	.80
3	Connections #6	" .05	.15
64	Carbon Brushes W.P.	" .01 1/2	.96
62	" " W.H.	" .02	1.24
5	Cap Screws 3 x 3/4	" .068	.34
7	" " 3 1/2 x 3/4	" .076	.53
16	" " 3 x 5/8	" .0588	.94
2	Cluster Balls 5 Lights	" .75	1.50
136	Ft. Clarke Cable	" .03 1/2	4.76
14	Draw Bar Rests	" .25	3.50
3	" " Forgings	" .25	.75
2	Door Rolls	" 1.00	2.00
1	Dasher Grab Handle		.90
6	Dasher Rails - Wood	" .30	1.80
5	Edison Lamp Sockets	" .22	1.10
14	" Lamps	" .16 1/4	2.28
4	" Wall Sockets	" .15	.60
5	" Lamp Sockets	" .11	.55
1	Fuse Box Terminal		.10
1	" " "		.15
10	" " Thumb Screws	" .04	.40
2	Fuse Box Magnets	" .20	.40
4	" " " Wound	" .50	2.00
1	" " Slate 3 1/4 x 6 1/4		.08
25	Fender Slides	" .38	9.50
9	Lbs. Fibre 1/4"	" .30	2.70
1	Gong & Platform 8"		1.00
3	" " " 10"	" 1.00	3.00
6	Gate Hooks B. 37	" .10	.60
7	" " B. 39	" .13	.91
4	" " "	" .16	.64
4	" Spikes	" .13	.52
8	" Sprockets B. 38	" .10	.80
7	" " B. 40 - 41	" .15	1.05
12	Lts. Glass 20 x 30	" .29	3.48
9	" " 18 x 36	" .35	3.15
10	" " 28 x 28	" .36	3.60
5	" " 28 x 32	" .58	2.90
1	" " 20 x 52 Ground		1.12
2	" " 20 x 37 Enameled	" .47	.94
1	" " 20 x 36 "		.30
4	Heater Switches	" .60	2.40
1	" " Handle		.50
2	Life Guard Hangers	" .75	1.50
6	Back Gear Case Hangers	" .75	4.50
10	Front " " "	" .90	9.00
3	Head Light Rings	" .30	.90
1	" " Lamp Socket		.15
1	Journal Box H. 20		4.00
1	" " H. 20		3.50
5	" Brasses H. 52	" 1.50	7.50
8	" Wedges H. 18	" .30	2.40
3	" Screw Caps	" .20	.60
23	" Oil Sheds	" .06	1.38
4	" Wedges H. 20	" .30	1.20
2	Life Guard Hangers - St. Louis	" .75	1.50
13	Life Guards	" .25	3.25
Carried Forward			263.14



Brought Forward			263.14
3	Life Guards	@ .35	1.05
2	Light Switches 3 Poles	" .42	.84
1	M. M. Switch Handle & Blade		.50
1	" " Terminal Top		.15
10	" " " Bottom	" .18	1.80
13	" " Contacts Top	" .08	1.04
2	" " " Bottom	" .06	.12
20	" " Blade Contacts	" .04	.80
11	Motor Suspension Bushings	" .15	1.65
1	" Axle Collar 12 A		1.00
1	" " " W.H. 12		2.15
4	" " Keys	" .30	1.20
2	" Nose Plates	" .55	1.10
1	" Shield C.S.		.50
2	Platform Supports Outside	" .71	1.42
1	" " Inside		.63
2	Pedestal Bolts	" .35	.70
300	Ft. Register Cord	" .02 1/4	6.75
33	" Rubber Tubing 9/16	" .06	1.98
20	Lbs. Iron Rivets 8 x 5/8	" .04 1/2	.90
1	Rugg Seat Sweep		.60
17	" " " Screws	" .15	2.55
1	Rheostat Arm		.80
5	" contacts	" 1.25	6.25
1	Resistance		12.50
5	Rheostat Bushings - Large	" .35	1.75
36	" " - Small	" .10	3.60
22	" Hanger Bushings	" .05	1.10
44	" Fi bre Washers	" .01	.44
22	Ft. Rheo. Sprocket Chain	" .08	1.76
141	" " Cable	" .01 3/4	2.47
10	Rheostat Drums 5"	" .30	3.00
2	" " 10"	" 1.88	3.76
1	" Lead Nut		.35
2	" Turn Buckles 3/8	" .32	.64
1	Snow Plow Shear plank		2.85
1	" " " " Steel Plow		3.20
2	" " Sprocket Chains	" 15.37	30.74
18	" " " " Rivets	" .03	.54
2	" " " Wheels	" 5.00	10.00
1	" " Casting H. 329		.30
1	" Scraper Blade		.25
5	" Plow Castings H. 327	" .15	.75
2	" " Wings	" .88	1.76
2	Jones Seat Arms	" 1.65	3.30
6	" " " Screws	" .15	.90
4	Springs 5 1/2 x 4 x 7/8	" .45	1.80
2	" 9 x 3 1/2 x 3/4	" .48	.96
6	" 5 1/2 x 4 1/2 x 1	" .33	1.98
1	End Spring		.50
16	Lateral Springs	" 1.00	16.00
92	Ft. Tow Guard	" .04	3.68
65	Ft. Hard Pine Flooring	" .04 2/10	2.73
21	Ft. Running Board	" .07 1/2	1.57
33	T. H. Lamps	" .17 1/2	5.78
9	" Lamp Sockets	" .20	1.80
2	" Wall Sockets	" .15	.30
2	" Branch Switches	" .25	.50
3	" Connection Switches	" .50	1.50
26	1/2 Lbs. Tool Steel	" .06	1.59
5	1/4 " Truss Pipe Plugs	" .02 1/2	.13
6	Truss Body Pockets	" .32	1.92
300	Ft. Trolley Cord	" .006	1.80
18	Trolley Wheels	" .35	6.30
6	" Tension Springs	" .25	1.50
6	" Ribs	" .25	1.50
13	Truck Tie Straps	" .25	3.25
2	" " Rods	" .70	1.40
37	Ft. Wire Curtain Cord	" .01	.37
50	Lbs. Truck Paint	" .07	3.50
TOTAL SEPT. 1 -----			447.94
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			77.89
			<hr/>
			525.83
MATERIAL USED DURING SEPT. -----			113.38
TOTAL CHARLESTOWN NECK CAR HOUSE SEPT. 30, 1897 -----			<hr/> 412.45




--:-- NORTH POINT CAR HOUSE --:--


2	Lts. Glass	20 x 28	@	.25	.50
5	"	" 30 x 38	"	.60	3.00
9	"	" 24 x 40	"	.54	4.86
9	"	" 28 x 32	"	.58	5.22
5	"	" 24 x 28	"	.38	1.90
7	"	" 18 x 36	"	.35	2.45
8	"	" 20 x 30	"	.35	2.80
12	"	" 28 x 28	"	.40	4.80
7	"	Lettered Glass	"	1.09	7.63
6	"	"	"	.86	5.16
2	Window Sashes		"	1.50	3.00
3	Head Light Rings		"	.30	.90
2	Slide Contacts		"	.90	1.80
2	Step Treads		"	.12	.24
30	Ft. Sprocket Chain		"	.07 1/4	2.17
2	Alarm Gong Frames		"	.50	1.00
5	Alarm Gongs		"	.80	4.00
4	Springs	8 x 4 x 13/16	"	.36	1.44
1	Slate Fuse Block		"		.20
7	T. H. Lamp Sockets		"	.15	1.05
2	Controlling Stand Sprocket Wheels		"	.30	.60
6	Wood Gate Set Screws		"	.07	.42
5	Jones Seat Screws		"	.10	.50
4	Mesco Batteries		"	.23	.92
1	Spring	5 1/2 x 4 1/2 x 1			.35
2	Rheostat Arms		"	.80	1.60
7	Cylinder Segments	#7	"	.08	.56
4	"	" #5	"	.15	.60
10	"	" #3	"	.05	.50
5	Draw Bar Spring Washers		"	.20	1.00
3	King Electric Bells		"	.50	1.50
2	St. Louis Life Guard Hangers		"	.75	1.50
1	"	" Truss Pipe Pocket			.32
2	Bemis #57 Journal Box Cover		"	.08	.16
15	Snow Scraper Dasher Springs		"	.30	4.50
1	W.P. Axle Brass				2.50
4	Clevises		"	.60	2.40
1	Three Point Switch				.42
1	Trolley Plank				.90
3	Heater Switch Handles		"	.50	1.50
17	Snow Scraper Castings		"	.25	4.25
1	Chafing Iron	#202			.25
7	Laconia Door Rolls		"	.18	1.26
10	"	" Roll Pins	"	.08	.80
4	Snow Plow Angle Thimbles		"	1.25	5.00
1	Cartwright Socket				.20
9	Body Grab Handles		"	2.12 1/2	19.12
9	Dasher Grab Handles		"	.90	8.10
6	Castings H. 147		"	.25	1.50
7	Brake Rod Ends		"	.75	5.25
1	Rheostat Bushing	51 D.			.35
3	"	" 51	"	.10	.30
6	Snow Plow Wings		"	.88	5.28
6	Thrust Plates		"	.25	1.50
2	Platform Supports		"	1.50	3.00
6	Bunter Sills		"	.75	4.50
1	Bunter				1.50
2	Brake Handles		"	2.45	4.90
3	Top Rocker Plates		"	.55	1.65
1	#57 Sill Plate				1.35
4	Pullman Door Rolls		"	.12	.48
5	Journal Oil Feeders		"	.15	.75
4	Brush Holder Hammers		"	.25	1.00
8	Fender Castings		"	.38	3.04
4	"	"	"	.30	1.20
6	Axle Keys		"	.30	1.80
2	Rheostat Spindles		"	1.50	3.00
13	Springs	6 x 4 x 13/16	"	.25	3.25
4	Life Guard Castings	S.T. 27	"	.75	3.00
6	#57 Ped. Bolts		"	.30	1.80
10	Brake Staff Ratchet Wheels		"	.32	3.20
8	Anderson Trolley Springs		"	.25	2.00
12	T.H. Trolley Springs		"	.07	.84

Carried Forward

172.29



Brought Forward		172.29
20 Axle Oil Feeders	@ .12 1/2	2.50
1 Casting H. 287		.40
1 " H. 169		.64
146 F. 40 Carbons	" .01 1/2	2.19
1 Draw Bar Rest 3"		.25
5 " " " 4"	" .35	1.75
12 Life Guards	" .25	3.00
2 Car Lamps	" .17 1/2	.35
11 B.G.C. Supports	" .75	8.25
6 G.E. Liners	" .15	.90
4 C.E. Liners	" .11	.44
2 C.E. Arm Brasses	" .70	1.40
2 G.E. " "	" 1.30	2.60
5 Lappin Shoes	" 1.00	5.00
20 Compo Shoes	" .45	9.00
1 Edison Lamp 16 C.P.		.16
15 Ground Terminals	" .35	5.25
2 F. 30 Grease Cups	" .25	.50
3 Trolley Poles	" 3.50	10.50
4 Jones Seat Arms	" 1.65	6.60
4 Sign Standards	" .50	2.00
4 Lamp Brackets	" .15	.60
2 Springs 5 1/2 x 4 x 3/4	" .20	.40
4 " 5 1/2 x 4 x 7/8	" .45	1.80
1 Controller Magnet		3.50
31 " Contact Fingers	" .13	4.03
5 " Double Connections	" .15	.75
7 " Springs	" .13	.91
4 " Finger Seats	" .10	.40
4 " " Boards	" .06	.24
4 " Spark Diverters	" .20	.80
1 " Reverse Finger		.06
1 Snow Plow Sprocket Wheel		5.00
4 Shutter Bars	" .25	1.00
7 Journal Brasses	" 1.10	7.70
2 Castings S.T. 27 #12	" .57	1.14
4 " S.T. 27 #12	" .60	2.40
144 Ft. Rheostat Cable	" .01 3/4	2.52
1 Edison Wall Socket		.18
2 Edison Sockets	" .15	.30
5 " Lamps 32 C.P.	" .26 1/4	1.31
2 Lower Spring Pockets	" .75	1.50
2 Top " "	" 1.10	2.20
3 F.G.C. Supports S.T. 27	" .90	2.70
3 " " 57	" .90	2.70
2 Snow Plow Shears	" 2.88	5.76
2 " " "	" 2.85	5.70
3 Sign Standards H. 206	" .40	1.20
3 Yokes S.T. 27	" 6.50	19.50
2 Snow Plow Digger Shoes	" .47	.94
1 " " " Iron		5.25
14 Pig Nose Wedges	" .30	4.20
6 " " Covers	" .20	1.20
5 Journal Box Wings	" .30	1.50
3 Angle Irons	" 1.56 1/4	4.69
2 " " "	" 2.00	4.00
12 Tie Rods	" .70	8.40
4 F. 30 Grease Cup Covers	" .13	.52
61 Ft. Rubber Tubing	" .06	3.66
2 3/8 Turn Buckles	" .20	.40
9 Fender Hangers	" .25	2.25
TOTAL SEPT. 1 -----		349.28
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		439.08
		788.36
MATERIAL USED DURING SEPT. -----		431.19
TOTAL NORTH POINT CAR HOUSE SEPT. 30, 1897 -----		357.17




-- BUNKER HILL CAR HOUSE --

26 Fender Castings	@	.38	9.88
4 S. Hangers	"	.25	1.00
1 End Body Spring			.45
27 Lappin Brake Shoes	"	1.00	27.00
21 Compo " "	"	.45	9.45
1 Snow Plow Shear			2.85
2 " " Wings	"	1.00	2.00
3 Draw Bar Rests	"	.25	.75
2 " " "	"	.35	.70
3 Rheostat Turn Buckles	"	.25	.75
1 Spindle Bushing			.35
1 " " "			.10
34 1/2" Fibre Bushings	"	.05	1.70
43 1/2" " Washers	"	.02	.86
36 Ft. Sprocket Chain	"	.08	2.88
20 Controller Fingers	"	.13	2.60
7 K. Cylinder Tips	"	.06	.42
10 Reverse Fingers	"	.06	.60
7 T.H. Lamps	"	.17 1/2	1.23
9 Edison Lamps	"	.16 1/4	1.46
3 Com. Lamp Switches	"	.60	1.80
3 Yds. Canvas	"	.30	.90
7 Lbs. Sheet Rubber	"	.17	1.19
5 Mesco Batteries	"	.35	1.75
2 " " "	"	.23	.46
4 Jones Door Rolls	"	1.50	6.00
2 Fuse Box Thumb Screws	"	.05	.10
4 Lts. Glass 28 x 28	"	.40	1.60
4 " " 20 x 28	"	.35	1.40
11 " " 18 x 36	"	.35	3.85
7 " " 28 x 32	"	.58	4.06
6 " " Lettered	"	.96	5.76
1 Body Grab Handle			2.15
1 Seat Arm			1.25
1 Dasher Post			.95
8 Dasher Nuts	"	.09	.72
4 Step Hangers	"	.54	2.16
1 Gate Casting Bottom			.15
11 " " Front	"	.10	1.10
6 " " Back	"	.10	.60
4 " " Eyes	"	.10	.40
10 " " Eyes B. 40	"	.15	1.50
2 Rugg Seat Sweeps	"	.60	1.20
6 " " Screws	"	.15	.90
6 St. Louis Seat Screws	"	.15	.90
14 Reg. Clock Springs	"	.15	2.10
5 Dasher Locks	"	.40	2.00
1 Reverse Cylinder			4.50
4 Sign Brackets #4456	"	.35	1.40
4 " " # 502	"	.35	1.40
23 " " Special	"	.08	1.84
4 " " 457	"	.45	1.80
7 " " 454	"	.35	2.45
1 Resistance Box			12.50
14 M. M. Switch Handle Contacts	"	.04	.56
5 " " " & Blades	"	.50	2.50
1 " " Contact Back			.15
7 " " " Front	"	.03	.21
45 Ft. 6 K. Wire	"	.01	.45
10 Steel Bushings	"	.15	1.50
10 St. Louis Springs 5 1/2 x 4 1/2 x 1"	"	.35	3.50
1 Trolley Pole			3.50
26 Nut Locks 1"	"	.02	.92
14 " " 3/4"	"	.63	.08
14 " " 7/8"	"	.01	.14
20 " " 1/2"	"	.00 1/2	.10
25 M. Bolts 1 1/2 x 3/8	"	.65	.16
9 " 2 1/2 x 1/2	"	.01	.09
50 " 4 x 1/2	"	.01	.50
60 " 5 x 1/2	"	.02	1.20
8 " 5 1/2 x 1/2	"	.02	.16
25 " 1 1/2 x 5/8	"	.01	.25
21 " 2 1/2 x 5/8	"	.01	.21
87 " 4 1/2 x 5/8	"	.02	1.74

Carried Forward

157.79



Brought Forward			157.79
39	M. Bolts 5 x 5/8	@	.02 .78
19	" 5 1/2 x 5/8	"	.02 .38
10	" 6 x 5/8	"	.02 .20
20	C. Bolts 8 x 1/2	"	.02 .40
1	Bemis Truck Housing		2.00
6	Spark Insulators	"	.20 1.20
50	M. Bolts 4 x 5/8	"	1.27 .64
50	" 3 1/2 x 1/2	"	1.19 .60
2	Rheostat Arms	"	.80 1.60
6	Sliding Contacts	"	1.25 7.50
1	T. H. Fuse Box		3.25
4	" Lamp Sockets	"	.13 .52
3	Edison Lamp Sockets	"	.15 .45
1	Lamp Fuse Box		.40
3	Porcelain Lamp Fuse Boxes	"	.13 .39
1	Spare Lamp Bracket		.25
3	Car Gongs	"	1.00 3.00
5	" " Frames	"	.50 2.50
6	Trolley Wheels	"	.35 2.10
29	" Springs	"	.12 3.48
2	Bemis Life Guard Hangers	"	.75 1.50
3	6 A 33 Castings	"	.50 1.50
1	6 A. 32 "		.50
5	Stud Bolts	"	.30 1.50
2	Tie Straps	"	.25 .50
6	Brake Pawls	"	.05 .30
7	" " Springs	"	.02 .14
4	" Staff Dogs	"	.03 .12
18	" " " Wheels	"	.32 5.76
135	Ft. Reg. Cord	"	.02 1/2 3.37
1	H. 16 Journal Box		2.65
1	H. 14 " "		4.00
14	Pig Nose Journal Box Wedges	"	.43 6.02
10	" " " " Caps	"	.20 2.00
12	H. 20 " " Wedges	"	.43 5.16
3	H. 20 " " Feeders	"	.12 1/2 .38
9	Pig Nose " " Bearings	"	1.50 13.50
6	Bemis " " Bearings	"	1.50 9.00
10	Gaskets	"	.10 1.00
39	Lbs. Mal. Iron Castings	"	.03 1.17
23	Ft. Rubber Tubing	"	.08 1.84
2	Rocker Plates	"	.50 1.00
44	Ft. Rheostat Cable	"	.01 3/4 .77
50	" Clark Wire	"	.04 2.00
10	" Clark Cable	"	.04 .40
10	Spring Pocket Caps	"	.15 1.50
8	Brake Hanger Castings	"	.59 4.72
3	Spring Pockets Top	"	1.10 3.30
3	" " Bottom	"	.75 2.25
4	Snow Plow Diggers	"	.50 2.00
3	" " Scraper Blades	"	.32 .96
2	Toe Guards	"	.50 1.00
2	K. 2 Cylinder Tips #1	"	.16 .32
6	" " " #2	"	.13 .78
5	" " " #15	"	.16 .80
3	" " " #4	"	.12 .36
3	" " " #7	"	.08 .24
6	" " " #11	"	.10 .60
3	Brake Staff Sockets	"	.17 .51
19	1/2 Lbs. Rd. Iron 1/2"	"	.028 .55
70	" " " 3/4"	"	.028 1.96
33	3/4 " " " 7/8"	"	.028 .95
31	W. H. Carbons	"	.02 .62
1	" Spool		13.50
1	" Armature Bearing C. End		2.55
1	" " " P. End		2.00
5	" Axle Brasses	"	5.00 25.00
5	" " Keys	"	.30 1.50
2	" " Caps P. End	"	2.00 4.00
6	" Motor Shields	"	.35 2.10
4	" B. Holders	"	7.50 30.00
1/2	" " " Insulators		.58
6	" " " Spindles	"	.03 .18
9	" " " Springs	"	.20 1.80
10	" " " Washers	"	.11 1.10
24	" Cap Bolts 3 1/2 x 3/4	"	.08 1.92
Carried Forward			365.16

.....

.....


.....

.....

Brought Forward			365.16
14	W.H. Cap Bolts 3 x 3/4	@ .07	.98
24	W.P. Carbons	" .01 1/2	.36
1	" Arm Bearing P. End		3.00
1	" Liner P. End		.25
2	" Axle Brasses	" 6.00	12.00
1	" Thrust Plate		.32
3	" Gear Case Supports - Back	" .90	2.70
2	" Brasses C. End	" .70	1.40
2	" Liners C. End	" .11	.22
2	" Gear Case Supports - Front	" .75	1.50
1	" B. Holders		2.00
7	Life Guards	" .25	1.75
4	F. 30 Grease Cups	" .60	2.40
54	Ft. Running Board	" .08	4.32
47	Ft. Toe Board	" .04	1.88
20	Ft. Step Board	" .07 1/2	1.50
2	Snow Plow Sprocket Chain	" 15.37	30.74
12	Two Way Connections	" .05	.60
7	Bonnet Pulleys	" .75	5.25
2	Signal Bells	" 1.75	3.50
6	" Bell Cord Hooks	" .10	.60
2	Drip Board Pulleys	" .25	2.00
100	Lbs. Tool Steel	" .06	6.00
37	" Spring Steel	" .03	1.11
547	" Flat Iron	" .03	16.41
82	" Rd. Iron	" .03	2.46
14	" Brake Chain	" .09	1.26
45	" Scraper Chain	" .01	.45
TOTAL SEPT. 1 -----			472.12
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			31.71
			503.83
MATERIAL USED DURING SEPT. -----			26.30
TOTAL BUNKER HILL CAR HOUSE SEPT. 30, 1897 -----			477.53

--:-- UNION SQUARE CAR HOUSE --:--


52	Ft. Ash Lumber	@ .07 1/2	3.90
5	Armature Brasses Gear End	" 3.40	17.00
4	" " Com. End	" 3.50	14.00
9	1/2 Lbs. Asbestos Paper	" .04	.38
27	Compo Brake Shoes	" .45	12.15
2	Lappin Brake Shoes	" 1.00	2.00
6	Brake Dogs	" .03	.18
3	Ratchet Wheels	" .32	.96
8	Brake Castings H. 155	" .11 1/2	.92
8	6 A 32 Castings	" .35	2.80
4	6 A 33 "	" .35	1.40
5	6 A Stud Bolts	" .30	1.50
6	Brake Castings H. 161	" .10	.60
6	K. 2 Binding Posts	" .05	.30
2	Walker Brush Springs	" .04	.08
1	K. 2 Switch Board	" .33	.33
3	K. 2 Cylinder Segments	" .15	.45
17	Ft. Clark Cable	" .03 1/2	.60
25	Ft. Clark Wire	" .04	1.00
23	Two Way Connections	" .05	1.15
18	Ft. Chain	" .03	.54
6	Yds. Painted Canvas	" .25	1.50
21	1/2 Ft. 3/8 Brake Chain	" .09	1.93
11	contact Fingers	" .13	1.43
1	Combination Switch		.50
50	Ft. Cotton Hose	" .03	1.50
13	Ft. Rheostat Cable	" .01 3/4	.23
1	Direction Point Collar		.10
5	Draw Bar Rests	" .25	1.25
2	Draw Bar Cages	" 1.60	3.20
5	Dasher Post Nuts	" .08	.40
Carried Forward			74.28



Brought Forward		74.28
2 Fuse Box Covers	@ .20	.60
1 100 Amp. Fuse Box		3.25
6 Reverse Fingers	" .06	.36
9 Fender Slides	" .38	3.42
1 K. 2 Finger Strip		.06
7 1/2 Lbs. Sheet Fibre	" .30	2.25
5 End Springs	" .25	1.25
3 10" Gongs	" 1.00	3.00
2 8" "	" .80	1.60
8 Gear Keys	" .30	2.40
3 Rheostat Bushings (Short)	" .10	.30
5 Lts. Glass 18 x 36	" .35	1.75
6 " " 28 x 28	" .40	2.40
5 " " 28 x 32	" .58	2.90
4 Gate Castings B. 39	" .10	.40
4 " " B. 38	" .10	.40
4 " " B. 36	" .13	.52
6 Ground Plates	" .22	1.32
18 Ft. Toe Board	" .04	.72
2 Hand Light Rings	" .30	.60
6 Journal Brasses (P.N.)	" 1.10	6.60
3 Rheostat Spindle Bushings (Long)	" .35	1.05
15 Lbs. Iron	" .027	.40
3 Journal Oil Feeders	" .12 1/2	.38
14 " Wedges (H. 18)	" .30	4.20
7 " Keys (Bemis)	" .43	3.01
4 " " (St. Louis)	" .35	1.40
2 " Boxes	" 4.00	8.00
2 " Box Springs	" .35	.70
2 " Box Caps (P.N.)	" .20	.40
2 Three Point Switches	" .42	.84
1 Lightning Arrestor		3.00
50 T. H. Lamps	" .17 1/2	8.75
66 Edison Lamps	" .16 1/4	10.72
5 Life Guards	" .25	1.25
2 Life Guard Hangers	" .75	1.50
2 M. M. Switches	" 3.25	6.50
5 Pawl Springs	" .13	.65
3 Walker Pinions	" 2.00	6.00
6 Pedestal Bolts	" .30	1.80
96 Lbs. Steel	" .30	2.88
12 Set Screws 4 1/2 x 7/8	" .06 1/4	.75
8 Seat Sweep Screws	" .15	1.20
11 T. H. Sockets	" .15	1.65
2 Rheostat Contact Shoes	" .90	1.80
2 " " Arms	" .80	1.60
17 Trolley Cords	" .15	2.55
2 " Guards	" .18	.36
4 " Wheels	" .35	1.40
8 Ft. 9/16 Rubber Tubing	" .06	.48
50 Ft. 3/8 " "	" .05	2.50
4 Walker Brush Holders	" 3.00	12.00
7 " " Yokes	" .75	5.25
TOTAL SEPT. 1 -----		205.35
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		44.02
		249.37
MATERIAL USED DURING SEPT. -----		49.39
TOTAL UNION SQUARE CAR HOUSE SEPT. 30, 1897 -----		199.98

--:-- EVERETT CAR HOUSE --:--

1 Snap Switch		.50
6 Lamp Sockets	@ .15	.90
20 Edison Lamps	" .16 1/4	3.25
6 Car Lamps	" .17 1/2	1.05
11 St. Louis Seat Screws	" .15	1.65
1 Rugg Seat Screw		.15
Carried Forward		7.50



Brought Forward			7.50
8	Rugg Seat Bolts	@	.10 .80
11	Ellis Seat Screws	"	.20 2.20
10	Brake Ratchet Wheels	"	.35 3.50
20	Lbs. Rubber Cushions	"	.40 8.00
31	Cap Screws	"	.05 1.86
21	Pillow Bolt Plugs	"	.15 3.15
4	Wooden Plugs W.H.M.	"	.10 .40
4	Axle Gear Keys	"	.30 1.20
7	M. M. Bolts	"	.15 1.05
2	W. H. Brush Holders	"	7.50 15.00
4	" " Springs	"	.25 1.00
3	" " Bushings	"	1.21 3.63
5	" " Caps	"	.05 .25
2	" " Washers	"	.05 .10
26	" Carbon Brushes	"	.02 .52
21	W.P. " "	"	.01 1/2 .31
5	" Brush Holders	"	2.00 10.00
2	" " Holder Springs	"	.05 .10
23	" " " Bolts	"	.02 .46
2	1/2 W.P. Arm. Bearings	G.E.	1.30 3.25
2	1/2 " " "	C.E.	.70 1.75
8	" " Liners	G.E.	.25 2.00
9	" " "	C.E.	.20 1.80
2	" " Cap Bolts	"	.20 .40
1	" Axle Feeders	"	.16
9	Brake Staff Castings	"	.20 1.80
44	Gear Case Bolts	"	.02 .88
10	Rheostat Sprocket Chain	"	.08 .80
7	Trolley Wheels	"	.35 2.45
18	" Tension Springs	"	.10 1.80
2	Snow Plow Sprocket Chains	"	15.37 30.74
1	Axle Gear	"	17.50
6	K. 2 Finger Board	"	.06 .36
2	W.H. Axle Collars	"	2.15 4.30
3	Snow Plow Sprocket Wheels	"	5.00 15.00
12	Compo Brake Shoes	"	.45 5.40
1/2	W.H. Gear Case	"	6.20
1	Spark Arrester	"	.13
11	Cont. Fingers	"	.13 1.43
12	" " Reverse	"	.06 .72
2	" Seats	"	.10 .20
5	K. 2 Rings	"	.15 .75
15	Cont. Tips	"	.06 .90
9	T.H. Reverse Conts.	"	.08 .72
5	Spare Lamp Brackets	"	.25 1.25
9	Snaps	"	.05 .45
15	Ratchet Pawls	"	.05 .75
7	" Pawl Springs	"	.03 .21
7	Brake Handle Set Screws	"	.05 .35
4	M. M. Handles & Blades	"	.50 2.00
12	" Switch Terminals	"	.18 2.16
5	T. H. Thumb Screws	"	.05 .25
6	Mesco Batteries	"	.25 1.50
2	King Bells	"	.60 1.20
2	Wood Bells	"	.60 1.20
1	Push Button	"	.10
6	Plow Sprocket Rivets	"	.07 .42
1	Cont. Spring	"	.10
10	Ft. Toe Guard	"	.04 .40
3	Snow Plow Shears	"	2.50 7.50
7	" " Wings	"	1.00 7.00
25	" Scraper Beams	"	.28 7.00
40	Ft. Body Guard	"	.08 3.20
70	" Running Board	"	.08 5.60
89	" Step Stock	"	.05 4.45
2	Steps	"	.30 .60
80	Floor Strips	"	.01 .80
288	Ft. Hard pine Sheathing	"	.04 11.52
17	Draw Bar Rests	"	.35 5.95
9	Life Guards	"	.25 2.25
3	Rheostat Arms	"	1.00 3.00
4	" Spindles	"	2.00 8.00
3	" Spindle Bushings	"	.35 1.05
109	1/2 Fibre Bushings	"	.05 5.45
70	1/2 " Washers	"	.01 .70

Carried Forward

248.88

.....

.....

.....


SEE

.....

Brought Forward			248.88
2	Rheostat Sliding Conds.	@ 1.25	2.50
58	Lbs. Asbestos Paper	" .04	2.32
2	Reverse Switch Covers	" .75	1.50
7	Foot Rests	" .30	2.10
2	Motor Shields	" .25	.50
15	Ft. 6 Hd. Wire	" .026	.39
15	" 6 Hex. Wire	" .03 1/2	.52
12	Lbs. Sheet Fibre	" .30	3.60
2	Brake Staffs	" 4.60	9.20
40	Ft. Rheostat Cable	" .01 3/4	.70
1	Rheostat Drum		2.50
75	Ft. Register Cord	" .02 1/4	1.69
16	Plow Digger Wings	" .50	8.00
8	Pedestal Bolts	" .30	2.40
3	Life Guard Hangers	" .75	2.25
4	Truss Pockets	" .32	1.28
1	Draw Bar Head		.60
2	" " Clevises	" .60	1.20
20	Snow Scraper Castings	" .20	4.00
12	Journal Boxes	" 4.00	48.00
5	Step Hangers	" .56	2.80
3	Controller Reverse Pipes	" .30	.90
2	Tie Rods	" .70	1.40
8	Lbs. Brake Hose	" .36	2.88
14	Dasher Locks	" .30	4.20
12	Eye Bolts	" .10	1.20
1	E. Body Spring		.25
8	Body Springs	" .35	2.80
3	Rugg Seat Sweeps	" .60	1.80
10	Fender Castings	" .38	3.80
4	" " Hangers	" .25	1.00
1	K. 2 Shunt		12.50
6	Lts. Glass 24 x 32	" .29	1.74
2	" " 20 x 24	" .35	.70
6	" " 18 x 36	" .35	2.10
3	" " 22 x 28	" .35	1.05
5	" " 24 x 28	" .29	1.45
5	" " 28 x 28	" .40	2.00
5	" " 30 x 32	" .65	3.25
4	" " 20 x 38	" .35	1.40
6	" " 18 x 36	" .35	2.10
2	" Lettered Glass	" 1.09	2.18
22	Journal Box Springs	" .35	7.70
2	Body Grab Handles	" 2.12 1/2	4.25
3	Dasher Grab Handles	" .30	.90
2	Head Light Clamps	" .30	.60
2	Seat Arms	" 1.65	3.30
4	W.H. Axle Brasses	" 5.70	22.80
1	W.P. Axle Brass		5.00
6	Journal Box Brasses	" 1.50	9.00
2	W.H. 12A Bearings	" 3.75	7.50
1	" " Special Bearings G.F.		1.85
1	" " " " C.E.		2.00
2	" 12 Arm. Bearings G.E.	" 1.60	3.20
3	" " " " C.E.	" 2.00	6.00
1	W.P. Arm Cap		3.50
2	Signal Bells	" 1.75	3.50
2	Sets W.H. 12 Motor Blocks & Bearings	" 10.13	20.26
11	Door Rolls	" 1.00	11.00
8	Sign Brackets	" .08	.64
40	Gate Castings	" .13	5.20
17	" " Eyes	" .10	1.70
2	Bonnet Pulleys	" .75	1.50
2	D.D. Pulleys	" .75	1.50
7	Drip Board Pulleys	" .15	1.05
60	Lbs. Mal. Iron Castings	" .03	1.80
5	6 A. 32 Brake Castings	" .50	2.50
2	6 A. 33 " "	" .50	1.00
6	6 A. Stud Bolts	" .20	1.20
1	Snow Plow Casting H. 531		1.00
1	" " " H. 185		1.00
3	Brake Castings H. 169	" .64	1.92
12	Special Journal Box wedges	" .63	7.56
11	Journal Box Feeders	" .12 1/2	1.37
9	" " Caps	" .08	.72
5	" " Wedges	" .45	2.25

Carried Forward

543.90



Brought Forward		543.90
8 Pig Nose Caps	@ .20	1.60
6 " " Wedges	" .45	2.70
3 Gongs 8"	" .80	2.40
2 Gongs Complete	" 2.50	5.00
8 Ft. Hd. Rubber Tubing	" .07	.56
2 T.H. Fuse Boxes	" 3.25	6.50
2 M. M. Switches	" 3.25	6.50
1 W. H. Lightning Arrester		3.00
2 Comb. Lamp Switches	" .60	1.20
1302 Lbs. Iron	" .028	36.46
104 " Spring Steel	" .02 1/2	2.60
158 " Cast Steel	" .03	4.74
11 Brake Rod Heads	" .50	5.50
2 Brake Beams	" .50	1.00
2 Plow Digger Posts	" 3.00	6.00
2 Gear Case Hangers	" .75	1.50
1 Brake Staff		5.85
6 Feeder Lock Pins	" .08	.48
2 W. H. Pinions	" 2.25	4.50
9 L. Brake Shoes	" 1.00	9.00
TOTAL SEPT. 1 -----		650.99
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		125.46
		776.45
MATERIAL USED DURING SEPT. -----		114.50
TOTAL EVERETT CAR HOUSE SEPT. 30, 1897 -----		661.95

--:-- MURRAY STREET CAR HOUSE --:--

4 K. 2 Contacts	@ .20	.80
4 Switch Blades	" .25	1.00
2 Cover Bolts	" .20	.40
7 Contact Fingers	" .13	.91
3 K. 2 Cylinder Contacts #9	" .05	.15
4 " " " #1	" .16	.64
4 " Binding Posts	" .15	.60
9 Journal Box Bearings	" 1.50	13.50
2 Pr. 3 3/4 Axle Bearings	" 3.00	6.00
1 " " " "		2.50
2 51 Rheostat Pans	" 2.00	4.00
1 83 " "		1.90
1 Top Rocker Plate		1.66
3 Draw Bar Rests	" .25	.75
1 #27 Truck Yoke		6.50
18 Ft. 9/16 Tubing	" .06	1.08
50 Ft. #6 Wire	" .06	3.00
10 Cable Pulleys	" .18	1.80
36 Lbs. Asbestos Paper	" .12	4.32
3 Oil Cups	" .20	.60
6 Pr. Cord Pulleys	" .75	4.50
1 Bonnet Pulley		.70
150 Ft. Hard Pine Flooring	" .06 1/2	9.75
5 Platform Sills	" .82	4.10
6 Sign Standards	" .50	3.00
1 Wooden Rheostat Drum		2.75
1 Iron " "		2.75
14 Castings H. 495	" 1.60	22.40
3 Rheostat Contact Arms	" .80	2.40
3 Snow Scraper Castings	" .40	1.20
4 Dasher Catches	" .25	1.00
1 #27 Top Rocker Plate		.55
2 W.P. Brush Holder Blocks	" .10	.20
2 Lts. Glass 20 x 32 Ground	" .39	.78
1 G. Lamp Switch		.50
2 Reg. Clock Boards	" 2.00	4.00
2 Gongs Complete	" 2.50	5.00
10 Gong Pans	" .80	8.00
16 Lbs. Rubber Cushions	" .40	6.40
Carried Forward		132.09

.....

.....

.....

.....

.....

.....

Brought Forward		132.09
46 T. H. Ry. Lamps	@ .17 1/2	8.05
4 Trolley Wheels	" .35	1.40
10 Peatfield Nuts & Washers	" .50	5.00
3 Spindle Bushings	" .35	1.05
2 Ventilator Sashes 4 1/2 x 19	" .60	1.20
2 " " 6 x 13	" .60	1.20
25 Ash Roof Bows	" .20	5.00
3 Bonnet Frames	" .65	1.95
100 Ft. Planed Boards	" .03	3.00
3 platform Sills	" 1.50	4.50
1 Casting H. 512.		1.95
1 Life Guard		.25
2 B. B. Jaws	" .75	1.50
10 Yds. Painted Duck	" .25	2.50
200 Ft. Five Way Wire Sheathing	" .05	10.00
1 3' Switch		.42
3 Motor Hangers	" 1.75	5.25
1 Westinghouse Collar		2.15
15 6 A Spring Posts	" .35	5.25
50 Ft. 3/8 Wire Chain	" .09	4.50
1 Jones Signal Bell		1.50
2 6 A 32 Castings	" .38	.76
6 Trolley Bases	" 4.00	24.00
4 St. Louis Truck Springs	" .38	1.52
2 End Truck Springs	" .25	.50
4 Springs 6 x 4 x 13 x 16	" .20	.80
10 Lts. Glass 18 x 36	" .35	3.50
1 " " 28 x 32		.58
16 Life Guard Hangers	" .75	12.00
2 Wooden Dasher Rails	" .50	1.00
2 W.E. Centre Journal Boxes	" 6.00	12.00
6 Lbs. Brake Shoe Hose	" .36	2.16
5 " Journal Box Felt	" .40	2.00
1 Snow Plow Sprocket Wheel		5.00
1 6 A Pedestal Casting		2.50
1 Five Lamp Cluster		2.70
1 Controlling Stand		5.00
16 Controlling Stand Brackets	" .35	5.60
2 Boylster Hangers	" 2.00	4.00
3 Bell Cranks	" 1.80	5.40
2 Reverse Switch Pans	" 2.10	4.20
8 Controlling Stand Thimbles	" .50	4.00
50 Lbs. Brake Staff Castings	" .02 1/2	1.25
12 Com. Reverse Rod Ends	" .40	4.80
2 Snow Shears Complete	" 3.50	7.00
2 Snow Plow Wings Complete	" 1.50	3.00
4 " " " Minus Irons	" 1.00	4.00
12 Car Body Grab Handles	" 3.00	36.00
7 Dasher Grab Handles	" .90	6.30
3 Side Window Sashes - Newburyport	" 2.00	6.00
2 " " " - Jones	" 2.00	4.00
17 Edison Lamps	" .17	2.89
12 Journal Box Thrust Plates	" .30	3.60
29 Compo Shoes	" .45	13.05
28 Lappin Shoes	" 1.00	28.00
1 Armature Thrust Plate		.32
5 Pr. Gear End Bearings	" 1.30	6.50
4 " Com. " "	" .70	2.80
5 H. 16 Journal Boxes	" 3.50	17.50
4 H. 14 " "	" 5.00	20.00
1 H. 20 " "		3.50
4 B. B. R. Wheels	" .32	1.28
50 Ft. 51 Sprocket Chain	" .07 1/4	3.63
10 6 A B B Slides	" .22	2.20
8 Screw Me Up Covers	" .20	1.60
6 Sliding Contacts	" 1.25	7.50
4 Rheostat Spindles	" 1.40	5.60
1 100 Amp. Fuse Box		3.25
8 Tie Rods	" .70	5.60
7 Top Spring Pockets	" 1.10	7.70
6 Bottom Spring Pockets	" .75	4.50
100 Ft. Bell Cord	" .02 1/4	2.25
1 M. M. Switch		3.25
1 Trolley Pole		3.50
Carried Forward		521.30

Brought Forward		521.30
1 Lightning Arrester		15.00
2 Castings H. 187	@ 1.00	2.00
20 " H. 175	" .20	4.00
1 6 A. Truck Yoke		3.50
TOTAL SEPT. 1 -----		545.80
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		122.11
		667.91
MATERIAL USED DURING SEPT. -----		165.78
TOTAL MURRAY STREET CAR HOUSE SEPT. 30, 1897 -----		502.13

--:- BROOKLINE STREET CAR HOUSE --:-

5 Axle Oil Feeders	@ .12 1/2	.63
4 " Brasses	" 3.00	12.00
2 " Gear Keys	" .30	.60
2 W.P. Armature Bearings G.E.	" 1.30	2.60
2 " " " C.E.	" .70	1.40
3 Lbs. Borax	" .07 1/2	.23
209 Ft. Bell Cord	" .02 1/4	4.71
2 Trolley Poles	" 3.50	7.00
10 Lts. Glass 18 x 36	" .35	3.50
9 " " 28 x 28	" .40	3.60
8 " " 28 x 32	" .58	4.64
2 " " 24 x 42 Ground	" .85	1.70
1 " " 31 x 39 Enameled	" .90	.90
15 T. H. Lamps	" .17 1/2	2.63
18 Edison Lamps	" .16 1/4	2.93
3 Life Guards	" .25	.75
6 Draw Bar Rests	" .25	1.50
5 Lbs. Graphite	" .12	.60
1 Comb. Lamp Switch		.50
1 Three Pt. Lamp Switch		.42
5 T. H. Wall Sockets	" .15	.75
10 W.P. Brush Holder Springs	" .03	.30
19 Lappin Brake Shoes	" 1.00	19.00
8 Compo " "	" .45	3.60
6 Dry Batteries	" .23	1.38
2 King Electric Bells	" .50	1.00
1 Jones Seat Arm		1.65
50 Ft. Sprocket Chain	" .07 1/4	3.63
4 Lamp Cages	" .11	.44
19 Two Way Connections	" .05	.95
10 Controller Fingers	" .13	1.30
1 Fender Casting		.38
27 9/16 Tubes	" .06	1.62
47 3/8 " "	" .05	2.35
3 M. M. Switches	" 3.25	9.75
2 M. M. Switch Magnets	" .42	.84
3 Rheostat Bushings 51 B.	" .10	.30
3 " " 51 E.	" .35	1.05
6 T.H. Trolley Spindles	" .20	1.20
1 Journal Box H. 20		3.75
2 " " Caps H. 77	" .20	.40
2 " " Keys H. 18	" .30	.60
4 " " Keys H. 21	" .35	1.40
4 Fuse Box Slates	" .08	.32
6 " " Thumb Screws	" .04	.24
6 M. M. Switch Covers	" .22	1.32
3 Brush Holder Blocks	" .10	.30
100 Ft. #6 Cable Wire	" .03 1/2	3.50
12 Trolley Wheels	" .35	4.20
3 M. M. Switch Contacts	" .04	.12
TOTAL SEPT. 1 -----		120.48
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		71.39
		191.87
MATERIAL USED DURING SEPT. -----		33.32
TOTAL BROOKLINE STREET CAR HOUSE SEPT. 30, 1897 -----		158.55

--:-- SALEM STREET CAR HOUSE --:--

3 Journal Boxes, Pig Nose, without Bearings,) Wedges, or caps.)	@ 1.87	5.61
11 Journal Screw Caps H. 77	" .20	2.20
9 " Boxes H. 71	" .08	.72
3 Jones Seat Arms	" 1.65	4.95
2 " " Screws	" .15	.30
8 Life Guards	" .25	2.00
3 " Guard Hangers - St. Louis	" .75	2.25
3 " " W.E. Sw. Ends	" .25	.75
3 " " " Sides	" .35	1.05
4 Light Switches - Three Poles	" .42	1.68
6 M. Bolts 4 1/2 x 7/8	" .0515	.31
13 " " 10 1/2 x 7/8	" .15	1.95
5 M. Motor Switch Top contact	" .06	.30
9 " " " Bottom	" .15	1.35
5 " " " Blades & Handles	" .50	2.50
4 Motor Shields	" .40	1.60
1 Motor Axle Cap W.H.		3.50
2 Mesco Batteries	" .23	.46
5 Rheostat Peatfield Nuts	" .35	1.75
5 " Cable Eyes	" .15	.75
22 Ft. Rheostat Sprocket Chain	" .07 1/4	1.60
6 Rheostat Turn Buckles	" .32	1.92
7 " Spindle Bushings - Large	" .35	2.45
1 " " " - Small		.10
8 " Fibre " - 1/2	" .05	.40
11 " " Washers	" .02	.22
6 " Spindles	" 2.00	12.00
4 " Arms	" .80	3.20
8 " Contact Shoes	" 1.25	10.00
100 Ft. Rubber Tubing 1/16	" .06	6.00
18 Reverse Switch Contact Fingers	" .08	1.44
39 " " " "	" .08	3.12
3 Rugg Seat Sweeps	" .60	1.80
9 " " Screws	" .15	1.35
14 Register Back Springs	" .05	.70
5 " Pulleys - Double Deck	" .75	3.75
8 " " - Single Deck	" .35	2.80
1 Resistance Shunt K. 2		12.50
11 Sign Brackets H. 115	" .50	5.50
5 Stud Bolts 6 A. 32	" .20	1.00
1 Snow Plow Digger Arm		4.50
3 " " " Shoes	" .40	1.20
1 " " Shear Wing		1.00
2 " " " "	" .88	1.76
1 " " " "		2.00
2 " " Sprocket Wheels	" 5.00	10.00
2 Spools W.H. 12 A.	" 13.00	26.00
2 Snap Switches - Hart	" .60	1.20
3 Spring Elliptic Brill	" 3.00	9.00
1 " " Peckham		3.00
9 Bars Soap	" .25	2.25
2 Thrust Plates	" .52	1.04
20 T. H. Trolley Cam Springs	" .20	4.00
10 T. H. Lamps	" .07 1/2	.75
7 T. H. Lamp Sockets	" .20	1.40
13 T. H. Wall Sockets	" .15	1.95
5 Trolley Wheels	" .35	1.75
1 Trolley Arm		3.50
4 Springs 11 x 3 1/2 x 5/8	" .45	1.80
18 " 5 1/2 x 4 1/2 x 1 - St. Louis	" .33	5.94
4 Armature Bearings W.H. 12 C.S.	" 2.00	8.00
1 " " " G.S.		1.60
2 " " " A.	" 3.75	7.50
7 " Pinions	" 2.25	15.75
2 Axle Keys	" .30	.60
7 Prs. Axle Bearings	" 3.75	26.25
1 " Collar W.H. 12 A.		1.00
1 " " W.H. 12 A.		2.25
1 " Gear W.H. 12 A.		17.75
1 " " Casing W.H. 12 A.		12.40
8 Anderson Trolley Cam Springs	" .25	2.00
2 Alarm Gongs	" .80	1.60

Carried Forward

288.57

Brought Forward			288.57
4	Alarm Gongs Complete	@ 1.30	5.20
2	Bryant Light Switches	" .50	1.00
2	Brush Holder Springs W.H.	" .20	.40
15	Lappin Shoes - Brake	" 1.00	15.00
4	Brake Steel Shoes	" .50	2.00
1	Brake Compo Shoe		.45
2	1/2 Prs. Brush Holder Bushings W.H.	" 1.16	2.90
11	Brake Ratchet Wheels	" .32	3.52
4	Brake Jaws W. E. R.	" .75	3.00
2	Brake Staffs	" 4.60	9.20
1	Bonnet Pulley		.75
12	Castings H. 756	" .05	.60
6	" H. 755	" .15	.90
4	" H. 531	" 1.00	4.00
4	" H. 329	" .50	2.00
1	" H. 169		2.90
3	" 6 A. 32	" .35	1.05
1	Cap Screw 3 x 3/4		.07
2	" " 3 1/2 x 7/8	" .08	.16
4	Combination Light Switches	" .50	2.00
7	Controller Fibre Spark Segments	" .20	1.40
29	" Contact Fingers	" .13	3.77
19	" " " Reverse	" .06	1.14
60	" K. Cylinder Tips	" .06	3.60
10	" K. 2 Cylinder Tips	" .06	.60
43	" K. 2 Contacts	" .15	6.45
6	" Finger Seats	" .10	.60
2	" Cover Hinge Bolts	" .25	.50
6	" Binding Posts	" .05	.30
3	" Springs	" .05	.15
2	" Connection Boards	" .33	.66
2	" Strips	" .06	.12
27	Carbon Brushes W.P. 50 1/2"	" .03	.81
3	Connections #6	" .05	.15
10	Draw Bar Fingers	" .20	2.00
11	" " Rests	" .25	2.75
3	Dasher Grab Handles	" .90	2.70
2	Edison Wall Sockets	" .15	.30
29	" Lamps	" .16 1/4	4.71
2	End Body Springs	" .50	1.00
5	Electric Car Bells	" .50	2.50
22	Fuse Box Thumb Screws	" .05	1.10
6	" " Magnet Covers	" .20	1.20
6	" " Magnets	" .50	3.00
11	" " Slates	" .08	.88
10	Fender Locks	" .15	1.50
15	" Slide Hanger	" .32	4.80
19	" Slides	" .38	7.22
23	Gate Sockets B. 38	" .10	2.30
22	" " B. 40 - 41	" .15	3.30
6	" Hooks B. 37	" .10	.60
6	" " B. 39	" .10	.60
4	" Spikes B. 36	" .13	.52
8	Lts. Glass 28 x 32	" .58	4.64
10	" " 28 x 28	" .40	4.00
10	" " 20 x 38	" .43	4.30
8	" " 18 x 36	" .35	2.80
2	Journal Box Bearings H. 54	" 1.50	3.00
2	" " " H. 60	" 1.10	2.20
1	" " Wedge Brill		.43
2	" " " H. 18	" .30	.60
4	" " " H. 20	" 4.00	16.00
2	" " " Brill	" 5.50	11.00
98	Ft. Clark Cable	" .03 1/2	3.43
TOTAL SEPT. 1 -----			461.30
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			204.04
			665.34
MATERIAL USED DURING SEPT. -----			173.76
TOTAL SALEM STREET CAR HOUSE SEPT. 30, 1897 -----			491.58

--:-- MOUNT AUBURN CAR HOUSE --:--

2	Armature Brasses	G.E.	G.E.800	@	2.50	5.00	
4	"	"	C.E.	G.E.800	"	2.00	8.00
3	"	"	G.E.	W.P. 50	"	1.30	3.90
5	"	"	C.E.	W.P. 50	"	.70	3.50
1	"	Liner	G.E.	W.P. 50			.15
3	"	"	C.E.	W.P. 50	"	.11	.33
4	"	Thrust Plates	W.P. 50	"	.32	1.28	
5	"	Rings	W.P. 50	"	.15	.75	
15	"	"	G.E.800	"	.11	1.65	
6	3 3/4 Axle Collars		W.H.	"	2.15	12.90	
4	Back Gear Case Supports		W.P. 50	"	.75	3.00	
14	Compo Brake Shoes			"	.45	6.30	
4	Brush Holders		W.P. 50	"	2.00	8.00	
4	"	"	G.E.800	"	3.50	14.00	
6	"	"	Yokes	G.E.800	"	.35	2.10
1	Combination Lamp Switch					.50	
200	Ft. Register Cord			"	.02 1/4	4.50	
1	Register Clock Back					2.00	
2	"	"	Glass	"	.05	.10	
13	Pedestal Bolts		57 E.	"	.35	4.55	
8	"	Bolt Springs	57 E.	"	.75	6.00	
12	Car Lamp Sockets			"	.15	1.80	
50	Ft. Rheostat Cable			"	.01 3/4	.88	
1	Rheostat Spindle Bushing					.35	
1	"	"	"			.10	
46	"	Bolt	"	"	.05	2.30	
50	"	"	Leatheroid Washers	"	.01	.50	
1	Snow Plow Motor Hanger					3.50	
4	Armature Pinions		G.E.800	"	1.85	7.40	
1	"	Pinion Nut	G.E.800			1.50	
1	K. 2 Resistance Box					12.50	
1	St. Louis Door Truck Frame					.60	
10	Lbs. Brake Shoe Hose			"	.36	3.60	
104	"	Cotton Waste		"	.06	6.24	
14	St. Louis Electric Push Buttons			"	.12	1.68	
3	Signal Bells			"	1.65	4.95	
12	Trolley Wheels			"	.35	4.20	
6	"	Poles		"	3.50	21.00	
1	"	Pole Fork				.75	
12	Brake Swivel Wheel Guards			"	.25	3.00	
7	Motor Axle Gear Keys			"	.25	1.75	
10	Key Brake Shoes			"	.46	4.60	
16	Lappin Brake Shoes			"	1.00	16.00	
2	3 3/4 Motor Axle Brasses		W.P. 50	"	5.00	10.00	
2	3 3/4 " " "		G.E.800	"	3.65	7.30	
2	3/8" Turn Buckles			"	.28	.56	
2	T. H. 5 Amp. Lamp Switches			"	.25	.50	
4	Lateral Springs			"	1.00	4.00	
2	Motor Dust Shields	C.E.	W.P. 50	"	.50	1.00	
4	"	"	G.E.	W.P. 50	"	.25	1.00
6	Register Cord Pulleys			"	.75	4.50	
2	Doz. Snap Chain Hooks			"	.50	1.00	
1	Complete Set K. 2 Cylinder Segments					2.75	
7	57 Life Guards			"	.25	1.75	
1	Hill Switch					1.50	
1	Hart Switch					.60	
5	Lts. Ground Glass			"	.56	2.80	
10	K. 2 Controller Ratchet Wheels			"	.32	3.20	
3	Car Door Rolls			"	.12	.36	
20	#6 Two Way Connections			"	.05	1.00	
5	Fuse Box Thumb Screws			"	.05	.25	
11	Journal Box Keys		H. 21	"	.35	3.85	
11	"	"	H. 68	"	.30	3.30	
2	Rheostat Sliding Contacts			"	1.25	2.50	
1	Length Snow Plow Sprocket Chain					13.32	
4	Snow Plow Wings			"	.88	3.52	
1	St. Louis Life Guard Hanger					.75	
1	Brill Seat Back Arm					.50	
1	Gal. Shellac					2.65	
11	K. 2 Controller Handle Springs			"	.13	1.43	
23	K. 2 Controller Contact Fingers			"	.13	2.99	
5	Draw Bar Rests			"	.35	1.75	
10	Electric Heater Springs			"	.05	.50	
7	End Springs		57 D.	"	.75	5.25	

Carried Forward

274.09

1. The first part of the document is a list of names and titles.

2. The second part is a list of dates and times.

3. The third part is a list of locations and places.

4. The fourth part is a list of events and activities.

5. The fifth part is a list of people and organizations.

6. The sixth part is a list of documents and records.

7. The seventh part is a list of books and publications.

8. The eighth part is a list of articles and papers.

9. The ninth part is a list of reports and documents.

10. The tenth part is a list of letters and correspondence.

11. The eleventh part is a list of speeches and addresses.

12. The twelfth part is a list of interviews and testimonies.

13. The thirteenth part is a list of press releases and news items.

14. The fourteenth part is a list of press releases and news items.

15. The fifteenth part is a list of press releases and news items.

Brought Forward		274.09
33 Fender Slides	@ .38	12.54
4 Gong Frames	" .50	2.00
9 Lts. Glass 28 x 28	" .40	3.60
15 " " 20 x 38	" .43	6.45
2 " " 28 x 32	" .58	1.16
4 " " 6 x 30 Ground	" .13	.52
8 Armature Pinion Keys G.E.800	" .25	2.00
4 M. M. Switch Handles & Blades	" .50	2.00
1 K. 2 Check Lever 14978		.38
11 Vulcabeston Bushings	" .17	1.87
1 Snow Plow Sprocket Wheel		5.00
2 Brill Seat Back Arms	" .75	1.50
4 Journal Boxes 1620	" 3.75	15.00
5 " Box Brasses	" 1.50	7.50
4 " Box Springs	" .35	1.40
10 " Box Springs	" .20	2.00
1 " Box Spring		.45
4 " Box Wedges H. 10	" .30	1.20
20 " Box Wood Dust Washers	" .05	1.00
22 " Box Leather Dust Washers	" .05	1.10
7 Brush Holder Springs G.E.800	" .15	1.05
11 " " " W.H.12A	" .20	2.20
2 #57 Brake Lever Offset Links	" .75	1.50
2 Fender Locks	" .20	.40
4 Rheostat Contact Arms	" .80	3.20
6 K. 2 Pointers 14978	" .10	.60
14 Mesco Dry Batteries	" .23	3.22
3 Lbs. Grimshaw Tape	" .35	1.05
6 Journal Box Springs	" .36	2.16
2 Armature Pinions W.H. 12 A.	" 2.20	4.40
TOTAL SEPT. 1 -----		362.54
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		84.34
		446.88
MATERIAL USED DURING SEPT. -----		117.36
TOTAL MOUNT AUBURN CAR HOUSE SEPT. 30, 1897 -----		329.52

--:- NORTH CAMBRIDGE CAR HOUSE --:-

7 Arm. Brass Thrust Plates 1/8"	@ .32	2.24
3 Pr. Arm Brasses C. End	" .70	2.10
1 " " " G. End		1.30
3 " M. Axle Brasses 3 3/4	" 2.50	7.50
20 Brake Staff Foot Ratchets	" .32	6.40
2 Body Grab Handles	" 2.13	4.26
28 Lbs. 3/8 Brake Chain	" .09	2.52
9 Brake Lever Studs	" .20	1.80
2 Snow Scraper Blades	" .32	.64
16 Lbs. 5/16 Brake Chain	" .10 1/2	1.68
23 Lappin Shoes	" 1.00	23.00
12 Compo Shoes	" .45	5.40
4 Brush Holders	" 2.00	8.00
2 Bell Cord Pulleys	" .70	1.40
10 Fender Castings	" .38	3.80
3 B. 37 Gate Castings	" .13	.39
3 B. 39 " "	" .13	.39
2 B. 40 " "	" .15	.30
3 B. 41 " "	" .15	.45
5 B. 38 " "	" .10	.50
4 H.707 " "	" .25	1.00
6 H.321 Snow Scraper Castings	" .25	1.50
9 Yds. 24" Painted Canvas	" .25	2.25
1 K. 2 Con. Board		.33
11 K. 2 Cylinder Contacts	" .15	1.65
2 K. 2 Finger Strips	" .06	.12
10 K. 2 Finger Seats	" .10	1.00
4 K. 2 #10380 Screws	" .12	.48
2 K. 2 # 287 Thumb Screws	" .40	.80
Carried Forward		83.20

Brought Forward			83.20
5	K.2 Reverse Switch Fingers	@ .06	.30
2	H. 755 Castings	" .15	.30
4	3" Draw Bar Rests	" .25	1.00
3	Dasher Handles	" .90	2.70
1	Draw Bar		1.15
2	Qr. Emery Cloth	" .36	.72
25	1/2 Fibre Bushings	" .01	.25
12	Fuse Box Thumb Screws	" .05	.60
3	35 x 5 1/2 Gro. Glass	" .20	.60
9	18 x 36 Plain Glass	" .35	3.15
7	24 x 40 " "	" .54	3.78
7	28 x 28 " "	" .40	2.80
5	20 x 30 " "	" .40	2.00
6	18 x 34 " "	" .44	2.64
1	18 x 27 " "		.40
12	19 x 5 " "	" .08	.96
4	Lbs. Grimshaw Tape	" .38	1.52
12	Lts. Glass 12 x 6 Enameled	" .05	.60
8	" " 20 x 38	" .43	3.44
4	K. 50 Ground Terminals	" .22	.88
4	Lts. Glass 28 x 30	" .40	1.60
6	" " 16 x 7 1/2	" .15	.90
4	" " 24 x 26	" .39	1.56
14	Lbs. 7/8 Rd. Norway Iron	" .03	.42
6	" 1" " " "	" .03	.18
40	" 5/8 " " "	" .028	1.12
36	" 3/4 " " "	" .03	1.08
20	" 1/2 " " "	" .028	.56
38	" 1 1/8" " "	" .03	1.14
12	" 3/4 Half Oval Iron	" .02	.24
108	" 2 1/2 x 5/8 Flat Norway Iron	" .028	3.02
20	" 2 x 3/8 " " "	" .028	.56
27	" 2 x 1/4 " " "	" .02 1/2	.67
58	" 3 x 3/4 " " "	" .03	1.74
19	" 2 x 1/4 Spring Steel	" .02 1/2	.47
36	" 2 1/4 x 5/16 " "	" .03	1.08
50	" 1/4 Rd. Norway Iron	" .03	1.50
59	" 3 x 1/2 Flat Norway Iron	" .03	1.77
10	Ft. 1" Iron Pipe	" .05	.50
56	Lbs. 3 x 3/8 Spring Steel	" .02 1/2	1.40
3	P. N. Journal Covers	" .20	.60
1	H. 18 Journal Thrust Plates		.30
1	H. 17 " Box		4.00
1	H. 71 " Box Cover		.08
5	H. 54 " Brasses	" 1.10	5.50
2	H. 65 " Brasses	" 1.10	2.20
2	H. 20 " Boxes	" 3.75	7.50
2	Knuckle Pins	" .30	.60
3	H.201 Thumbles for Track Jaws	" .90	2.70
10	6 A. Life Guard Hangers	" .75	7.50
1	Lightning Arrester		15.00
9	Edison Lamps	" .16 1/4	1.46
5	" Lamp Sockets	" .22	1.10
1	Life Guard - Soft Wood		.25
22	Leather Dust Guards	" .05	1.10
3	Head Light Switches	" .42	1.26
3	Comb. Lamp Switches	" .50	1.50
1	6 A. Life Guard		.75
4	T. H. Wall Sockets	" .15	.60
3	Life Guards 5' 6" x 6" x 2"	" .71	2.13
3	M. M. Switches	" 3.25	9.75
4	Motor Bolts 11 x 1	" .15	.60
6	Motor Cap Bolts 6 x 7/8	" .20	1.20
2	Motor Switch Handles & Blades	" .30	.60
2	H. 196 Castings	" .45	.90
2	H. 197 " "	" .45	.90
1	Double Off Link		.75
1	H. 187 Casting		1.00
2	H. 175 " "	" .20	.40
46	Ft. Whitewood	" .05	2.30
4	8" Links	" .25	1.00
2	H. 181 Castings	" .35	.70
2	H. 169 " "	" .64	1.28
4	Spring Plugs	" .15	.60
7	Pedestal Bolts	" .35	2.45


Carried Forward

215.06


Brought Forward		215.06
2 Peatfield Nuts	@ .35	.70
4 Single Reg. Pulleys	" .35	1.40
5 Double Reg. Pulleys	" .75	3.75
28 Ft. 9/16 Rubber Tubing	" .06	1.68
35 " Rheostat Cable	" .03 1/2	1.22
16 Lbs. Rubber Buffers	" .40	6.40
14 " 4 1/2 x 5/8 Rivets	" .04 1/2	.63
5 " 4 x 5/8 "	" .04 1/2	.22
5 " 3 1/2 x 5/8 "	" .04 1/2	.23
5 " 3 x 5/8 "	" .04 1/2	.22
5 " 2 1/2 x 5/8 "	" .04 1/2	.23
24 " 1" Rope	" .06 1/4	1.50
50 Ft. 1/4 Rubber Tubing	" .03 1/2	1.75
23 Ratchet Springs	" .02	.46
7 Ft. Snow Plow Sprocket Chain	" 1.50	10.50
3 Lbs. Solder	" .11	.33
18 Ft. #51 Sprocket Chain	" .08	1.44
2 Step Hangers	" .68 1/2	1.37
1 Spring 7 x 2 1/2 x 1/2		.87
16 Lbs. Saucers	" .02 1/2	.40
4 H. 280 Snow Plow Castings	" .50	2.00
7 Shutter Bars	" .25	1.75
1 H. 115 Sign Stands		.50
1 Laconia Step Hanger		.50
28 #444 Sign Stands	" .08	2.24
2 Hart Switches	" .60	1.20
2 H. 531 Snow Plow Castings	" 1.00	2.00
2 H. 329 " " "	" .50	1.00
4 H. 327 " " "	" .15	.60
8 Springs 5 1/2 x 3 x 1/2	" .20	1.60
2 Trolley Wheels	" .35	.70
2 #693 Truck Yokes	" 3.75	7.50
1 6 A 8 Track Casting		.80
24 Bonnet Ribs	" .20	4.80
57 Ft. Roof Sheathing	" .04	2.28
1 Snow Plow Shear		3.50
10 Pcs. Wood for Trolley Base	" .20	2.00
1 Snow Plow Wing		1.50
4 Bonnet Bows	" .65	2.60
3 Platform Sills	" .75	2.25
3 Wood Dasher Rails	" .30	.90
1 Sash & Glass		2.49
1 Brownell Platform Sill		1.20
3 Snow Plow Long Wings	" .80	2.40
4 Box Car Steps	" .30	1.20
TOTAL SEPT. 1 -----		299.87
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		38.93
		338.80
MATERIAL USED DURING SEPT. -----		94.31
TOTAL NORTH CAMBRIDGE CAR HOUSE SEPT. 30, 1897 -----		244.49

--:- BALDWIN STREET CAR HOUSE --:-

1 Reverse Switch Cover		2.10
1 Snow Plow Digger Post		3.00
2 " " " Shoes	@ .50	1.00
1 " " " "		.40
4 Ft. Snow Plow Sprocket Chain	" 1.54	6.16
1 Snow Plow Sprocket Wheel		5.00
7 " " Wings	" 1.00	7.00
1 " " Shear		3.20
1 " " "		2.85
12 Ft. Rheostat Sprocket Chain	" .08	.96
3 Brill Seat Arms	" 1.00	3.00
2 St. Louis Seat Arms	" 1.65	3.30
7 Seat Arm Screws	" .15	1.05
Carried Forward		39.02



Brought Forward			39.02
2	Signal Bells	@ 1.65	3.30
7	Snow Scraper Blades	" 1.50	10.50
3	Sill Truck Springs	" .50	1.50
4	End " "	" .25	1.00
3	Box " "	" .45	1.35
2	Snow Scraper Beams	" .28	.56
2	" " Dasher Springs	" .40	.80
2	" " Castings H. 321	" .25	.50
6	Lateral Springs	" 1.00	6.00
1	Tie Rod		.70
1	Tie Strap		.25
16	Trolley Springs	" .12	1.92
1	Trolley Wheels		.35
6	9/16 Tubing	" .06	.36
2	Turn Buckles	" .28	.56
8	Hood Sign Castings	" .08	.64
1	M. M. Switch		4.00
2	Journal Boxes	" 4.00	8.00
1	Three Way Switch		.42
13	Gate Dasher Hooks	" .15	1.95
4	Bottom Rolls	" .18	.72
2	Top Brake Staff Sockets	" .10	.20
1	Brake Beam Casting 169		2.90
3	Edison Lamp Sockets (For Pits)	" .13	.39
10	Fuse Box Thumb Screws	" .05	.50
6	Ground Wire Terminals	" .35	2.10
19	B. Gear Case Supports	" .75	14.25
4	F. " " "	" .90	3.60
3	Gongs	" .80	2.40
2	Gong Frames	" .50	1.00
4	Lts. Glass 28 x 32	" .58	2.32
12	" " 18 x 36	" .35	4.20
8	" " 20 x 30	" .29	2.32
10	" " 28 x 28	" .36	3.60
10	" " 24 x 40	" .54	5.40
5	" " 20 x 30 Ground	" .39	1.95
5	" " 20 x 30 Enameled	" .25	1.25
1	K. 2 Controller Board		.33
3	K. 2 Controller Short Binding Posts	" .05	.15
2	Running Board End Hangers	" .40	.80
7	Body Grab Handles	" 2.00	14.00
2	" " "	" 2.12 1/2	4.25
2	Dasher " "	" .90	1.80
12	H. 10 Journal Brasses	" 1.50	18.00
4	Journal Box Leathers	" .05	.20
3	" " Covers	" .20	.60
6	" " Wedges	" .43	2.58
2	" " Keys	" .43	.86
6	T. H. Lamps	" .17 1/2	1.05
1	G. E. Lamp Switch		.50
5	Edison Lamp Sockets	" .22	1.10
5	T. H. Lamp Sockets	" .20	1.00
9	Life Guards	" .25	2.25
1	Motor Hanger		1.75
1	H. 755 Brake Shoe Casting		.15
1	H. 756 " " "		.05
1	Snow Plow Oil Cup		1.00
1	Offset Link		.75
3	Pedestal Posts	" .35	1.05
4	" Post Plugs	" .15	.60
200	Ft. Rheostat Cable	" .01 3/4	3.50
4	Rheostat Spindle Bushings	" .35	1.40
1	" " "		.10
6	" Cable Pulleys	" .15	.90
4	" Spindles	" 2.00	8.00
6	Register Springs	" .10	.60
3	W. P. Armature Brasses Gear End	" 1.30	3.90
2	" " " Com. End	" .70	1.40
6	" " " Liners	" .15	.90
6	" " " "	" .11	.66
11	" " Thrust plates	" .25	2.75
1	" Axle Gear		14.50
5	" " " Keys	" .30	1.50
3	" " Brasses	" 3.50	10.50
2	" " Collars	" 1.00	2.00
Carried Forward			240.21



Brought Forward			240.21
4	W.P. Axle Collars Extension	@ 2.15	8.60
5	Brake Handle Pawls	" .05	.25
8	Brake Shoes - Compo	" .45	3.60
28	" " - Lappin	" 1.00	28.00
15	" " - Steel	" .75	11.25
2	" Rod Forks	" .75	1.50
2	5/8 Brush Holders	" 2.00	4.00
220	Ft. Bell Cord	" .02 1/4	4.95
5	Bonnet Bell Cord Pulleys	" .75	3.75
2	Brake Lever Stud Bolts	" .20	.40
9	Bell Cord End Hooks	" .10	.90
1	Motor Cap Bolt		.20
5	M. Bolts 10 1/2 x 1	" .40	2.00
3	" 11 x 7/8	" .15	.45
29	" 4 1/2 x 3/4	" .03	.87
30	" 4 1/2 x 7/8	" .04 1/2	1.35
20	" 5 x 7/8	" .05	1.00
4	Gate Hooks B. 37	" .13	.52
9	1/2 Lbs. Sheet Fibre	" .30	2.85
8	#6 Connections	" .05	.40
203	5/8 Carbons	" .01 1/2	3.05
4	Controller Pawl Springs	" .13	.52
10	" Contact fingers	" .13	1.30
4	4" Draw Bar Rests	" .35	1.40
2	3" " " "	" .25	.50
6	Long Cages	" 2.00	12.00
11	Door Trucks	" 1.00	11.00
3	Draw Bar Box Clevises	" .60	1.80
5	" " " Forgings	" .20	1.00
14	Fender Slides	" .38	5.32
3	Fuse Boxes	" 3.25	9.75
3	Electric Bells	" .50	1.50
3	K. 2 Resistance	" 12.50	37.50
3	Hart Snap Switches	" .60	1.80
1	Headlight Ring		.30
1	Ventilator		1.00
3	Lamp Switch Thumb Screws	" .10	.30
2	H. 287 Brake Beam Castings	" .40	.80
3	Rheostat Arms	" .90	2.70
2	Brake Staff Ratchets	" .32	.64
3	Brush Holder Blocks	" .10	.30
5	" " Springs	" .03	.15
3	" " Hammers	" .25	.75
7	Car Steps	" .30	2.10
3	Controlling Stand Reverse Pipes	" .30	.90
3	Brush Holder Springs	" .05	.15
TOTAL SEPT. 1 -----			415.58
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			77.70
			493.28
MATERIAL USED DURING SEPT. -----			38.57
TOTAL BALDWIN STREET CAR HOUSE SEPT. 30, 1897 -----			454.71

-:- SUMMER STREET CAR HOUSE -:-

2	W.P. Com End Arm. Brasses	@ .70	1.40
2	" Gear " " "	" 1.30	2.60
3	" " " " Liners	" .15	.45
11	Fender Slides	" .38	4.18
40	Ft. Rheostat Cable	" .01 3/4	.70
3	Rheostat Contact Arms	" .80	2.40
26	" Bolt Bushings	" .05	1.30
70	Ft. Register Cord	" .02 1/4	1.58
1	Sprocket Wheel		5.00
10	Snow Plow Wings	" 1.00	10.00
2	Draw Bar Rests	" .35	.70
1	Gong		.80
2	Three Pt. Head Light Switches	" .42	.84
1	Hirt Casting #227		3.25
Carried Forward			35.20

Brought Forward		35.20
1 W.P. Motor Axle Brass		2.50
6 Lts. Glass 30 x 32	@ .65	3.90
7 " " 20 x 30	" .37	2.59
10 " " 20 x 38	" .43	4.30
4 Register Cord Pulleys	" .75	3.00
2 Front G.C. Supports	" .90	1.80
7 Life Guards	" .25	1.75
14 Brake Shoes	" .45	6.30
3 W.P. Axle Gear Keys	" .30	.90
1 Brake Beam Casting #H 169		2.90
2 Brake Rod Jaws	" .75	1.50
1 Rugg Seat Sweep		.60
1 Signal Bell		1.65
1 W.E. Seat Arm		1.65
1 W. E. Seat Handle		2.00
1 Open Car Grab Handle		1.20
8 Springs 5 1/2 x 4 x 13/16	" .20	1.60
TOTAL SEPT. 1 -----		75.34
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		35.86
		111.20
MATERIAL USED DURING SEPT. -----		32.49
TOTAL SUMMER STREET CAR HOUSE SEPT. 30, 1897 -----		78.71


--:- ARLINGTON CAR HOUSE --:-

3 Lappin Shoes	@ 1.00	3.00
31 Compo Shoes	" .45	13.95
8 H. 18 Thrust Plates	" .30	2.40
2 Trolley Wheels	" .35	.70
4 Controller Ratchet Springs	" .13	.52
3 R. R. H. 50 Journal Brasses	" 1.10	3.30
3 " Pig Nose Boxes	" 4.50	13.50
4 " " " Journal Brasses	" 1.50	6.00
2 " F. 2 Truck Yoke	" 6.50	13.00
1 " F. 3 " "		6.50
1 " F. 3 " "		7.00
4 " Springs 7 x 4 x 11/16	" .60	2.40
1 " Centre J. Box		7.00
39 Ft. 51 Sprocket Chain	" .08	3.12
1 Snow Plow Sprocket Wheel		5.00
2 Turn Buckles 3/8	" .20	.40
3 W.P. Arm. Brass Gear End	" 1.30	3.90
4 " " " Com. End	" .70	2.80
1 " Thrust Plate 1/8		.32
3 " " " 1/8	" .25	.75
4 " Liners Com. End	" .11	.44
25 Car Lamps	" .17 1/2	4.38
6 Draw Bar Rests	" .25	1.50
2 W.P. Back Supports	" .75	1.50
3 Type 51 D. Rheo. Bushings	" .35	1.05
2 " 51 " "	" .10	.20
14 R. R. Bevel Rollers	" .40	5.60
20 Shutter Bars	" .25	5.00
4 W.P. Axle Keys	" .30	1.20
4 " Motor Shields Com End	" .35	1.40
3 Three Point Switches	" .42	1.26
3 W.P. Motor Shields Gear End	" .25	.75
5 B. 36 Gate Castings	" .13	.65
5 B. 37 " "	" .10	.50
7 Heater Snap Switches	" .60	4.20
6 Anderson Trolley Springs	" .25	1.50
3 W.P. Brush Holders	" 2.00	6.00
38 Ft. Rheostat Cable	" .01 3/4	.66
7 K. 2 Contact Fingers	" .13	.91
2 K. 2 Finger Boards	" .06	.12
1 K. 2 Connecting Board		.33
9 K. 2 Finger Seats	" .10	.90
Carried Forward		135.61

Brought Forward		135.61
2 W.P. 3 3/4 Axle Brasses	@ 3.50	7.00
10 Fender Castings	" .38	3.80
1 H. 495 Brass Castings		1.00
4 Lts. Glass 28 x 32	" .58	2.32
11 " " 18 x 36	" .35	3.85
12 " " 28 x 30	" .40	4.80
4 Springs 4 1/2 x 5 1/2 x 7/8	" .45	1.80
60 Window Springs	" .05 1/2	3.30
4 St. Louis Life Guard Hangers	" .75	3.00
9 Ry. Lamp Sockets	" .15	1.35
4 H. 71 J. Box Covers	" .08	.32
3 St. Louis Body Truss Pockets	" .32	.96
5 Con. Stand Reverse Tubes	" .30	1.50
3 West. B. Holder Springs	" .20	.60
2 St. Louis Seat Arms	" 1.65	3.30
238 Ft. Bell Cord	" .02 1/4	5.36
3 Car Bells	" 1.65	4.95
2 Combination Switches	" .50	1.00
2 8" Car Gongs	" 1.30	2.60
2 K. 2 Controller Magnets	" 3.50	7.00
13 Edison House Lamps	" .16 1/4	2.11
1 K. 2 Resistance		12.00
6 West Axle Keys	" .30	1.80
2 M. M. Switches	" 3.25	6.50
100 Ft. Linen Hose	" .03	3.00
3 100 Amp. Fuse Boxes	" 3.25	9.75
6 Dry Batteries	" .23	1.38
2 Electric Bells	" .50	1.00
4 West. Pinions	" 2.20	8.80
2 " 12 A. Arm Brasses	" 3.75	7.50
2 " 12 Axle Brasses	" 3.75	7.50
3 " 12 Pinions	" 2.25	6.75
2 " 12 Brush Holder Ins.	" 1.16	2.32
4 " 12 Brush Holders	" 1.70	6.80
4 " 12 Brush Holder Springs	" .25	1.00
2 " 12 Spools	" 13.00	26.00
4 " 12 Gear Keys	" .30	1.20
1 Rheostat Contact Arm		.80
3 Type 51 D. Rheo. Spindles	" 1.40	4.20
2 12 A. Pinion Keys	" .30	.60
2 12 " Nuts	" .65	1.30
9 Union Trolley Poles	" 3.50	31.50
100 W.P. Carbons 5/8	" .01 1/2	1.50
100 Westg. Carbons 1/2	" .02	2.00
11 1/2 Lbs. Brake Hose	" .36	4.14
7 Springs 4 1/2 x 5 1/2 x 1	" .35	2.45
5 T. H. Wall Sockets	" .15	.75
TOTAL SEPT. 1 -----		350.07
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		97.74
		447.81
MATERIAL USED DURING SEPT. -----		110.82
TOTAL ARLINGTON CAR HOUSE SEPT. 30, 1897 -----		336.99

--> CLARENDON HILL CAR HOUSE -->


3 West. 12 Arm. Brasses G.E.	@ 1.50	4.50
3 " " " " C.E.	" 2.00	6.00
10 " Brush Holder Springs	" .20	2.00
4 " Fibre Shields	" .35	1.40
2 " Axle Brasses	" 5.60	11.20
5 Brake Rod Jaws	" .50	2.50
5 T. H. Lamp Sockets	" .20	1.00
6 " " "	" .15	.90
1 H. 10 Journal Box		4.00
7 H. 21 Thrust Plates	" .35	2.45
264 Ft. Rheostat Cable	" .01 3/4	4.62
5 Rheostat Bushings	" .35	1.75
1 St. Louis Life Guard Hanger		.75
Carried Forward		43.07




Brought Forward				43.07
7	D.B. Cages		@ 1.15	8.05
5	Axle Keys		" .30	1.50
5	Pig Nose Box Covers		" .20	1.00
5	D.B. Rests		" .25	1.25
1	Life Guard			.25
4	W.P. Armature Brasses	G.F.	" 1.30	5.20
3	"	" C.E.	" .70	2.10
6	"	Liners C.E.	" .11	.66
5	"	" G.F.	" .15	.75
2	"	Axle Brasses	" 3.50	7.00
10	Lts. Glass	20 x 30	" .37	3.70
7	"	28 x 32	" .58	4.06
3	"	28 x 28	" .36	1.08
8	"	18 x 36	" .35	2.80
2	West. Pinions		" 2.20	4.40
6	Pig Nose Journal Brasses		" 1.10	6.60
3	Thrust Plates	1/8	" .32	.96
1	K. 2 Resistance			12.50
100	West. Carbons	1/2	" .02	2.00
1	6 A. Truck Yoke			3.50
1	Seat Arm			1.65
2	West. 12 Brush Holders		" 1.75	3.50
1	West. 12 Axle Cap	G.F.		2.00
100	Carbons	5/8	" .01 1/2	1.50
4	Car Gongs	8"	" .80	3.20
3	Car Gong Frames		" .50	1.50
12	Laconia Car Steps		" .30	3.60
7	"	Step Hangers	" .50	3.50
2	Three Pole Switches		" .42	.84
1	Snow Plow Sprocket Chain			15.37
1	"	Wheel		5.00
1	"	Wing		.88
1	"	Casting B. 42		3.50
9	Trolley Wheels		" .35	3.15
2	Springs	5 1/2 x 4 1/2 x 1"	" .35	.70
6	Reverse Tubes		" .30	1.80
14	Compo Shoes		" .45	6.30
24	Lappin Shoes		" 1.00	24.00
6	Lbs. Shoe Hose		" .36	2.16
322	Ft. Bell Cord		" .02 1/4	7.25
3	Corner Castings		" .60	1.80
1	Brush Holder	5/8		2.00
12	Yds. Painted Canvas		" .35	4.20
22	Ry. Lamps		" .17 1/2	3.85
38	E.D. Lamps		" .16 1/4	6.18
1	Upper Truss Bar Pocket			.32
4	Axle Oil Feeders		" .12 1/2	.50
4	H. 71 Journal Box Covers		" .08	.32
1	Trolley Fork			.90
8	Springs	5 3/4 x 4 x 13/16	" .20	1.60
9	Fender Slides		" .38	3.42
6	T. H. Wall Sockets		" .15	.90
TOTAL SEPT. 1 -----				229.82
MATERIAL CHARGED & RECEIVED DURING SEPT. -----				49.52
				279.34
MATERIAL USED DURING SEPT. -----				65.24
TOTAL CLARENDON HILL CAR HOUSE SEPT. 30, 1897 -----				214.10

--:-- ALLSTON CAR HOUSE -:--

40	Machine Bolts	1 1/2 x 3/8	@ .65	.26
31	"	1 1/2 x 1/2	" 1.08	.34
23	"	2 x 1/2	" 1.20	.28
23	"	2 1/2 x 1/2	" 1.00	.23
3	"	3 x 1/2	" .96	.03
49	"	3 1/2 x 1/2	" 1.00	.49
80	"	4 x 1/2	" 1.15	.92
Carried Forward				2.55




Brought Forward				2.55
39	Machine Bolts	4 1/2 x 1/2	@ 1.38	.54
30	"	5 x 1/2	" 1.50	.45
11	"	6 x 1/2	" 1.57	.17
31	"	2 x 5/8	" 1.30	.40
50	"	2 1/2 x 5/8	" 1.57	.79
26	"	3 x 5/8	" 1.65	.43
39	"	3 1/2 x 5/8	" 1.73	.67
24	"	4 x 5/8	" 1.27	.30
43	"	4 1/2 x 5/8	" 1.98	.85
22	"	5 x 5/8	" 1.73	.38
40	"	5 1/2 x 5/8	" 2.65	1.06
97	"	6 x 5/8	" 2.37	2.30
23	"	7 1/2 x 5/8	" 2.11	.49
24	"	6 x 3/4	" 3.00	.72
12	"	5 x 7/8	" 3.09	.37
5	"	10 1/2 x 7/8	" .15	.75
11	"	10 1/2 x 1"	" .15	1.65
2	" Cap Screws	3 1/2 x 3/4	" 7.60	.15
7	"	3 x 5/8	" 6.80	.48
11	"	3 1/2 x 7/8	" 8.00	.88
25	Lbs. Putty		" .02 1/2	.63
1	W.H. Axle Brass			3.75
5	Trolley Tension Bolts		" .10	.50
3	Castings H. 531		" 1.00	3.00
2	" for Woods Gate	H. 32	" .15	.30
4	" for " "	H. 22	" .15	.60
80	Lbs. Mal. Castings		" .04 1/4	3.40
1	Brass Casting		" 1.60	1.60
1	Casting for Side of 20 Ft. Car			1.75
2	" H. 187		" 1.00	2.00
1	" H. 169			.64
12	" for Dasher		" .10	1.20
6	T.H. Trolley Tension Springs		" .15	.90
12	Anderson Trolley Tension Springs		" .25	3.00
11	Trolley Wheels		" .35	3.85
264	Ft. Trolley Cord		" .006	1.58
2	Trolley Bases		" 4.00	8.00
10	Keyless Lamp Sockets		" .20	2.00
11	Wall Lamp Sockets		" .15	1.65
2	Combination Lamp Switches		" .50	1.00
14	Edison Lamps		" .16 1/4	2.27
3	Head Light Switches		" .42	1.26
275	Ft. Register Cord		" .02 1/4	6.19
7	Ventilator Sashes		" .75	5.25
14	Lamp Brackets		" .20	2.80
2	Seat Back Brackets		" 1.50	3.00
2	Bonnet Castings		" .85	1.70
1	Head Light Ring			.30
1	K. 2 Shunt Resistance			12.50
6	Edison Lamp Sockets		" .13	.78
7	Arc Deflectors		" .20	1.40
12	Rheostat Spindle Nuts		" .35	4.20
20	" Fibre Bushings		" .05	1.00
3	" Fibre Spindle Bushings (51 D.)		" .35	1.05
4	" " " " (51)		" .10	.40
63	Ft. Rheostat Cable		" .01 3/4	1.11
13	Peatfield Nuts		" .35	4.55
16	Pcs. Ash 5' 6" x 5" x 2"		" .46 5/100	7.37
16	Snow Plow Wings		" .88	14.08
2	K. 2 Controller Connecting Boards		" .36	.72
1	K. 2 " Finger Strip			.06
1	K. 2 Single Connecting Switch	#14623		.05
1	K. 2 " Switch Blade	#14638		.20
1	K. 2 Connecting Support	#14687		.05
1	K. 2 Falcon Pillow Connection	#14632		.10
1	K. 2 Single Switch Blade	#14627		.10
1	K. 2 " " Connection	#14629		.15
1	K. 2 " " " "	#14630		.15
1	K. 2 Short Binding Post	#14958		.20
2	Lbs. Round Iron	1/4	" .028	.17
5	"	3/8	" .03	.15
14	"	1/2	" .02	.28
50	"	3/4	" .028	1.40
51	"	7/8	" .028	1.43
8	"	1"	" .03	.24
Carried Forward				134.39



Brought Forward			134.39
107	Lbs. Round Iron 1 1/4	@ .03	3.21
10	" Refined Iron Hf. Rd. 7/8	" .02	.20
24	" " " 2 x 1/8	" .02 1/2	.60
38	" " " 2 1/4 x 1/4	" .027	1.03
61	" Norway " 2 1/2 x 3/8	" .03	1.83
31	" " " 1 1/2 x 1/2	" .027	.84
119	" " " 2 x 1/2	" .028	3.33
69	1/2 " " 2 x 5/8	" .03	2.09
5	" " " 2 1/2 x 5/8	" .03	.15
47	" Spring Steel 2 x 5/16	" .02 1/2	1.18
18	" " " 2 1/4 x 1/4	" .03 1/4	.59
57	" " " 2 x 1/4	" .02 1/2	1.43
8	" Machine " 5/8 x 5/8	" .06	.48
110	" " " 2 x 3/4	" .06	6.60
6	" " " 1 x 1	" .06	.36
30	" Tool " 5/8 x 7/8	" .06	1.80
36	" Octagon " 7/8	" .06	2.16
43	Carriage Bolts 2 x 3/8	" .70	.30
43	" " 3 1/2 x 1/2	" .85	.37
2	" " 6 1/2 x 1/2	" 1.96	.04
22	" " 7 1/2 x 1/2	" 2.28	.50
17	" " 8 x 3/8	" 1.40	.24
13	" " 9 1/2 x 1/2	" 2.37	.31
64	Lock Nuts 7/8	" .70	.45
55	" " 1"	" 1.00	.55
7	Lts. Glass 38 x 30	" .54	3.78
12	" " 38 x 20	" .43	5.16
8	" " 30 x 20	" .29	2.32
2	" " 28 x 28	" .48	.96
11	" " 7 1/2 x 29	" .15	1.65
4	W. H. Arm. Brasses C.F.	" 2.00	8.00
1	" " Brass G.E.		1.50
12	" " 12 A Brasses	" 3.75	45.00
1	" Axle Brass		3.75
60	" C. Brushes	" .02	1.20
4	" Brush Holders	" 1.75	7.00
10	" Ground Terminals	" .30	3.00
40	" Stool Insulators	" .07	2.80
12	" Motor Shields	" .35	4.20
1	" Arm. Pinion Gear		2.25
16	W.P.C. Brushes	" .01 1/2	.24
9	" Brush Holder Blocks	" .10	.90
1	" Arm. Brasses C.F.		.70
3	" Arm. Brasses G.F.	" 1.30	3.90
4	" Axle Brasses	" 1.50	6.00
6	" Axle Feeders	" .12 1/2	.75
12	" Axle Keys	" .30	3.60
1	" Axle Collar		1.00
1	" Arm. Liner G.F.		.15
56	Ft. #6 Flexible Wire	" .04	2.24
5	Heater Handles	" .15	.75
2	M. M. Switch Magnets	" .42	.84
1	Oil Cup Glass		.10
1	Car Gong Complete 11"		1.50
3	Car Gongs 8"	" .80	2.40
4	Lengths of Snow Plow Sprocket Chain	" 15.75	63.00
43	Ft. Conduit Tubing	" .15	6.45
3	Draw Bar Cages	" 2.00	6.00
5	" " Rests	" .25	1.25
19	" " Braces	" .15	2.85
11	Life Guards	" .25	2.75
14	Fender Slides	" .38	5.32
4	" Hangers	" .30	1.20
4	" Locks	" .10	.40
3	Snow Plow Sprocket Wheels	" 5.00	15.00
8	Lbs. Brake Hose	" .36	2.88
23	Compo Brake Shoes	" .45	10.35
13	Lappin Brake Shoes	" 1.00	13.00
7	Steel Brake Shoes	" .75	5.25
5	M. M. Brake Shoes	" .45	2.25
9	Dog Wheels	" .32	2.88
6	6 A. Brake Beam Slides	" .25	1.50
6	6 A. Brake Life Guard Hangers	" .75	4.50
7	Castings for Bottom of Brake Staff	" .20	1.40
2	6 A. Bemis Truck Yokes	" 3.50	7.00

Carried Forward

437.90



Brought Forward		437.90
8 Pedestal Springs	@ .75	6.00
2 End Springs	" .75	1.50
5 Bolster Springs	" .43	2.15
24 Center Truck Springs	" .50	12.00
8 Lateral Truck Springs	" 1.00	8.00
5 Pedestal Plugs	" .15	.75
3 Tie Rods for Trucks	" .70	2.10
18 W.E. Ped. Bolts	" .35	6.30
2 Bolster Hangers	" 2.00	4.00
2 Bottom Spring Pockets	" .75	1.50
1 St. Louis Life Guard Hanger		.75
4 Journal Boxes T. H. 50	" .30	1.20
2 " Box Brasses - Pig Nose	" 1.50	3.00
2 " " Brasses - Bemis	" 1.50	3.00
5 " " Caps - Pig Nose	" .20	1.00
1 Back Axle Cup for W.H. Motor		2.00
2 Trolley Forks	" .50	1.00
2 Reverse Pipes for Cont. Stand	" .30	.60
3 Car Bells	" 1.65	4.95
1 Rheostat Arm		.80
1 " "		1.60
4 M. M. Switch Blades & Handles	" .50	2.00
23 Two Way Connectors	" .05	1.15
2 Jones Seat Arms	" 1.65	3.30
14 " " Arm Screws	" .15	2.10
1 " " Hanger		3.00
1 Grab Handle for 20' Car		3.13
15 Bonnet Pulleys	" .75	11.25
21 Double Reg. Pulleys	" .75	15.75
5 Reg. Springs	" .10	.50
12 Steps for Box Cars	" .30	3.60
1 Lamp Fuse Box		.40
TOTAL SEPT 1 -----		548.28
MATERIAL RECEIVED & CHARGED DURING SEPT. -----		133.50
		681.78
MATERIAL USED DURING SEPT. -----		161.15
TOTAL ALLSTON CAR HOUSE SEPT. 30, 1897 -----		520.63


--:-- OAK SQUARE CAR HOUSE --:--

3 Head Light Rims	@ .30	.90
6 Jones Seat Back Arms	" 1.65	9.90
28 Ft. Sprocket Chain	" .07 1/4	2.03
6 H. 531 Castings	" 1.00	6.00
4 6 A. 32 Casting	" .35	1.40
7 Stud Bolts for Same	" .20	1.40
6 st. 27 Life Guard Hangers	" .75	4.50
6 Brake Staff Dog Wheels	" .32	1.92
14 Trolley Tension Springs	" .12	1.68
6 6 N.B. Journal Box Caps	" .08	.48
4 H. 62 Journal Brasses	" 1.10	4.40
1 H. 60 " "		1.10
7 H. 18 Thrust Plates	" .43	3.01
1 H.137 " "		.43
6 H. 22 " "	" .43	2.58
316 Ft. Trolley Cord	" .006	1.90
530 " Register Cord	" .02 1/4	11.92
4 Snow Plow Sprocket Wheels	" 5.00	20.00
263 Ft. Rheostat Cable	" .01 3/4	4.60
18 " Hard Wire	" .026	.47
170 " Flexible Wire	" .03 1/2	5.95
43 Car Lamps	" .17 1/2	7.52
30 House Lamps	" .16 1/4	4.87
9 Bonnet Pulleys	" .70	6.30
1 Main M. Switch Magnet		.43
1 Lamp Fuse Box		1.00
7 Jones Seat Arm Screws	" .15	1.05
Carried Forward		107.74

Brought Forward			107.74
1	Combination Lamp Switch		.43
3	Headlight Sockets	@ .05	.15
8	T. H. Wall Sockets	" .15	1.20
15	Keyless Lamp Sockets	" .15	2.25
4	Lamp Brackets	" .15	.60
4	F. 30 Grease Cups	" .30	1.20
5	Dasher Springs	" .30	1.50
225	Ft. Cotton Hose	" .03	6.75
3	Pullman Grab Handles	" 2.00	6.00
1	Grab Handle for 20' Box		2.13
2	Motor Curtains G. End	" .25	.50
5	Trolley Poles	" 2.40	12.00
3	Wooden Beams for 6 A.B.Truck	" .50	1.50
7	Draw Bar Rests	" .25	1.75
14	Life Guards	" .25	3.50
16	Scraper Beams	" .28	4.48
2	6 A. Bemis Truck Yokes	" 3.50	7.00
32	Lbs. Spring Steel 2 x 1/4	" .03	.96
27	" M. " 2 x 1/2	" .06	1.62
123	" Spring " 2 1/2 x 5/16	" .02 1/2	3.08
9	" 1 1/4 Square Tool Steel	" .21	1.89
21	" Hexagon Steel 3/4	" .06	1.26
872	" Flat Norway Iron 4 x 3/4	" .03	26.16
50	" " " 4 x 1/2	" .03	1.50
581	" " " 3 x 3/4	" .028	16.27
70	" " " 3 1/2 x 1/2	" .028	1.96
110	" " " 2 1/2 x 3/4	" .03	3.30
83	" " " 2 1/2 x 1/2	" .03	2.49
50	" " " 2 x 1/2	" .03	1.50
30	" " " 2 x 3/8	" .03	.90
28	" " " 1 1/2 x 3/8	" .028	.78
52	" " " 2 1/2 x 1/4	" .028	1.46
24	" " " 2 x 1/4	" .03	.72
5	" " " 1 1/4 x 1/4	" .028	.14
50	" Round " 1 1/4	" .03	1.50
20	" " " 1 1/8	" .03	.60
45	" " " 1"	" .03	1.35
298	" " " 7/8	" .028	8.34
186	" " " 3/4	" .028	5.21
24	" " " 5/8	" .028	.67
59	" " " 1/2	" .028	1.65
19	" " " 3/8	" .028	.53
5	" " " 5/16	" .028	.14
5	" " " 1/4	" .028	.14
9	" 3/4 Half Round Iron	" .02	.18
31	" 5/16 Brake Chain	" .10 1/2	3.25
7	Lts. Glass 30 x 38	" .43	3.01
11	" " 28 x 28	" .40	4.40
2	" " 20 x 38	" .43	.86
3	" " 24 x 40	" .54	1.62
9	" " 28 x 32	" .58	5.22
14	Mesco Dry Batteries	" .23	3.22
3	Ventilator Sashes	" .75	2.25
6	Bell Cord Hooks	" .10	.60
12	Finder Strips for Controller	" .06	.72
18	K. 2 Cont. Contact Fingers	" .13	2.34
1	Trolley Pole		3.50
15	Fibre Washers 1/2	" .01	.15
2	" Bushings	" .05	.10
6	Rheostat Sliding Contacts	" .90	5.40
3	Car Gongs 8"	" .80	2.40
84	M. Bolts 5 x 5/8	" 1.97 Pr.C.	1.65
104	" 4 1/2 x 5/8	" 1.89 "	1.97
33	" 4 x 5/8	" 1.27 "	.42
50	" 3 1/2 x 5/8	" 1.73 "	.87
91	" 3 x 5/8	" 1.65 "	1.50
47	" 2 1/2 x 5/8	" 1.57 "	.74
86	" 5 1/2 x 5/8	" 2.05 "	1.76
39	" 6 x 5/8	" 2.13 "	.83
123	" 2 x 5/8	" 1.50 "	1.85
95	" 4 x 1/2	" 1.10 "	1.05
5	" 3 1/2 x 1/2	" 1.05 "	.05
39	" 5 x 1/2	" 1.21 "	.47
5	" 5 1/2 x 1/2	" 1.25 "	.06
42	" 3 x 1/2	" 1.13 "	.47

Carried Forward

299.71



Brought Forward			299.71
22	M. Bolts 2 1/2 x 1/2	@ .98 Pr.C.	.22
29	" 6 x 1/2	" 1.31 "	.38
20	" 1 1/2 x 1/2	" .85 "	.17
39	" 2 x 1/2	" .90 "	.35
35	" 8 1/2 x 5/8	" 2.46 "	.86
20	C. Bolts 9 1/2 x 1/2	" 2.60 "	.52
45	" 7 x 1/2	" 2.28 "	1.03
48	" 3 x 3/8	" .82 "	.39
49	" 4 x 1/2	" 1.66 "	.81
50	" 4 1/2 x 1/2	" 1.75 "	.88
41	" 8 1/2 x 1/2	" 2.40 "	.98
11	Cushing Bolts 13 x 1"	" .15	1.65
7	Back Motor Bolts 1"	" .15	1.05
2	" " " 7/8	" .15	.30
3	Cap Bolts 3 1/2 x 7/8	" 8.00 Pr.C.	.24
7	" " 3 1/2 x 3/4	" 7.60 "	.53
12	" " 2 1/2 x 7/8	" 7.00 "	.84
3	" " 2 1/2 x 3/4	" 5.75 "	.17
21	M. " 5 x 3/4	" 2.78 "	.58
16	" " 5 x 7/8	" 5.35 "	.86
9	" " 4 1/2 x 7/8	" .05	.45
24	W.H. Pillar Block Bolts 5 x 7/8	" .18	4.32
2	Fender Locks	" .10	.20
1	H. 169 Casting		.64
1	H. 181 "		.35
4	Brake Shoe Links	" .25	1.00
4	Pig Nose Caps	" .20	.80
1	K. 2 Resistance		12.50
1	W.H. Back Axle Cup		2.00
1	King Bolt Casting		.55
10	Fender Slides	" .38	3.80
2	Journal Box Springs	" .35	.70
6	6 A.B. Pedestal Bolts	" .40	2.40
4	6 A.B. " "	" .35	1.40
12	West End Pedestal Bolts	" .30	3.60
7	End Truck Springs	" .25	1.75
2	St. Louis Life Guard Hangers	" .75	1.50
8	6 A.B. Life Guard Hangers	" .75	6.00
8	Steel Brake Shoes	" .75	6.00
10	Compo " "	" .45	4.50
15	Lappin " "	" 1.00	15.00
1	Main Fuse Box		3.25
50	Ft. 3/8 Rubber Tubing	" .04 1/2	2.25
30	" 9/16 " "	" .06	1.80
27	" Rubber Hose	" .36	9.72
4	W.H. Armature Pinions	" 2.20	8.80
2	Electric King Bells	" .50	1.00
3	Controller Contact Boards	" .32	.96
17	Two Way Connections	" .05	.85
10	W. H. Brush Holder Springs	" .20	2.00
5	W.P. " " "	" .10	.50
4	" " " Hammers	" .25	1.00
5	" " " Woods	" .10	.50
3	W. H. Armature Pinion Nuts	" .25	.75
7	" Suspension Bar Sleeves	" .15	1.05
100	W. P. Carbon Brushes	" .01 1/2	1.50
2	Trolley Wheels	" .35	.70
102	W.H. Carbon Brushes	" .02	2.04
4	W.P. Armature Liners Gear End	" .15	.60
5	" " " C. End	" .11	.55
5	Set W.P. Armature Brasses G. End	" 1.20	6.00
5	" " " C. End	" .70	3.50
2	" W.H. 12 A. Armature Brasses C. End 1897	" 1.85	3.70
3	" " " " G. End 1897	" 2.00	6.00
3	W.H. 12 Armature Brasses C. End	" 2.00	6.00
4	" " " " G. End	" 2.00	8.00
5	" 12 A " " Old Style	" 3.75	18.75
2	Trolley Forks	" .50	1.00
2	Rheostat Arms	" .80	1.60
TOTAL SEPT. 1 -----			476.35
MATERIAL RECEIVED & CHARGED DURING SEPT. -----			123.03
			599.38
MATERIAL USED DURING SEPT. -----			148.23
TOTAL OAK SQUARE CAR HOUSE SEPT. 30, 1897 -----			451.15

--:-- RESERVOIR CAR HOUSE --:--

2 6 A. Truck Yokes	@ 3.50	7.00
2 8 - 27 Castings	" 2.00	4.00
1 Trolley Pole	" 3.50	3.50
10 T. Trolley Poles	" 2.40	24.00
28 Snow Plow Scraper Beams	" .28	7.84
5 Pullman Car Steps	" .30	1.50
3 Draw Bar Rests 4"	" .35	1.05
2 " " " 3"	" .25	.50
1 Platform Sill		2.00
1 Wood Dasher Rail		.25
1 Snow Plow Wing		.88
4 Wood Brake Beams	" .60	2.40
43 Ft. Conduit Tubing	" .05	2.15
6 Draw Bar Cages	" 2.25	13.50
4 Fuse Box Covers	" .20	.80
8 Westg. 12 Motor Shields	" .35	2.80
2 Snow Plow Sprocket Wheels	" 5.00	10.00
2 Pr. Westg. 12 Pillow Blocks & Brasses	" 10.13	20.26
48 Ft. Running Board	" .05	2.40
2 H. 14 Journal Boxes	" 4.00	8.00
5 Push Buttons	" .12	.60
2 H. 20 Journal Boxes	" 4.00	8.00
4 H. 16 " "	" 3.75	15.00
1 Top Truss Pocket		.32
2 Top Spring Pockets	" 1.10	2.20
2 Bottom Spring Pockets	" .75	1.50
2 M. M. Switches	" 3.25	6.50
1 Westg. 12 Arm. Brass G. End		1.50
3 " " " Brasses G. End	" 2.00	6.00
5 " " " " C. End	" 2.00	10.00
10 Westg. 12 A. Arm. Brasses	" 3.75	37.50
4 H. 16 Journal Box Brasses	" 1.10	4.40
4 H. 54 " " " "	" 1.50	6.00
11 Journal Box Wedges	" .43	4.73
6 Westg. Pinions	" 2.20	13.20
4 King Bells	" .50	2.00
1 Westg. 12 A. Arm. Brass Pat. 1897		1.25
5 W.P. Thrust Plates	" .32	1.60
2 Westg. 12 A. Arm. Brasses 1897	" 2.75	5.50
1 K. 2 Shunt Resistance		12.50
25 Compo Brake Shoes	" .45	11.25
21 Lappin " "	" 1.00	21.00
11 Lbs. " Hose	" .36	3.96
17 Fender Slides	" .38	6.46
2 Snow Plow Digger Shoes	" .40	.80
1 " " Sprocket Chain		13.37
1 Brake Casting H. 148		.25
1 " " H. 147		.25
6 Springs 4 x 7/8	" .45	2.70
4 " 5 1/2 x 4 x 13/16	" .20	.80
1 Top Rocker Plate		.55
5 Brake Ratchet Wheels	" .32	1.60
3 Springs 5 1/2 x 4 x 1	" .35	1.05
3 Bottom Brake Castings	" .20	.60
2 Top " "	" .08	.16
3 6 A. Brake Castings	" .35	1.05
1 Toe Guard		.50
3 Car Step Hangers	" .50	1.50
2 Jones Open Car Step Hangers	" .75	1.50
1 H. 287 Brake Castings		.40
4 Bemis Swivel Life Guard Hangers	" .50	2.00
1 Westg. 12 Axle Cap G. End		2.00
40 Dasher Springs	" .30	12.00
2 St. 12 - 27 Castings	" .60	1.20
8 Pedestal Bolts	" .35	2.80
8 Reverse Fingers	" .06	.48
65 Two Way Connections	" .05	3.25
19 Jones Seat Screws	" .10	1.90
34 T. H. Lamp Sockets	" .15	5.10
7 Comb. Cut Outs	" .50	3.50
15 Bonnet Pulleys	" .70	10.50
16 Double Register Pulleys	" .75	12.00
33 Ft. 51 Sprocket Chain	" .08	2.64
5 Pig Nose Box Covers	" .20	1.00

Carried Forward

385.25

Brought Forward			385.25
6	H. 137 Journal Box Wedges	@ .30	1.80
20	Westg. 12 Motor Bushings	" .15	3.00
2	Magnets	" .42	.84
3	Contacts	" .18	.54
23	Yds. Painted Canvas	" .25	5.75
12	Trolley Wheels	" .35	4.20
5	W.P. Brush Holders	" 2.00	10.00
20	" " Holder Springs	" .05	1.00
3	" Arm. Brasses G. End	" 1.30	3.90
3	" " " G. End	" 1.60	4.80
2	" " " C. End	" .70	1.40
6	" " Liners G. End	" .15	.90
3	Westg. 12 Brush Holders	" 1.75	5.25
2	" " " Holder Springs	" .25	.50
4	Pullman Rolls	" 1.00	4.00
8	W.P. Brush Holder Blocks	" .10	.80
5	Turn Buckles 3/8	" .20	1.00
6	Hart Snap Switches	" .60	3.60
4	Trolley Forks	" .90	3.60
5	Slide Contacts	" .90	4.50
2	Rheostat Arms	" .75	1.50
15	51 - B. Rheostat Bushings	" .35	5.25
27	Fibre Bushings	" .05	1.35
56	" Washers 1/2	" .01	.56
2	Signal Bells	" 1.65	3.30
6	W.P. Oil Feeders	" .12 1/2	.75
6	Head Light Rims	" .30	1.80
1	Controller Handle		1.50
1	Reverse Cylinder		2.25
6	671 Bonnet Castings	" .85	5.10
3	Gong Frames 8"	" .50	1.50
3	" " 10"	" .50	1.50
8	Platform Gongs 10"	" 1.00	8.00
1	" " 8"		.80
11	Journal Box Oil Feeders	" .12 1/2	1.38
3	W.P. Axle Brasses	" 3.50	10.50
4	Jones Brake Staff Ratchets	" 2.45	9.80
1	Head Light Plug		1.00
6	W.P. Terminal Grounds	" .35	2.10
15	Dust Washers	" .05	.75
3	Jones Seat Arms	" 1.65	4.95
2	Ventilator Sashes	" .75	1.50
10	" " Glass	" .05	.50
50	Ft. Rheostat Cable	" .01 3/4	.88
4	Mesco Dry Batteries	" .23	.92
17	Westg. Brush Holder Washers	" .11	1.87
5	End Springs	" .25	1.25
1	Lt. Glass 28 x 28		.40
3	" " 28 x 32	" .58	1.74
16	" " 28 x 20	" .25	4.00
3	" " 38 x 20	" .43	1.29
3	" " 36 x 18	" .35	1.05
1	" " 20 x 30 Lettered		.86
358	Lbs. Flat Iron 3 x 3/4	" .028	10.02
65	" " " 4 1/2 x 3/4	" .02 1/2	1.63
52	" " " 2 1/2 x 3/4	" .028	1.46
15	" " " 2 1/4 x 3/4	" .028	.42
100	" " " 3 x 5/8	" .03	3.00
52	" " " 2 1/2 x 1/2	" .028	1.46
52	" " " 2 x 1/2	" .028	1.46
25	" " " 1 1/2 x 1/2	" .028	.70
80	" " " 1 1/2 x 3/8	" .028	2.24
15	" " " 2 1/2 x 1/4	" .028	.42
16	" " " 1 1/2 x 1/4	" .028	.45
25	" " " 1 x 1/4	" .028	.70
27	" " Hf.Rd. " 3/4	" .02	.54
21	" " Round " 1 1/8	" .028	.59
100	" " " 1	" .028	2.80
126	" " " 7/8	" .028	3.53
35	" " " 3/4	" .028	.98
8	" " " 3/8	" .028	.22
11	" " " 1/2	" .028	.31
37	" " " 3/8	" .028	1.04
25	" " Machine Steel 1	" .03	.75

Carried Forward

563.25

Brought Forward						563.25
8	Lbs. Tool Steel	1	x	3/8	@ .03	.24
30	" Octagon	7/8			" .12	3.60
24	" "	3/4			" .12	2.88
40	" Spring Steel	2	1/4	x 5/16	" .02 1/2	1.00
30	" " "	2	1/4	x 1/4	" .02 1/2	.75
17	" " "	2	x	1/4	" .02 1/2	.43
TOTAL SEPT. 1 -----						572.15
MATERIAL RECEIVED & CHARGED DURING SEPT. -----						137.98
MATERIAL USED DURING SEPTEMBER -----						710.13
TOTAL RESERVOIR CAR HOUSE SEPT. 30, 1897 -----						139.08
						571.05

--:-- WHEELS & AXLES --:--

CENTRAL POWER STATION SHOPS.

14	Prs.	22"	Fitted	Good		187.60
2	"	24"	"	"		27.80
93	"	30"	"	"		1575.00
1	"	36"	"	"	Snow Plow	20.25
1	"	H.C.	"	"		6.00
18	22"	C.I.	Wheels	Unfitted	Good	72.00
48	22"	"	"	"	Scrap	43.20
25	24"	"	"	"	Good	106.25
6	24"	"	"	"	Scrap	6.30
471	30"	"	"	"	Good	2378.55
1463	30"	"	"	"	Scrap	2194.50
23	36"	"	"	"	Good Snow Plow	133.40
2	H.C.	"	"	"	Good	4.00
329	"	"	"	"	Scrap	329.00
63	3	3/8"	Axles		Good	315.00
592	3	3/4"	"		Good	3848.00
8	3	3/4"	"		Scrap	8.80
2	4	1/2"	"	Snow Plow	Good	16.50
14	H.C.	"	"		Good	28.00
						11300.15

BARTLETT STREET SHOPS.

11	Prs.	H.C.	Wheels	Fitted	Good	66.00
----	------	------	--------	--------	------	-------

SUBWAY

2	Prs.	30"	C.I.	Wheels	3	3/4"	Axles	Good	34.00
---	------	-----	------	--------	---	------	-------	------	-------

FOREST HILLS CAR HOUSE.

1	Pr.	22"	C.I.	Wheels	3	3/8"	Axles	Good	13.40
5	"	30"	"	"	3	3/8"	"	"	77.50
7	"	30"	"	"	3	3/4"	"	"	119.00
1	"	36"	"	"	4	1/2"	"	"	20.25
									230.15

HUNTINGTON AVE. CAR HOUSE

2	Pr.	C.I.	Horse Car	Wheels & Axles	Good	12.00
2	"	"	"	"	Scrap	8.00
1	"	"	"	"	1 Scrap	5.00
						25.00

Carried Forward

11655.30

Brought Forward

11655.30

GROVE HALL CAR HOUSE

1 Pr.	22"	C.I. Wheels	3 3/8"	Axles Good	13.40	
9 "	30"	" "	3 3/8"	" "	139.50	
4 "	30"	" "	3 3/4"	" "	68.00	
1 "	36"	" "	4 1/2"	" "	20.25	Snow Plow
1 "	24"	" "	3 3/8"	" "	13.90	
						255.05

DORCHESTER CAR HOUSE

10 Pr.	30"	C.I. Wheels	3 3/4"	Axles Good	170.00	
1 "	30"	" "	3 3/4"	" Scrap	9.50	
1 "	30"	" "	3 3/4"	" "	13.25	
						192.75

BARTLETT STREET CAR HOUSE

9 Pr.	30"	C.I. Wheels	3 3/8"	Axles Good	139.50	
1 "	30"	" "	3 3/4"	" "	17.00	
1 "	36"	" "	4 1/2"	" "	20.25	Snow Plow
						176.75

NORFOLK HOUSE CAR HOUSE

3 Pr.	30"	C.I. Wheels	3 3/8"	Axles Good	46.50	
6 "	30"	" "	3 3/4"	" "	102.00	
						148.50

W. LENOX STREET CAR HOUSE

2 Pr.	30"	C.I. Wheels	3 3/8"	Axles Good	31.00	
5 "	30"	" "	3 3/4"	" "	85.00	
1 "	36"	" "	4 1/2"	" "	20.25	Snow Plow
						136.25

SEWALL STREET CAR HOUSE

4 Pr.	30"	C.I. Wheels	3 3/4"	Axles Good		68.00
-------	-----	-------------	--------	------------	--	-------

JAMAICA PLAIN CAR HOUSE

1 Pr.	30"	C.I. Wheels	3 3/4"	Axle Good	17.00	
1 "	36"	" "	4 1/2"	" "	20.25	Snow Plow
						37.25

AMORY STREET CAR HOUSE

1 Pr.	30"	C.I. Wheels	3 3/8"	Axle Scrap	8.00	
7 "	30"	" "	3 3/4"	" Good	119.00	
						127.00

PARK STREET CAR HOUSE

9 Pr.	30"	C.I. Wheels	3 3/4"	Axles Good	153.00	
1 "	36"	" "	4 1/2"	" "	20.25	Snow Plow
						173.25

NEPONSET CAR HOUSE


3 Pr.	30"	C.I. Wheels	3 3/4"	Axles Good		51.00
-------	-----	-------------	--------	------------	--	-------

EAST BOSTON CAR HOUSE

11 Pr.	30"	C.I. Wheels	3 3/4"	Axles Good	187.00	
1 "	30"	" "	3 3/4"	" 1 Scrap	13.25	
1 "	36"	" "	4 1/2"	" Good Snow Plow	20.25	
						220.50

Carried Forward

13241.60



Brought Forward

13241.60

NORTH POINT CAR HOUSE

4 Pr.	30"	C.I. Wheels	3	3/8"	Axle Good	62.00	
8 "	30"	" "	3	3/4"	" "	136.00	
1 "	30"	" "	3	3/4"	" Scrap	9.50	
1 "	36"	" "	4	1/2"	" Good Snow Plow	20.25	227.75

SALEM STREET CAR HOUSE

4 Pr.	30"	C.I. Wheels	3	3/4"	Axles Good	68.00	
1 "	36"	" "	4	1/2"	" "	20.25	88.25

BUNKER HILL CAR HOUSE

7 Pr.	30"	C.I. Wheels	3	3/4"	Axle Good		119.00
-------	-----	-------------	---	------	-----------	--	--------

UNION SQUARE CAR HOUSE

3 Pr.	30"	C.I. Wheels	3	3/4"	Axle Good		51.00
-------	-----	-------------	---	------	-----------	--	-------

CHARLESTOWN NECK CAR HOUSE

1 Pr.	30"	C.I. Wheels	3	3/8"	Axle Scrap	8.00	
5 "	30"	" "	3	3/4"	" Good	85.00	
2 "	36"	" "	4	1/2"	" " Snow Plow	40.50	133.50

EVERETT CAR HOUSE

1 Pr.	30"	C. I. Wheels	3	3/4"	Axle Good		17.00
-------	-----	--------------	---	------	-----------	--	-------

BROOKLINE STREET CAR HOUSE

1 Pr.	30"	C.I. Wheels	3	3/8"	Axle Good	15.50	
4 "	30"	" "	3	3/4"	" "	68.00	83.50

NORTH AVE. CAR HOUSE

1 Pr.	22"	C.I. Wheels	3	3/8"	Axle Good	13.40	
2 "	30"	" "	3	3/8"	" "	31.00	
1 "	30"	" "	3	3/4"	" "	17.00	
1 "	30"	" "	3	3/4"	" 1 Scrap	13.25	
2 "	36"	" "	4	1/2"	" Good Snow Plow	40.50	115.15

MURRAY STREET CAR HOUSE

2 Pr.	30"	C.I. Wheels	3	3/8"	Axles Good	31.00	
4 "	30"	" "	3	3/4"	" "	68.00	
1 "	30"	" "	3	3/4"	" 1 Scrap	13.25	
1 "	36"	" "	4	1/2"	" Good Snow Plow	20.25	132.50

MOUNT AUBURN CAR HOUSE


4 Pr.	30"	C.I. Wheels	3	3/4"	Axle Good	68.00	
1 "	30"	" "	3	3/4"	" 1 Scrap	13.25	81.25

SUMMER STREET CAR HOUSE

4 Pr.	30"	C.I. Wheels	3	3/4"	Axle Good	68.00	
1 "	30"	" "	3	3/4"	" 1 Scrap	13.25	
1 "	36"	" "	4	1/2"	" Good Snow Plow	20.25	101.50

Carried Forward

14392.00



Brought Forward

14392.00

BALDWIN STREET CAR HOUSE

10 Pr. 30" C.I. Wheels	3 3/4" Axles Good	170.00	
1 " 36" " " "	4 1/2 " " Snow Plow	20.25	190.25

ARLINGTON CAR HOUSE

1 Pr. 24" C.I. Wheels	3 3/8" Axles Good	13.90	
1 " 24" " " "	3 3/8" " Scrap	7.10	
5 " 30" " " "	3 3/4" " Good	85.00	106.00

CLARENDON HILL CAR HOUSE

1 Pr. 30" C. I. Wheels	3 3/8" Axle Good (1)	11.75	
2 " 30" " " "	3 3/8" " Scrap	16.00	
9 " 30" " " "	3 3/4" " Good	153.00	180.75

OAK SQUARE CAR HOUSE

9 Pr. 30" C.I. Wheels	3 3/8" Axles Good	139.50	
6 " 30" " " "	3 3/4" " " "	102.00	241.50

ALLSTON CAR HOUSE

4 Pr. 30" C.I. Wheels	3 3/4" Axles Good	68.00	
1 " 36" " " "	4 1/2 " " Snow Plow	20.25	88.25

RESERVOIR CAR HOUSE

5 Pr. 30" C.I. Wheels	3 3/4" Axles Good	85.00	
1 " 36" " " "	4 1/2" " " "	20.25	105.25

TOTAL WHEELS & AXLES SEPT. 30, 1897 ----- 15304.00

--- EGG COAL ---

795,670 Lbs. Egg Coal ----- 1605.27

TOTAL EGG COAL SEPT. 30, 1897 ----- 1605.27

--- OIL ---

4 Bbls. = 200 Gal. L.P.B. Cyl. Oil	@ .40	80.00	
4 " = 200 " Red V. Cyl. Oil	" .43	86.00	

TOTAL OIL SEPT. 30, 1897 ----- 166.00

--- F. 30 MOTORS ---

1 #60 Stored in Machine Shop	80.00	
1 #45 Temporarily in Subway	80.00	

TOTAL F. 30 MOTORS ----- 160.00

Year	Month	Day	Event
1861	Jan	1	...
1861	Jan	2	...
1861	Jan	3	...
1861	Jan	4	...
1861	Jan	5	...
1861	Jan	6	...
1861	Jan	7	...
1861	Jan	8	...
1861	Jan	9	...
1861	Jan	10	...
1861	Jan	11	...
1861	Jan	12	...
1861	Jan	13	...
1861	Jan	14	...
1861	Jan	15	...
1861	Jan	16	...
1861	Jan	17	...
1861	Jan	18	...
1861	Jan	19	...
1861	Jan	20	...
1861	Jan	21	...
1861	Jan	22	...
1861	Jan	23	...
1861	Jan	24	...
1861	Jan	25	...
1861	Jan	26	...
1861	Jan	27	...
1861	Jan	28	...
1861	Jan	29	...
1861	Jan	30	...
1861	Jan	31	...

--:-- DORCHESTER POWER STATION --:--

60	In.	Chesterton Packing	3 3/4 x 2 1/2	@	.56	33.60
26	"	"	3 1/2 x 2 1/4	"	.56	14.56
18	"	"	3 1/2 x 2 1/2	"	.56	10.08
56	"	"	2 1/2 x 1 1/2	"	.28	15.68
12	"	"	2 1/2 x 1 1/2	"	.28	3.36
14	"	"	2 3/4 x 1 1/2	"	.29	4.06
12	"	"	2 3/4 x 1 3/4	"	.32	3.84
8	"	"	1 3/4 x 1 1/8	"	.25	2.00
12	"	"	1 1/2 x 7/8	"	.20	2.40
3	"	"	1 3/8 x 3/4	"	.20	.60
30	"	"	3/8" Continuous	"	.32	9.60
60	"	"	3 x 2 1/4 Continuous	"	.40	24.00
10	"	"	3 1/4 x 2 1/2 Continuous	"	.50	5.00
24	Lbs.	Sq. Flax Packing	3/4	"	.50	12.00
7	"	Rubber Core Packing (Water)	7/8"	"	.45	3.15
8	"	"	" 3/4"	"	.45	3.60
2	"	Asbestos Wicking		"	.40	.80
2	Balls	Lamp Wicking		"	.10	.20
2	Lbs.	Rubber Man Hole Gaskets		"	.68	1.36
10	"	" Hand Hole Gaskets		"	.68	6.80
102	"	" Valves for Air Pump		"	.68	69.36
12	"	Jenkins Sheet Packing		"	.45	5.40
8	"	Sheet Rubber		"	.40	3.20
9	Copper	Gaskets	9 5/8 x 11"	"	.29	2.61
9	"	"	11 x 12 1/2	"	.34	3.06
30	Yds.	Sand Paper	#2	"	.16	4.80
5	Qrs.	"	#0	"	.09	.45
2	"	Emery Cloth	#120	"	.36	.72
2	"	Crocus Cloth		"	.36	.72
25	Ft.	Lamp Cord		"	.01	.25
3	Battery	Cells		"	.60	1.80
7	Lbs.	Graphite		"	.16	1.12
4	Mops			"	.11	.44
6	Small	Glass Oil Cups		"	.28	1.68
1	Large	Oil Cup		"	.28	.28
2	Lamp	Shades		"	.20	.40
10	1"	Brass Nuts for Air Pumps		"	.10	1.00
5	Lbs.	Vaseline		"	.16	.80
20	Yds.	Emery Cloth		"	.36	7.20
50	16 C.P.	Lamps	Ed. Sockets	"	.17	8.50
50	16 C.P.	"	F.H. Sockets	"	.17	8.50
74	32 C.P.	"	Ed. Sockets	"	.24	17.76
5	Edison	Lamp Sockets		"	.13	.65
24	Carbon	Brushes	2 1/2 x 1 1/4 x 1"	"	.03	.72
2	Oil Cup	Glasses	3 1/2 x 4 1/2	"	.25	.50
11	"	"	4 x 3"	"	.21	2.31
2	Hart	Lamp Switches		"	.60	1.20
90	Boiler	Gauge Glasses	20 x 3/4	"	.17	15.30
72	Separator	Glasses	15 x 5/8	"	.15	10.80
6	Brass	Stud Bolts (For Air Pump)	6 x 1"	"	.30	1.80
2	Lbs.	Resin		"	.02	.04
3	"	Solder		"	.10	.30
1	Gal.	Alcohol		"	2.26	2.26
1	"	Shellac		"		2.85
2	Lbs.	Banca Tin		"	.16	.32
70	Cork	Washers	3 x 2 1/2"	"	.10	7.00
3	Draper	Oilers		"	.17	.51
15	Gals.	Kerosene Oil		"	.10	1.50
500	Red	Bricks		"	9.00 Pr.M.	4.50
2	Set	West End Special Furnace Arches		"	3.85	7.70
850	Fire	Bricks		"	28.00 Pr.M.	23.80
15	Bull	Nose Bricks		"	28.00 "	.42
25	Tube	Bricks		"	.10	2.50
32	Furnace	Door Liners		"	1.00	32.00
1/2	Bbl.	Lime		"	.90	.45
1/2	Bbl.	Fire Clay		"	2.50	1.25
50	Double	Grate Bars		"	4.12	206.00
20	Single	"		"	1.20	24.00
50	Lbs.	Kalsomine		"	.05 1/2	2.75
28	Ft.	20" Akron Pipe		"	.50	14.00
5	4"	Short Nipples for Boilers		"	.32	1.60
5	4"	Long " " "		"	.43	2.15
4	4 1/2"	Short Nipples for Boilers		"	.37	1.48
13	3"	Nipples for Boilers		"	.23	2.99

Carried Forward

672.39

Brought Forward			672.39
5	4" Long Tubes for Boiler Connections	@ 2.50	12.50
12	Blades for Economizer Scraper	" .30	3.60
25	Boiler Tube Caps 75 Lbs.	" .02 1/2 lb.	1.88
48	Bolts for Boiler Tube Caps 60 Lbs.	" .05 lb.	3.00
1	H.P. Exhaust Crank		2.50
6	Safety Plugs for Boilers	" .87 1/2	5.25
16	1 1/4" Brass Plugs for Boilers	" .09	1.44
28	Ft. 18" Akron Pipe	" .50	14.00
36	Ft. 20" C.I. Pipe	" 2.00	72.00
12	Ft. 18" C.I. Pipe	" 1.60	19.20
480	Lbs. Miscellaneous Bolts	" .05	24.00
100	Lbs. Cotton Waste	" .06	6.00
12	Ft. 4" C.I. Water Pipe	" .10 3/10	1.23
1	Long Turn Bend 4" (C.I. Water Pipe)		1.00
3	Flange Valves 2 1/2" Iron (Second Hand)	" 4.75	14.25
2	" " 2 1/2" "	" 4.75	9.50
4	Blow Off Cocks 2 1/2"	" 4.75	19.00
1	4" Threaded Valve (Iron - Second Hand)		9.00
2	3" " " " " "	" 6.18	12.36
2	Ex. Heavy Threaded Brass Valves 2 1/2" (S.H.)	" 5.47	10.94
4	" " " " " 2" (New)	" 2.97	11.88
2	Gate Valves 1 1/2" Brass New	" 2.02	4.04
1	" " 1 1/4" " "	" 1.55	1.55
4	" " 3/4" " "	" .83	3.32
1	" " 1" " "		1.08
1	" " 3/8" " "		.57
20	" " 1/4" " "	" .57	11.40
1	Stop Cock 3/8" " "		.35
1	Check Valve 1 1/4" " "		1.95
2	Boiler Gauge Cocks " " "	" .55	1.10
1	Check Valve 1" " "		1.35
4	Pairs 4" Brass Flanges	" 3.60	14.40
1	Pair 1 1/2" " " "		1.00
1	Odd 4" " " (Blank)		1.80
4	Pair 1 1/4" Iron Flanges (Ex. Heavy)	" .42 1/2	1.70
1	" 3" " " " "		1.13
1	" 2 1/2" " " " "		.88
2	" 4" " " " "	" .78 1/2	1.57
1	" 5" " " " "		1.25
4	Odd 3" " " " "	" .28	1.12
1	" 4" " " " "		.44
1	Pair 3" Lock Nuts for Pipe (Brass) 6 Lbs.	" .20 lb.	1.20
1	2 1/2" Nipple Brass 3 Long 3 Lbs.	" .20 "	.60
1	2 1/2" " " 4" " 3 1/2 "	" .20 "	.70
1	2 1/2" " " 5 1/4" " 3 3/4 "	" .20 "	.75
2	2 1/2" " " 6" " 8 "	" .20 "	1.60
1	2 1/2" " " 7 1/4 " " 4 1/2 "	" .20 "	.90
1	2" " " 17 1/2" " 7 1/2 "	" .20 "	1.50
2	3" " " 11 3/4" " 12 "	" Ex. Hy. "	2.40
1	4" " " 12 1/2" " 16 "	" " " "	3.20
1	4" " " 3 1/2" " 3 1/2 "	" " " "	.70
1	4" " " 7 1/2" " 12 "	" " " "	2.40
1	4" " " 18" " 25 "	" " " "	5.00
2	2 1/2" " " 3" " 4 "	" " " "	.80
55	Ft. Ex. Heavy 4" Pipe (Brass) 885 1/2	" .18 "	159.39
42	" " 1 1/2" " " 163	" .18 "	29.34
36	" " 1 1/2" " " 93	" .18 "	16.74
35	" " 2 1/2" " " 202	" .18 "	36.36
6	" " 2" " " 23	" .18 "	4.14
2	4 x 4 x 2 1/2" Brass T (Flanged)	" 7.50	15.00
1	4 x 4 x 3 " " "		8.10
2	Brass Ells 2 1/2" " "	" .50	1.00
1	Long Turn Brass Ell 2 1/2" " "		1.00
2	Brass Y 2 1/2" - Threaded	" 4.00	8.00
1	" Ell 2 1/2" " "		1.65
1	" " 2 1/2" " 45°		1.65
2	" Couplings 4" 22 Lbs.	" .20 lb.	4.40
2	" " 4" 36 " (Ex. Heavy)	" .20 "	7.20
1	" " 3" 12 " " "	" .20 "	2.40
2	" Elbows 2" " "	" .90	1.80
7	" " 1 1/2" " "	" .60	4.20
12	" " 1 1/2 x 1/4" " "	" .12 1/2	1.50
3	" Tees 3/4" " "	" .30	.90
4	" " 3/4 x 3/4 x 1/4" " "	" .34 1/2	1.38
3	" Couplings 1 1/2" " "	" .18	.54

Carried Forward

1307.36

The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that every entry should be supported by a valid receipt or invoice. This ensures transparency and allows for easy verification of the data.

In the second section, the author outlines the various methods used to collect and analyze the data. This includes both primary and secondary sources, as well as the specific techniques employed for data processing and statistical analysis.

The third part of the report details the findings of the study. It highlights several key trends and patterns observed in the data, which provide valuable insights into the underlying phenomena being investigated.

Finally, the document concludes with a series of recommendations based on the research findings. These suggestions are intended to guide future research and practical applications in the field, ensuring that the lessons learned are effectively implemented.

Brought Forward					1307.36
2	Brass Unions	1 1/2"	@	.57	1.14
2	"	1"	"	.30	.60
1	"	3/4"	"		.27
2	"	3/8"	"	.16 1/2	.33
24	"	1/4"	"	.16 1/2	3.96
1	Close Nipple	1/2"			.06
1	"	3/8"			.06
20	"	1/4"	"	.04 1/2	.90
1	P. & C. Check Valve	3" (Iron)			7.20
4	Iron Pipe Couplings	4"	"	.25	1.00
4	"	3"	"	.15	.60
5	"	3" (Ex. Heavy)	"	.62 1/2	3.13
1	"	2 1/2"	"		.44
1	"	2 1/2"	"		.10
4	"	2"	"	.07	.28
5	"	1 1/2"	"	.05 1/4	.26
5	"	1"	"	.03 1/4	.16
3	"	3/4"	"	.02 1/2	.08
1	"	3/8"			.02
1	Plug	4"			.17
1	"	2"			.04
11	Ells	2" (Ex. Heavy)	"	.28 3/4	3.16
1	"	4" " "	"		1.16
5	"	4"	"	.32	1.60
1	"	5"	"		.51
6	"	3"	"	.20	1.20
2	"	3" (Ex. Heavy)	"	.61 1/4	1.23
2	"	3" 45° (Ex. Heavy)	"	.61 1/4	1.23
1	"	4" 45°	"		1.16
2	"	2" 45° (Ex. Heavy)	"	.28 3/4	.58
3	"	2 1/2"	"	.13 1/2	.41
3	"	1"	"	.02	.06
2	Y	2"	"	.31 1/4	.63
2	T	4"	"	.45	.90
1	"	3 x 3 x 2 1/2" (Ex. Heavy)	"		.88
1	"	3 x 2 1/2 x 2 1/2 " "	"		.88
1	"	3 x 3 x 1" " "	"		.88
2	"	3 x 3 x 2 1/2"	"	.31 1/2	.63
1	"	3 x 3 x 2"	"		.32
1	"	3 x 3 x 1 1/2"	"		.32
1	"	3 x 3 x 1"	"		.32
2	"	2 x 2 x 3" (Ex. Heavy)	"	.42 1/2	.85
1	"	2 x 2 x 3"	"		.43
1	"	2 1/2 x 2 1/2 x 3"	"		.43
1	"	4 x 2 1/2 x 2 1/2"	"		.52
1	Cross	4"	"		.63
1	"	4 x 4 x 3 x 3"	"		.72
1	"	2 1/2"	"		.27
1	"	4 x 4 x 1 1/4 x 1 1/4"	"		.72
4	Tees	2"	"	.10 1/2	.42
2	"	1 1/2 x 1 1/4 x 1 1/2"	"	.08	.16
8	"	1"	"	.03 1/2	.28
9	"	1 x 1/2 x 1"	"	.04	.36
5	"	1 x 1 x 3/4"	"	.04	.20
2	"	1 x 3/4 x 1/2"	"	.04	.08
3	"	3/4 x 3/4 x 3/8"	"	.02 1/2	.08
7	"	1/2"	"	.01 1/2	.11
2	"	1/2 x 1/2 x 3/8"	"	.02	.04
12	"	3/4 x 3/4 x 3/8"	"	.02 1/2	.30
3	"	1 1/2 x 1 1/2 x 3/4"	"	.08	.24
20	"	3/8 x 3/8 x 1"	"	.04	.80
10	"	1/4"	"	.01	.10
4	Elbows	2"	"	.07	.28
15	"	1 1/4"	"	.03 1/2	.53
5	"	1 1/4 x 1"	"	.04	.20
12	"	1"	"	.02	.24
5	"	1" 45°	"	.03	.15
4	"	1 x 3/4"	"	.03	.12
6	"	3/4"	"	.01 1/2	.09
2	"	3/8"	"	.01	.02
5	Couplings	2"	"	.07	.35
4	"	1 1/2"	"	.05 1/4	.21
20	"	1"	"	.04 1/2	.85

CARRIED FORWARD

1357.00

1. The first part of the document is a list of names and addresses.

2. The second part of the document is a list of names and addresses.

3. The third part of the document is a list of names and addresses.

4. The fourth part of the document is a list of names and addresses.

5. The fifth part of the document is a list of names and addresses.

6. The sixth part of the document is a list of names and addresses.

7. The seventh part of the document is a list of names and addresses.

8. The eighth part of the document is a list of names and addresses.

9. The ninth part of the document is a list of names and addresses.

10. The tenth part of the document is a list of names and addresses.

11. The eleventh part of the document is a list of names and addresses.

12. The twelfth part of the document is a list of names and addresses.

13. The thirteenth part of the document is a list of names and addresses.

14. The fourteenth part of the document is a list of names and addresses.

15. The fifteenth part of the document is a list of names and addresses.

Brought Forward							1357.00
6	Iron Couplings	3/4"			@	.02 1/2	.15
4	"	1/2"			"	.01 3/4	.07
8	"	1/2"	R. & L.		"	.01 3/4	.14
6	"	1/4"			"	.01 1/4	.08
1	" Nipple	3"	5 1/2"	Long			.30
1	"	3"	8"	"	(Ex. Heavy)		.42
1	"	3"	12"	"			.40
2	"	3"	16"	"		.60	1.20
1	"	4"	8 1/2"	"	(Ex. Heavy)		.45
3	" Close Nipples	3"				.13 1/2	.41
1	"	"	3"		(Ex. Heavy)		.27
6	"	"	2"			.04 1/2	.27
1	"	"	5"				.36
1	"	"	1"				.02
2	" Plugs	3"				.10	.20
2	"	2 1/2"				.07	.14
1	"	1 1/2"					.03
25	"	1 1/4"				.02	.50
8	"	1"				.01	.08
2	"	3/4"				.01	.02
1	" Bushing	4 x 2"					.20
1	"	1 1/2 x 1 1/4"					.03
1	"	1 1/2 x 1"					.03
2	"	1 1/4 x 1"				.03 1/4	.07
2	"	1 1/4 x 3/4"				.03	.06
2	"	1 x 3/4"				.02 1/2	.05
3	"	1 x 1/2"				.02 1/2	.08
13	Ft. Iron Pipe	4"				.24	3.12
21	"	3"				.20	4.20
45	"	2"				.09	4.05
40	"	1 1/2"				.06 7/8	2.75
70	"	1 1/4"				.04 1/8	2.89
60	"	1"				.03 1/8	1.88
45	"	3/4"				.02 1/5	.99
20	"	3/8"				.01 3/4	.35
30	"	1/4"				.01 1/2	.45
10	"	5"				.30	3.00
6	1/2 Ft. C.I. Filling in Piece	20"				2.00 ft.	13.00
82	Lbs. Old Lead					.03	2.46
26	" Brass Junk					.06	1.56
2060	" Iron Junk					.42 Pr.C.	8.65
200	Gals. R.V. Cylinder Oil					.43	86.00
225	" L.P.					.40	90.00
1791473	Lbs. Coal					2.89 9/10	2318.52

TOTAL SEPT. 1 -----	3906.90
MATERIAL RECEIVED & CHARGED DURING SEPT. -----	3379.31
	<hr/>
	7286.21
MATERIAL USED DURING SEPT. -----	1614.96
TOTAL DORCHESTER P.S. SEPT. 30, 1897 -----	5671.25

--:-- PIPE FITTINGS &C. FOR MAINTENANCE --:--

1	C.I. Blank Flange	2' 11" x 1 1/2"	Thick	370	Lbs.	@	.03	Lb.	11.10
1	"	2' 2" x 1 3/8"	"	280	"	"	.03	"	8.40
1	"	18" x 2"	"	200	"	"	.03	"	6.00
1	"	2' 3" x 1 1/4"	"	300	"	"	.03	"	9.00
4	"	15" x 1 3/4"	"	180	"	"	.03	"	5.40
3	"	20" x 1 1/4"	"	200	"	"	.03	"	6.00
4	"	13" x 1 1/4"	"	165	"	"	.03	"	4.95
2	"	14" x 1 1/4"	"	175	"	"	.03	"	5.25
2	Pop Valves 2nd. Hand	3"				15.68			31.36
6	45° Ells	4"				.45			2.70
5	45°	2"				.09			.45
1	45°	2 1/2"				.23			.23
2	45°	1 3/4"				.09			.18
6	45°	1 1/4"				.04 1/2			.27

Carried Forward 91.29

1. The first part of the document is a list of names and addresses, which appears to be a directory or a list of subscribers. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

2. The second part of the document is a list of names and addresses, similar to the first part. This list is also organized into columns, with names in the first column and addresses in the second column. The handwriting is consistent with the first part of the document.

3. The third part of the document is a list of names and addresses, continuing the pattern of the previous two parts. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

4. The fourth part of the document is a list of names and addresses, continuing the pattern of the previous three parts. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

5. The fifth part of the document is a list of names and addresses, continuing the pattern of the previous four parts. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

6. The sixth part of the document is a list of names and addresses, continuing the pattern of the previous five parts. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

7. The seventh part of the document is a list of names and addresses, continuing the pattern of the previous six parts. The names are written in a cursive hand, and the addresses are listed below them. The list is organized into columns, with names in the first column and addresses in the second column.

Brought Forward			91.29
10	Plug Cocks 2 1/2" Brass 2nd. Hand	@ 6.50	65.00
6	" " 1 1/4" " " "	" 4.05	24.30
10	Pet " 1/2" " " "	" .25	2.50
10	" " 1/4" " " "	" .15	1.50
1	10" Flanged Cross 21 x 36" Long	"22.50	22.50
1	10" " " 24 x 24"	"22.50	22.50
12	Cross Screws 1 x 1 x 1/2 x 1/2"	" .06	.72
3	" " 1 1/2 x 1 1/2 x 1 1/4 x 1 1/4 Brass	" .69	2.07
1	Flanged Check Valve 10"		30.00
2	" " " 6"	" 9.50	19.00
3	" " " 5" Brass 2nd. Hand	"11.75	35.25
1	Tongue for 10" Check - Brass - #10		2.25
1	" " 8" " # 8		2.25
1	Coupling Screw 8" 2nd. Hand M.I.		.55
1	" " 7" " "		.45
1	" " 5" " "		.35
12	" " 3" Brass E.H.	" 1.60	19.20
7	" " 3 1/2 " "	" 2.20	15.40
4	" " 4 1/2 " "	" 3.60	14.40
7	" " 5" " "	" 4.00	28.00
4	Y 3"	" .81 1/4	3.25
2	Y. Brass 2 1/2" 2nd. Hand	" 2.00	4.00
2	Tees Screw 4 x 4 x 2 1/2	" .52	1.04
2	" " 8 x 8 x 8"	" 2.70	5.40
1	Ell Screw 8"	" 1.80	1.80
9	Sweep Ells Screw 2"	" .24	2.16
1	Water Valve for Lead Jointed Water Pipe 2nd. Hd. 8"		11.75
5	Screw Flanges Brass 4 1/2" 90 Lbs.	" .25 lb.	22.50
7	Unions 1 1/2" 2 nd. Hand	" .29	2.03
5	" 1 1/4" " "	" .21	1.05
8	" 1" " "	" .15	1.20
4	" 3/4" " "	" .11 1/4	.45
10	" 1/2" " "	" .10	1.00
4	Short Nipples 4"	" .32	1.28
6	" " 3"	" .23	1.38
14	" " 2 1/2"	" .18	2.52
8	" " 2"	" .07	.56
14	" " 1 1/2"	" .05 1/2	.77
21	" " 1 1/4"	" .04	.84
17	" " 1"	" .03	.51
14	" " 3/4"	" .02 1/2	.35
1	10" Inside Screw W. 2nd. Hand	"16.25	16.25
1	8" " " " " "		6.00
6	4" Outside " H.S. " "	" 6.76	40.56
4	5" " " " " "	"10.89	43.56
5	7" " " " " "	"15.39	76.95
6	6" " " " " "	"13.33	79.98
4	5" " " " " "	"10.89	43.56
2	6" " " " " "	"13.33	26.66
4	2 1/2 Inside Screws - Blow Off S.H.S. 2nd. Hand	" 2.59	10.36
1	4" " " " " " " " "		5.58
12	8" " " Water - 2nd. Hand	"12.00	144.00
3	7" Outside " Steam " "	"15.39	46.17
1	5" " " W. " "		6.25
3	4" " " " " "	" 4.75	14.25
2	3" Lever Pop Valve Screws " "	" 4.87	9.74
1	3" Inside W. Screw		3.25
2	2 1/2" " " " "	" 2.50	5.00
2	3" Outside Steam H.S. Screws	" 4.43	8.86
11	3" " " " " "	" 4.43	48.73
7	5" " " " " "	"10.88	76.16
13	3" " W. " " "	" 5.94	77.22
2	2" " Steam " " "	" 1.50	3.00
1	Cast Iron Flanged T. 4 x 1 1/4 x 4 12" Long	" 4.05	4.05
2	" " " " 4 x 4 x 4 12" "	" 3.60	7.20
3	" " " " 4 x 4 x 3 4' "	" 6.75	20.25
3	" " " " 4 x 4 x 3 12" "	" 4.05	12.15
3	" " " " 4 x 4 x 1 1/4 12" "	" 4.05	12.15
2	" " " " 4 x 4 x 1 1/4 11" "	" 4.05	8.10
1	" " " " 4 x 4 x 3 14" "		4.05
1	" " " " 4 x 4 x 4 7' "		9.00
1	" " " " 10" -5' 4" x 2' 5"		25.35
2	" " " " 4" x 4 x 4" 12" "	" 3.60	7.20
1	" " " " 8 x 7 x 8 18 " x 9 Long		13.27
1	" " " " 10" - 24" x 26"		17.10

Carried Forward

1397.28

Brought Forward							1397.28
1	Cast Iron Flanged T	10 x 10 x 8"	28 x 11 Long	@19.80			19.80
4	"	"	"	"11.70			46.80
1	"	8 x 4" - 18 x 9					13.27
1	"	4" - 14 x 7"					3.60
1	"	3" - 14 x 6 1/2"					3.00
1	"	4" - 12 x 6"					3.60
1	"	4 x 4 x 3" - 12" x 7"					4.05
1	"	4 x 4 x 4" - 12" x 12"					3.60
9	"	4 x 4 x 4" - 12" x 7"	378 Lbs.	" .25	lb.		94.50
3	Brass	3 x 3 x 1 1/4"	12 x 6	84 Lbs.	" .25	"	21.00
2	Iron L	6" - 13 1/4 x 9"		" 4.05			8.10
7	Long Sweeps	3" 2 nd. Hand	560 Lbs.	" .02	1/4 lb.		12.60
1	"	4" "	105 Lbs.	" .02	1/4 "		2.36
1	"	6"	7 1/2 x 20				4.05
1	"	6"	9 x 9				4.05
1	"	3 1/2	8 x 8				2.00
1	"	7"	9 x 22				5.40
1	"	5"	13 x 7 1/2				3.78
2	"	5"	8 x 8	" 3.78			7.56
2	"	4"	8 x 8	" 2.25			4.50
1	"	10"	12 x 12				11.70
1	"	10"	16 x 12				11.70
3	"	10"	24 x 20	"11.70			35.10
1	"	10"	2 x 16				11.70
4	"	10"	14 x 10	"11.70			46.80
8	"	10"	24 x 13	"11.70			93.60
1	"	4"	18 x 6 1/2				2.25
2	Cast Iron Flanged Ells	5"	12 x 24 Long	" 2.25			4.50
1	"	"	16" 18 x 18 "				31.50
1	"	"	6" 10 x 22 "				4.05
2	Brass Flanged Ells	4"	6 x 6 "	44 1/2 Lbs.	" .25	lb.	11.13
1	Cast Iron Pipe	4" - 2' Long	- 60 Lbs. - 2nd. Hand	" .03	"		1.80
1	Sweep	22" 2' 6"	" 700 "	" .03	"		21.00
1	"	22" 12'	" 1800 "	" .03	"		54.00
3	"	2'6" x 12 -12'	" 7800 "	" .03	"		234.00
2	Ells	2'6" x 12"- 5'	" 2400 "	" .03	"		72.00
5	"	20" Round to 2'6" x 12"	-Flat 2'6" Long 2500 lb.	.03	"		75.00
1	"	18 x 18" Long	350 Lbs.	@ .03	"		10.50
2	"	5 x 8"	" 108 "	" .03	"		3.24
1	"	5 x 9"	" 60 "	" .03	"		1.80
1	"	4 x 5"	" 20 "	" .03	"		.60
3	"	5 x 15"	" 300 "	" .03	"		9.00
1	"	4 x 13"	" 45 "	" .03	"		1.35
1	"	10 x 8'6"	" 600 "	" .03	"		18.00
1	"	5 x 6'	" 480 "	" .03	"		14.40
5	"	4" x 7'	" 1575 "	" .03	"		47.25
1	"	10" x 5'	" 400 "	" .03	"		12.00
1	"	10" x 3'6"	" 280 "	" .03	"		8.40
3	"	4" x 9'	" 1215 "	" .03	"		36.45
1	"	10" x 8'	" 640 "	" .03	"		19.20
1	"	16" x 8'	" 1280 "	" .03	"	Not Flanged	38.40
1	"	12" x 3'	" 380 "	" .03	"		11.40
1	"	8" x 4'	" 240 "	" .03	"		7.20
1	"	10" x 10"	" 80 "	" .03	"	Not Flanged	2.40
3	Pipe Plugs	1/2"	2nd. Hand	" .00	1/2		.02
5	"	1"	" "	" .00	1/2		.03
2	"	1 1/4"	" "	" .01			.02
2	"	1 1/2"	" "	" .01	1/2		.03
2	"	2"	" "	" .02			.04
7	"	3"	" "	" .05			.35
2	"	5"	" "	" .15			.30
2	Bushings	3 x 1"	2nd. Hand	" .05	1/2		.11
3	"	2 x 1/4	" "	" .02	1/2		.08
3	"	3/4 x 1/2	" "	" .00	1/2		.02
2	"	2 x 1/2	" "	" .02	1/2		.05
7	"	1/2 x 3/8	" "	" .00	1/2		.04
1	"	2 x 3/8	" "	" .02	1/2		.03
1	"	1 1/2 x 1 3/8	" "	" .01	1/2		.02
2	"	1 1/2 x 2	" "	" .02	1/2		.05
2	"	2 1/2 x 2	" "	" .03	1/2		.07
4	"	1 1/2 x 1	" "	" .01	1/2		.06
6	"	1 x 3/4	" "	" .01			.06
2	"	1 x 1/2	" "	" .01			.02
1	"	1 1/4 x 3/8	" "	" .01	1/4		.01
1	"	1 1/4 x 1	" "	" .01	1/4		.01

Carried Forward

2629.74

Brought Forward

2629.74

2	Pipe Bushings 2 x 1 1/2	2nd. Hand	@	.02	1/2	.05
8	Iron Pipe Couplings 1/4"	2nd. Hand	"	.00	1/2	.04
12	" " " 3/8"	" "	"	.00	3/4	.09
18	" " " 1/2"	" "	"	.01	1/4	.23
14	" " " 3/4"	" "	"	.01	1/2	.21
10	" " " 1"	" "	"	.02	"	.20
15	" " " 1 1/4"	" "	"	.03	3/4	.56
6	" " " 1 1/2"	" "	"	.04	1/2	.27
4	" " " 2"	" "	"	.07	1/2	.30
1	" " " 3 1/2"	" "	"	.12	1/2	.13
12	" " " 4"	" "	"	.18	1/2	2.22
3	Tees 1/4"		"	.01		.03
6	" 3/8"		"	.01		.06
22	" 1/2"		"	.01	1/2	.33
5	" 3/4"		"	.02		.10
6	" #1		"	.03	1/2	.21
9	" 1 1/4"		"	.05		.45
27	" 1 1/2"		"	.06	1/2	1.75
3	" 2"		"	.10	1/2	.32
2	" 2 1/2"		"	.19	1/2	.39
1	Screw Valve 3"	E.H.				14.04
3	" " 2"	"	"	7.25		21.75
8	" " 1 1/2"	"	"	2.90		23.20
7	" " 1 1/2"	C. 2nd. Hand	"	.59		4.13
12	" " 1 1/4"	C. " "	"	.42		5.04
3	" " 1 1/4"	E.H. " "	"	.84		2.52
8	" " 1"	C. " "	"	.22		1.76
4	" " 1/2"	C. " "	"	.15		.60
3	" " 3/8"	C. " "	"	.11		.33
4	" " 1/4"	C. " "	"	.09		.36
10	" " 2"	C. " "	"	.89		8.90
2	" " 2 1/2"	E.H.	"	10.36		20.72
2	Hose " 2 1/2"	" "	"	1.95		3.90
1	Crosby Pop 3"	" "	"			9.75
1	Com. Iron 2 1/2"	" "	"			6.25
15	Hose Valves 1 1/2"	L. Weight (New)	"	1.50		22.50
9	" " 1"	E.H. "	"	1.29		11.61
42	Soft Seat 1"	(New)	"	1.10		46.20
5	Screw Check Valves 1"		"	1.35		6.75
1	" " " 1 1/4"	E.H.	"			3.90
3	" " " 1 1/4"	C.	"	1.95		5.85
2	" " " 1 1/2"	C.	"	2.55		5.10
13	" " " 1 1/2"	E.H.	"	5.10		66.30
22	Screw Pipe Flanges 1 1/2"		"	.05	1/2	1.21
15	" " " 2"		"	.07		1.05
29	" " " 4"		"	.15	1/2	4.50
6	" " " 5"		"	.29	1/2	1.77
5	" " " 6"		"	.39	1/2	1.98
2	" " " 7"	C.	"	.50		1.00
12	" " " 7"	Brass 276 Lbs.	"	.25	lb.	69.00
19	" " " 8"		"	.72		13.68
1	" " " 10"		"			1.08
9	" " " 12"		"	1.62		14.58
41	" " " 1"		"	.04		1.64
59	" " " 1 1/4"		"	.04	1/2	2.66
1	Pc. Wrot. Iron Pipe 12" 2nd. Hand 8' Long	8 Ft.	"	.70	ft.	5.60
1	" " " 12" " " 6' "	6 "	"	.70	"	4.20
1	" " " 12" " " 5' "	5 "	"	.70	"	3.50
2	" " " 12" " " 3' "	6 "	"	.70	"	4.20
6	" " " 4" " " 18' "	108 "	"	.12	"	12.96
3	" " " 3 1/2 2nd.Hd. 8' "	24 "	"	.11	"	2.64
3	" " " 7" " " 8' "	24 "	"	.21	1/2 ft.	5.16
4	" " " 8" " " 8' "	32 "	"	.27	1/2 "	8.80
26	" " " 1" " " 16' "	416 "	"	.01	1/2 "	6.24
17	" " " 1 1/4" " " 16' "	272 "	"	.02	"	5.44
6	" " " 1 1/2" " " 16' "	96 "	"	.03	1/2 "	3.36
14	" " " 2" " " 16' "	224 "	"	.04	1/2 "	10.08
3	" " " 2" " " 14' "	42 "	"	.04	1/2 "	1.89
4	" " " 3" " " 14' "	56 "	"	.10	"	5.60
5	" " " 2" " " 24" "	10 "	"	.04	1/2 "	.45
8	" " " 1 1/2" " " 24" "	16 "	"	.03	1/2 "	.56
26	" " " 1 1/4" " " 24" "	52 "	"	.02	"	1.04
30	" " " 1" " " 24" "	60 "	"	.01	1/2 "	.90
25	" " " 3/4" " " 24" "	50 "	"	.01	"	.50

Carried Forward

3126.41

Brought Forward

3126.41

20	Pc. Wrot Iron Pipe	1/2"	2nd. Hand	24"	Long	40 Ft.	@	.00	7/8 ft.	.35
1	"	4"	"	7'	"	7 "	"	.12	"	.84
1	"	4"	"	5'	"	5 "	"	.12	"	.60
4	"	2"	"	6'	"	24 "	"	.04	1/2 "	1.08
1	Special Tee	2 1/4 x 2 1/2 x 1 1/2"					"	.17	1/2	.18
1	"	1 1/4 x 1 1/4 x 1"					"			.06
1	"	2 1/2 x 2 1/2 x 1 1/4"					"			.23
10	"	1 1/2 x 1 1/4 x 1 1/4"					"	.08		.80
1	"	1"					"			.04
1	"	3/4"					"			.02
20	"	1 x 1 x 3/4"					"	.04		.80
2	"	2 x 2 x 1 1/2"					"	.12	1/2	.25
1	"	4 x 4 x 2"					"			.52
3	"	2 1/2 x 2 1/2 x 2"					"	.22	1/2	.68
11	"	2 x 2 x 1 1/4"					"	.12	1/2	1.38
2	"	3 1/2 x 3 1/2 x 2"					"	.41		.82
6	"	2 x 2 x 1"					"	.12	1/2	.75
6	"	2 1/2 x 2 1/2 x 1 1/4"					"	.22	1/2	1.35
2	"	2 1/2 x 2 1/2 x 1 1/4"					"	.22	1/2	.45
4	"	3 x 3 x 1 1/2"					"	.31	1/2	1.26
1	"	3 x 3 x 1"					"	.31	1/2	.32
5	"	2 1/2 x 2 1/2 x 1 1/2"					"	.22	1/2	1.13
6	"	2 x 2 x 1 1/2"					"	.12	1/2	.75
1	"	3 x 4 x 2 1/4"					"			.52
2	"	3 x 3 x 1"					"	.31	1/2	.63
1	"	2 1/2 x 3 x 4"					"			.52
1	"	2 1/4 x 4 x 4"					"			.52
1	"	2 x 4 x 4"					"			.52
2	"	4 x 3 x 3"					"	.52		1.04
5	"	2 1/2 x 4 x 4"					"	.52		2.60
1	"	3 x 3 x 3"					"			.27
1	"	2 1/2 x 2 1/2 x 2 1/4"					"			.23
1	"	4 x 4 x 2"					"			.52
1	"	3 x 3 x 1"					"			.32
15	"	4 x 4 x 1 1/4"					"	.52		7.80
1	"	3 x 3 1/2 x 2"					"			.41
1	"	3 x 2 x 3"					"			.32
1	"	1 x 1 1/4 x 1"					"			.06
1	"	1 1/2 x 1 1/2 x 2"					"			.08
4	"	3/4 x 3/4 x 3/8"					"	.02	1/2	.10
4	"	1 1/4 x 1 1/4 x 1 1/2 Brass					"	1.03		4.12
2	"	1 1/2 x 1 1/2 x 1 1/2 "					"	.90		1.80
59	"	1 x 1 x 1/2 "					"	.46	1/2	27.44
10	"	1 1/4 x 1 1/4 x 1 "					"	.69		6.90
2	Crosses	1 1/2"					"	.09		.18
1	Special Tee	2 x 2 x 1"					"			.13
6	Ells	1/4"					"	.01		.06
4	"	3/8"					"	.01		.04
9	"	1/2"					"	.01		.09
12	"	3/4"					"	.01	1/2	.18
14	"	1" E.H.					"	.08		1.12
8	"	1 1/4" C.					"	.03	1/2	.28
4	"	1 1/4" E.H.					"	.11		.44
8	"	1 1/4" Brass					"	.45		3.60
10	"	1 1/2" C.					"	.04	1/2	.45
14	"	1 1/2" E.H.					"	.16		2.24
7	"	1 1/2" Brass					"	.60		4.20
1	"	2" C.					"			.07
10	"	2" E.H.					"	.28	1/2	2.85
1	"	2 1/4"					"			.14
6	"	2 1/4" E.H.					"	.46		2.76
1	"	2 1/2" E.H.					"			.46
2	"	3" C.					"	.19	1/2	.39
1	"	3" E.H.					"			.61
1	"	4" E.H.					"			1.16
10	Water Glasses	1 x 12"					"	.18		1.80
12	"	1 x 3 1/8"					"	.06		.72
1	"	Valve Flange I.S. 12"					"	18.50		43.00
4	"	" " " 7"					"	15.50		74.00
4	"	Screws " 6"					"	61.57		62.00
2	Steam	Flange O.S. 7" (E.H.)					"			123.14
25	Lbs. Rubber Valves						"	.68		17.00
2	Flanged C.I. Ells	6" 26" x 6" Long					"	3.60		7.20
1	Barclay 2 Qt. Lubricator						"			29.40

Carried Forward

3577.50

Brought Forward			3577.50
1	Nozzle for 20" Main (Cast Steel) 8"		7.95
1	" " 16" " " 8"		7.95
2	6" Nozzles for Drums " "	@ 5.50	11.00
15	B. & W. Water Gauge Cocks	" .55	8.25
1	Steam Gauge 14"		55.00
3	" " 12"	"25.00	75.00
3	" " 6"	" 6.50	19.50
3	Headers for Tubes	"25.00	75.00
142	Grate Bars 14900 Lbs.	" .04 lb.	596.00
32	Furnace Door Liners	" 1.00	32.00
4	Safety Valves 4" (Cons. Valve Co.)	"50.00	200.00
1	L.H. Tube Head		6.00
1	4" Tube 16 Ft. Long	" .50 ft.	8.00
5	4" " 6 " "	" .50 "	15.00
2	Manhole Plates 10 1/2 x 11 1/2	" 2.25	4.50
4	Hand Hole Plates 6" x 8"	" .75	3.00
1	13" Pressed Steel Pipe Flange 25 Lbs.	" .05 lb.	1.25
14	Fusible Plugs	" .38 1/2	5.39
14	Feed Water Valve Stems for Nuts	" 1.75	24.50
12	Unions for Glass in Combination	" .50	6.00
1	Reliance Water Column (2nd. Hand)		13.00
1	Exhaust Nozzle Used in Connection with Blower		3.00
2	Trolley Poles for Coal Motor	" 2.25	4.50
1104	Lbs. Steel Pressed Flanges 8 x 19	" .05 lb.	55.20
208	" " " " 12 x 24	" .05 "	10.40
243	" " " " 22 x 30	" .05 "	12.15
288	" " " " 7 x 14	" .05 "	14.40
86	" " " " 7 x 17	" .05 "	4.30
50	" " " " 8 x 20	" .05 "	2.50
76	" " " " 15 x 29	" .05 "	3.80
40	" " " " 12 x 23	" .05 "	2.00
160	" " " " 7 x 18	" .05 "	8.00
120	" " " " 17 x 30 1/2	" .05 "	6.00
80	" " " " 12 x 23	" .05 "	4.00
500	" " " " 15 x 28	" .05 "	25.00
90	" " " " 13 x 25	" .05 "	4.50
65	" " " " 15 x 28	" .05 "	3.25
4	Copper Expansion Joints 20"	"10.00	40.00
3	" " " 16"	" 8.00	24.00
11575	Lbs. 2nd. Hand Brass Pipe	" .10 lb.	1157.50
15	Odd Cocks 2nd. Hand	" .30	4.50
2	12" Belts 58 Ft. Long 2 Ply 2nd. Hand	" .50 sq.ft.	58.00
2	12" " 54 " " " " "	" .50 "	54.00
2	12" " 50 " " " " "	" .50 "	50.00
1	11" " 58 " " " " "	" .50 "	26.58
2	14" " 38 " " " " "	" .50 "	44.33
5	2" " 52 " " " " "	" .50 "	21.67
1	14" " 60 " " " " "	" .50 "	35.00
1	12" " 38 " " " " "	" .50 "	19.00
1	14" " 75 " " " " "	" .50 "	43.75
2	3" " 25 " " " " "	" .50 "	6.25
1	4" " 10 " " " " "	" .50 "	1.67
1	14" " 50 " " " " "	" .50 "	29.17
1	12" " 25 " " " " "	" .50 "	12.50
2	16" " 41 " " " " "	" .50 "	54.67
1	14" " 45 " " " " "	" .50 "	26.25
2	54" " Ea.160 " " 3 " New 320 Ft.	" 3.00 ft.	960.00
2	54" " " 160 " " 2 " 2nd. Hand	" .50 sq.ft.	720.00
6	Newton Traps	" 5.00	30.00
2	Chapman Traps	"15.00	30.00
13	7/8" Turn Buckles with R. & L. Stub	" .75	9.75
50	3/4" " " " " "	" .75	37.50
3	Polished Cast Iron Floor Stands for Valve Stems	" 3.00	9.00
25	Brass Hand Rail Posts 300 Lbs.	" .30 lb.	90.00
650	1 1/2 Brass Hand Rail 1200 "	" .30 "	360.00
50	Lbs. Machine Bolts 1 x 4"	" .03 "	1.50
30	" " " 7/8 x 3 1/2"	" .03 "	.90
60	" " " 3/4 x 3 x 3 1/2"	" .03 "	1.80
40	" " " 5/8 x 3"	" .03 "	1.20
50	" Studs 7/8 x 5"	" .03 "	1.50
100	" Cap Screws 1, 3/4, 5/8, 1/2, 3/8"	" .03 1/2 lb.	3.50
15	Cast Iron Floor Plates 1 x 27" x 4' 3690 Lbs.	" .02 1/2 "	92.25
12	" " " 1/2" x 24 x 4' 2" 1440 "	" .02 1/2 "	36.00
1	Barclay Lubricator 1 Pt.	"10.00	10.00

Carried Forward

9018.53

Brought Forward		9018.53	
1	Detroit Lubricator 1 Pt.		10.00
12	1 Pt. Oil Cups	@ 1.25	15.00
16	1/2 Pt. " "	" .75	12.00
13	Stud Bolts 1 x 6" 2 Nuts on Each	" .35	4.55
9	" " 1 1/8 x 5" NO Nuts	" .30	2.70
20	" " 5/8 x 2 1/2 " "	" .22	4.40
3	Discharge Valves for Chapman Traps	" .80	2.40
200	Lbs. Chisel Steel	" .04 1/4 lb.	8.50
1	Gong 8"		2.00
4	" 6"	" 1.10	4.40
2	Spools 5/8" Vulcabeston Packing 20 Lbs.	" .70 lb.	14.00
2	" 1/2" " " 24 "	" .70 "	16.80
2	" 1/8" " " 2 "	" .70 "	1.40
220460	Lbs. Scrap C.I. Camb. P. Sta.	" .00 1/4 lb	551.15
3	Steel Saddles 5" for Drums 98 Lbs. Ea.	" .05 "	14.70
1	" " 8" " Stm. Pipe 65 " "	" .05 "	3.25
1	" " 5 x 3" " Main 150 "	" .05 "	7.50
1	C.I. " 10" 135 "	" .02 1/2 "	3.38
1	" " 6" 65 "	" .02 1/2 "	1.62
300	Lbs. Rivets	" .03 "	9.00
5	Eye Bolts 1 1/4" 70 Lbs.	" .03 1/2 "	2.45
6	" " 1" 65 "	" .03 1/2 "	2.28
3	" " 7/8" 60 "	" .03 1/2 "	2.10
7	" " 3/4" 55 "	" .03 1/2 "	1.93
6	" " 5/8" 45 "	" .03 1/2 "	1.58
4	" " 1/2" 20 "	" .03 1/2 "	.70
8	Pr. Stairs 8' Long 3' Wide (Iron) 2nd. Hand	" 15.00	120.00
3	" " 7' " 2' 8" " " "	" 15.00	45.00
1	" " 11' " 2' 4" " " "	" 15.00	15.00
15	C.I. Floor Stands (For Hand Wheels)	" 2.00	30.00
6	3/8 x 10" I. Beam 10' Long 2100 Lb. 2nd. Hd.	" .02 1/2 lb.	52.50
2	3/8 x 8" " 6' " " "	" .02 1/2 "	6.00
1	1/2 x 16" " 4 1/2 " " "	" .02 1/2 "	9.00
1	3/8 x 10" " 11' " " "	" .02 1/2 "	9.63
1	1/2 x 12" " 12' " " "	" .02 1/2 "	15.00
8	Channel Irons 12 x 3/8 12' Long 4128 " "	" .02 1/2 "	103.20
3	3/4" Steel Plates 3' Square 600 " "	" .03 "	18.00
11	Plates Sheet Iron 3/16" x 4' x 14' 4400 " "	" .02 1/4 "	99.00
13	Pr. 15" C.I. Beam Clamps 12 Lbs. Ea. 156 " "	" .02 1/4 "	3.51
1	3/8 x 8" I. Beam 5' Long 100 " "	" .02 1/2 "	2.50
1	3/8 x 10" " 5' " 350 " "	" .02 1/2 "	8.75
8	3/8 x 10" " 9' " 3600 " "	" .02 1/2 "	90.00
1	3/8 x 8" " 8' " 160 " "	" .02 1/2 "	4.00
3	1/2 x 12" " 10' " 1500 " "	" .02 1/2 "	37.50
3	1/2 x 15" " 12' " 2160 " "	" .02 1/2 "	54.00
1	3/8 x 10" " 5' " 175 " "	" .02 1/2 "	4.38
2	3/8 x 8" " 4' " 160 " "	" .02 1/2 "	4.00
8	3/8 x 9" " 14' " 3136 " "	" .02 1/2 "	78.40
1	1/2 x 12" " 10' " 500 " "	" .02 1/2 "	12.50
8	3/8 x 10" " 10' " 2800 " "	" .02 1/2 "	70.00
3	1/2 x 15" " 12' " 2160 " "	" .02 1/2 "	54.00
2	1/2 x 15" " 5' " 600 " "	" .02 1/2 "	15.00
2	3/8 x 10" " 8' " 560 " "	" .02 1/2 "	14.00
6	3/8 x 3 x 3" Angle Irons 27' Long 1134 " "	" .02 1/2 "	28.35
30	Cast Iron Pipe Hangers 30 Lbs. Ea. 900 " "	" .02 1/4 "	20.25
17	" " Plates 25 " " 425 " "	" .02 1/4 "	9.56
2	" " Brackets 125 " " 250 " "	" .02 1/4 "	5.63
20	pr. 4" Beam Clamps 6 " " 120 " "	" .02 1/4 "	2.70
11	C.I. Anchor Bolt Plates 25 " " 275 " "	" .02 1/4 "	6.19
TOTAL SEPT. 30, 1897 -----			10765.87

-:- SPARE ENGINE & SHAFTING PARTS -:-

CENTRAL POWER STATION2000 H.P. ENGINE

1 Set Crank Pin Brasses (Babbited)		98.50
1 Pr. 2nd. Hand L.P. Exhaust Valve Stems	@ 5.00 Ea.	10.00
1 " " " H.P. Steam " "	" 3.50 "	7.00
1 " " " H.P. " Arms	" 3.00 "	6.00
2 H.P. Cylinder Heads - Head End	"15.00	30.00
1 H.P. Piston Head		125.00
1 L.P. " "		330.00
2 Set H.P. Bull Rings 2nd. Hand	"20.00	40.00
1 " L.P. " " New		90.00
5 Packing Rings L.P. "	"12.00	60.00
3 " " H.P. "	" 8.00	24.00
1 H.P. Piston Follower " Brass		45.00
1 L.P. Eccentric Rod " "		35.00
1 L.P. " " (Old Style) 2nd. Hand		12.00
1 Carrier Arm - New		22.75
1 Bottom Shell for Main Journal - New		39.50
2 Quarter " " " " "	"20.00	40.00
1 6" Tripp Metallic Packing	" 7.50 In.	45.00
3 Knock Off Levers H.P. - New	"10.00	30.00
2 Brass Heads for Eccentric Rods #14 Ea.	" 3.50	7.00
1 Governor Gear (Iron)		4.00
4 Brass Cap Nuts for Bucket Rod #10 Ea.	" 2.50	10.00
2 L.P. Steam Arms	"10.00	20.00
2 " " Levers	"10.00	20.00
2 " Exhaust Arms	"10.00	20.00
2 H.P. Steam Arms	"10.00	20.00
2 " " Levers	"10.00	20.00
2 " Exhaust Arms	"10.00	20.00
2 Set Cross Head Brasses	"75.00	150.00
1 L.P. Steam Bonnet		40.00
1 " Exhaust "		38.00
1 H.P. Steam "		24.00
1 " Exhaust "		22.50

1000 H.P. ENGINE

3 Int. Exhaust Arms	" 7.00	21.00
3 H.P. " "	" 6.00	18.00
5 Set L.P. Bull Rings	"60.00	300.00
1 Eccentric		20.00
2 Int. Steam Arms	" 8.00	16.00
2 Piston Rods for H.P. & Int. Cylinder	"75.00	150.00
3 Tripp Metallic Packing 4 5/8"	" 7.50 In.	104.07
3 " " " 3 5/8"	" 7.50 "	81.57
2 " " " 2 1/4"	" 7.50 "	33.75
15 Spare Cast Iron End Rings 3 5/8"	" .75	11.25
5 " " " 4 5/8"	" .80	4.00
4 2 1/4" x 10" Carrier Arm Pins Fin'd.	" 3.00	12.00
6 1 1/2" x 8" " " " "	" 3.00	18.00
2 Brass Heads for Eccentric Rods #12	" 3.00	6.00
15 H.P. Follower Bolts 1 1/8"	" .55	8.25
3 Follower Bolts 3 x 3 1/2"	" .55	1.65
10 1 Pt. Oil Cups 2nd. Hand	" 1.25	12.50
12 1/2 Pt. " " " "	" .75	9.00
4 Hand Wheels L.P. Cut Off Adjustment	" 8.00	32.00
50 Packing Ring Springs 4 Keepers	" .20	10.00
5 H.P. Steam Hooks	" 5.00	25.00
3 Int. " "	" 6.00	18.00
5 L.P. " "	" 7.00	35.00
14 L.P. Dash Pot Leathers 7" Diam.	" 1.75	24.50
17 Int. " " " 6" "	" 1.50	25.50
3 H.P. " " " 5" "	" 1.25	3.75
30 Cylinder Foot Bolts 1 1/8 x 3 1/4"	" .40	12.00
20 " " " 1 1/4 x 3 1/2"	" .40	8.00
2 Carrier Arms	" 7.50	15.00
6 Steel Plates for H.P. St. Hks. & Blocks	" .75	4.50
6 " " " Int. " " "	" .75	4.50
6 " " " L.P. " " "	" .75	4.50
36 Bolts for Same	" .15	5.40

Carried Forward

2559.94

THE UNIVERSITY OF CHICAGO
LIBRARY

1950

No.	Author	Title	Date
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

Brought Forward			2559.94
13	Cylinder Foot Bolts 1 1/4" x 3 1/2"	@ .40	5.20
1	L.P. Cylinder Head - Head End		80.00
1	" " " Crank End		85.00
1	Int. " " " "		65.00
1	H.P. " " " "		45.00
1	H.P. " " Head "		80.00
1	" " Lagging Head End		25.00
2	Int. Piston Heads	"150.00	300.00
1	H.P. " "		100.00
1	L.P. " "		325.00
5	Set Bull Rings H.P. Piston Finished	"25.00 Set	125.00
2	L.P. Steam Bonnets with Lever, Hook, & Arm Comp.	"40.00	80.00
1	Int. " " " " " "		32.00
2	H.P. " " " " " "	"24.00	48.00
1	L.P. Piston Rod		45.00
2	L.P. Steam Valves)		120.00
2	L.P. Exhaust Valves)		
2	Int. Steam ")		90.00
2	Int. Exhaust ")		
2	H.P. Steam ")		50.00
2	H.P. Exhaust ")		
2	L.P. Packing Rings	"10.00	20.00
6	Int. " "	" 7.00	42.00
8	H.P. " "	" 6.00	48.00
3	Set Crank Pin Brasses	"60.00	180.00
2	Set Crosshead Brasses	"60.00	120.00
3	Unmated Halves Crank Pin Brasses	"20.00	60.00
4	L.P. Steam Valve Stems (Brass)	" 9.00	36.00
4	" Exhaust Valve Stems "	" 8.00	32.00
4	Int. Steam Valve Stems 4 "	" 7.00	28.00
1	" " " " 1 Steel		7.50
4	" Exhaust Valve Stem Brass	" 7.00	28.00
1	" " " " Steel		6.50
5	H.P. Steam " " Brass	" 6.00	30.00
4	" Exhaust " " "	" 6.00	24.00
1	" " " " Steel		5.00
1	Cross Head Gib 2nd. Hand		2.50
2	Valve Connection Rods from Wrist Plate) for H.P. Cylinder - Steam)	" 2.75	5.50
2	Valve Connection Rods from Wrist Plate) for H.P. Cylinder - Exhaust)	" 2.75	5.50
4	Cross Head Rods	" 1.25	5.00
1	Exhaust Arm		1.75
4	Vacuum Gauges 6"	" 6.50	26.00
1	" " 8"		11.00
10	Valve Guards & Studs - Brass 8# Each	" 2.00	20.00
6	Governor Gears for Spindle	" 2.50	15.00
5	" " " Shaft	" 1.00	5.00
15	Dash Pot Leathers 4" Diam.	" .40	6.00
50	Ft. Sprocket Chain for Governor	" .10	5.00
150	Thimbles for Condenser Tube	" .10	15.00
1	Set Crank Pin Brasses		16.00
3	Baffle Plates for Condenser	"10.00	30.00
6	Delivery Plate Bolts - Brass	" .20	1.20
450	Brass Tubes for Condenser 3/4" x 8' 4837 Lbs.	" .21 lb.	1015.77
4	C.I. Hand Hole Covers 12 x 12 x 1" C.I.	" 1.50	6.00
1	C.I. Delivery Plate		6.00
1	C.I. Bucket		10.00
50	Springs for Valves on Cages	" .05	2.50
100	Guards " " " " 19 Lbs.	" .20 lb.	3.80
50	Studs & 100 Nuts for Same 7 "	" .25 "	1.75
5	Lbs. Rubber Valves	" .68	3.40
1	Cage Iron 2nd. Hand		2.50
2	Water Pistons Iron 2nd. Hand	" 3.00	6.00
11	Brass Bolts for Cages 1 1/8" x 3' 6" (New) 154 lb.	" .25 lb.	38.50
22	" " " " 1 1/8" x 11" " 115 1/2 lb.	" :25 "	28.88
<u>SPARE PARTS #1 & 2 STATIONS</u>			
1	Eccentric		5.50
1	H.P. Cylinder Head 13" Diam.		4.00
8	C.I. Blocks for Cross Head Guide Support	" .75	6.00
7	Crank Pin Boxes	"20.00 Pr.	70.00
8	Cross Head Pin Boxes	"18.00 "	72.00
Carried Forward			6380.19

Brought Forward			6380.19
4	Bolts for Cross Head Guide 1 1/8" x 8"	@ .80	3.20
2	Con. Rod Strap Cross Head End	" 6.00	12.00
4	Valve Stems 1 1/16 x 26"	" 1.75	7.00
4	" " 15/16 x 23"	" 1.50	6.00
8	" " 15/16" x 5' 1"	" 4.00	32.00
4	H.P. Valves 7 1/2" Diam.	" 5.00	20.00
3	" " 6 7/8" "	" 4.75	14.25
6	L.P. " 11" "	" 6.50	39.00
7	H.P. " Rings 6 7/8" Diam.	" 1.00	7.00
11	" " " 7 1/2" "	" 1.25	13.75
29	L.P. " " 11" "	" 2.00	58.00
3	H.P. Piston Packing Rings 15 x 1" 2 9/16 x 15"	" .90	2.70
6	" " " " 13" x 5/8") In	" .90	5.40
10	L.P. " " " 23" x 9/16) Store	" .90	9.00
6	" " " " 23" x 1 1/4") Room	" .90	5.40
2	Cross Heads	" 10.00	20.00
3	Connecting Rods	" 65.00	195.00
3	H.P. Piston 13"	" 18.00	54.00
3	" " 15"	" 22.00	66.00
5	L.P. " 23"	" 27.00	135.00
7	Piston Packing Rings 11/16 x 23"	" .90	6.30
1	Piston Rod		15.00
1	Eccentric Strap		8.00
1	Hook Rod		2.50
1	Governor Rod		1.50
8	Sockets for Valve Rod Heads	" .50	4.00
2	Governor Springs	" 8.00	16.00
1	L.P. Steam Chest Cover		2.50
1	H.P. " " "		2.50
2	L.P. Piston Rod Glands	" 1.50	3.00
4	Rocker Arms	" 2.50	10.00
2	Governor Arms	" 2.75	5.50
18	Adjustable Pins for Governor	" .10	1.80
2	Bottom Slides	" 3.00	6.00
1	Ell Pipe from L.P. Cylinder to Receiver		5.00
4	pins for Governor Arms	" .50	2.00
5	Fly Wheel Keys	" 2.00	10.00
20	Tension Screws for Valve Rings	" 1.00	20.00
3	Brasses for Eccentric Rod	" 3.00	9.00
24	Valve Springs for Blake Pump	" .10	2.40
4	Follower Bolts	" .12 1/2	.50
1	Shaft for Belt Driven Pump 2 1/2 x 27"		1.95
1	Piston Rod for Knowles Pump - Steel		3.50
1	" " " " " - Brass		5.50
25	Lbs. Sq. Flax Packing 3/4"	" .50 lb.	12.50
12	" " " " 1"	" .50 "	6.00
2	Brass Linings for Blake Pump 125 Lbs.	" .25	31.25
1	Set H.P. Bull Rings for Blake Pump		2.00
1	" L.P. " " " " "		2.50

EAST CAMBRIDGE POWER STATION

1000 H.P. ENGINE

1	H.P. Head - Head End		80.00
1	" " - Crank End		45.00
1	Int. " - Head End		75.00
1	Set of Shells for Main Bearing		50.00
2	H.P. Steam Valves)		
2	" Exhaust Valves)		35.00
2	Int. " "		40.00
2	" Steam "		40.00
2	pistons 23" without Packing		85.00
3	Split Eccentrics with Straps		270.00
1	Int. Steam Bonnet		22.00
3	L.P. " "		67.50
2	Int. " Levers		32.00
2	" " Hooks		18.00
3	L.P. " Levers		48.00
2	" " Hooks		18.00
1	" Exhaust Valve		30.00
1	" Steam Arm		16.00
3	Int. " "		30.00

Carried Forward

8285.09

Brought Forward

8285.09

2 Int. Exhaust Arms	26.00
1 H.P. " "	7.00
4 " Steam "	36.00
3 L.P. Knock Off Levers	22.50
2 Int. " " "	30.00
3 H.P. " " "	45.00
6 " Exhaust Valve Stems	108.00
1 Int. Steam " "	18.00
2 L.P. Exhaust " "	36.00
1 Pr. Crank Pin Boxes	50.00
1 Pr. Cross Head Boxes	60.00
1 L.P. Rod (Piston)	40.00
1 Int. Bull Ring Complete	25.00
1 L.P. Packing Ring	10.00

500 H.P. ENGINE

1 Set Shells for Main Bearing	96.00
1 L.P. Piston Spider & Follower	90.00
1 H.P. Piston Rod	60.00
1 L.P. " "	34.00
2 H.P. Valve Stems	@ 6.00 12.00
1 Int. Steam Valve	10.00
2 " Exhaust Valve Stems	"12.50 25.00
2 H.P. Steam Bonnets	"15.00 30.00
2 " " Hooks	" 9.00 18.00
2 " Knock Off Levers	" 6.00 12.00
1 Pr. Crank Pin Boxes	40.00
1 Pr. Cross Head Boxes	45.00
1 H.P. Exhaust Arm	10.00
1 Int. Cylinder Head (Head End)	50.00
1 " " " (Crank End)	50.00
1 L.P. " " " "	55.00
1 " " " (Head End)	65.00
4 Cast Iron Oil Cups for Pumps	" 1.50 6.00
2 Sets Tripp's Piston Rod Packing 3 5/8"	54.38
2 " " " " " 3 7/8"	58.13
2 " " " " " 2 13/16"	42.19
2 " " " " " 2 3/16"	32.82
2 " " " " " 4 5/8"	69.38
2 " " " " " 1 9/16"	11.72
8 Air Pump Valves Gray Rubber 9" 30 1/2 Lbs.	" .68 lb. 20.74
6 " " " Hard " 6" 11 "	" .68 " 7.48
8 " " " Gray " 6" 13 "	" .68 " 8.84
13 " " " Soft " 3" 2 Lbs. 11 Oz.	" .68 " 1.83
2 Engine Tightner Bearings Complete 4"	20.00
2 Dynamo " " " 3"	14.00
1 Jack Shaft Bearing Complete 14 3/8" x 3' 9"	100.00
1 " " " " 14 3/8" x 3' 3"	95.00
1 " " " " 9" x 2' 4"	120.00
2 " " " " 9" x 20"	100.00
1 Dynamo Bearing for Commutator End 19"	50.00
1 " " " Armature " 28"	60.00
3 Second Hand Brass Clutch Rings	18.00
1 Brass Clutch Ring for 84" Clutch	16.20
1 Steel " " " 84" "	8.40
3 Cast Iron Split Collars for 84 Clutch	.75

CHARLESTOWN POWER STATION

1 L.P. Piston Head)	
1 " Packing Ring)	
1 " Follower Ring)	325.00
1 H.P. Piston Head)	
1 " Packing Ring)	
1 " Follower Ring)	130.00
1 Pair of H.P. Bull Rings	40.00
1 Bottom Shell Main Bearing)	
1 Set of Quarter Boxes)	281.50
1 " Cross Head Brasses	67.00
1 " Crank Pin Brasses	66.00
4 H.P. Hooks	36.00

Carried Forward

11361.95

1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880

Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
1870												
1871												
1872												
1873												
1874												
1875												
1876												
1877												
1878												
1879												
1880												

Brought Forward 11361.95

4 L.P. Hooks		40.00
1 Metallic Packing L.P. Valve Stem		18.75
1 " " " Piston Rod		45.00
1 " " " H.P. " "		37.50
1 " " " Air Pump Rod		16.00
2 Low Press Steam Valve Stems	@10.00	20.00
2 " " Exhaust Valve Stems	"10.00	20.00
1 " " Steam Bonnet		31.00
1 " " Exhaust Bonnet		29.00
2 " " Steam Cranks	" 5.00	10.00
2 " " Exhaust Cranks	" 5.00	10.00
1 Pair Low Press Bell Cranks		15.00
1 " " " Cam Collars		10.00
2 H.P. Steam Valve Stems		16.00
2 " Exhaust Valve Stems		16.00
1 " " Bonnet		18.00
1 " Steam " "		19.00
3 " " Cranks	" 5.00	15.00
2 " Exhaust " "	" 5.00	10.00
1 Pr. H.P. Bell Cranks		13.00
1 " " Cam Collars		10.00
3 Blow Off Valves	" 5.00	15.00

TOTAL SPARE ENGINE & SHAFTING PARTS SEPT. 30, 1897 ----- 11796.20

--:-- BRASS FOUNDRY --:--

42 Lbs. 9 1/2 Oz. Alluminum	@ .62 1/2	26.25
1609 " Babbitt	" .22	353.98
688 " Pig Lead	" .04 1/4	29.24
637 " Pig Tin	" .16	101.92
578 " Spelter	" .04 1/4	24.56
2 " Phosphorus	" 1.50	3.00
82 " Antimony	" .07	5.74
1894 " Ingot Copper	" .11	208.34
139817 " Scrap Brass, Copper & Compo (Estimated)	" .10	13918.70

TOTAL BRASS FOUNDRY SEPT. 30, 1897 ----- 14671.73

--:-- EQUIPMENT SHOP --:--

1560 Ft. #6 Cable	@ .03 1/2	54.60
500 " 1 1/2" Linen Hose	" .03	15.00
865 " #14 Wire	" .01	8.65

TOTAL EQUIPMENT SHOP SEPT. 30, 1897 ----- 78.25

--:-- COAL C.P.S. --:--

7626685 Lbs. Coal	@ 2.723+	9271.65
-------------------	----------	---------

TOTAL COAL SEPT. 30, 1897 ----- 9271.65

--:-- WATER --:--

448090 Cu. Ft. Water	@.11 3/4 cu.ft.	526.51
----------------------	-----------------	--------

TOTAL SEPT. 30, 1897 ----- 526.51

UNFINISHED ORDERS MACHINE SHOP - SEPT. 30, 1897-----	119.18
UNFINISHED ORDERS EQUIP. SHOP -- SEPT. 30, 1897-----	26.30
UNFINISHED ORDERS BART. ST.-----SEPT. 30, 1897-----	144.51
UNFINISHED ORDERS LINE CONSTR.-- SEPT. 30, 1897-----	56.50
SUSPENSE KING BRIDGE CO.----- SEPT. 30, 1897-----	182.50
SUSPENSE CARS SOLD-----SEPT. 30, 1897-----	207.33

--:-- SECOND HAND MATERIAL --:--


STOREROOM C. P. S.

3 Newton Separators 1 1/2"
 1 Fairbanks Scale
 2 Large Straight Wrenches for 10" Nut
 1 Revolving Car Sign
 1 Patent Life Guard
 1 Centrifugal Pump & Bearing
 1 Large Gas Stove
 7 Dewey Heaters
 1 Consolidated Heater
 3 Cochran Heaters
 6 Iron Heaters
 12 Pipe Wrenches Asst. Sizes
 1 Street Telephone Box
 1 Box Maps - Boston & Vicinity (22)
 3 Boxes Toilet Paper
 1 Oil Tank
 3 Newton Steam Traps
 4 Pulleys 18" Diam. 13" Face
 1 Iron Frame to Hold Cesspool Grate
 2 Rolls 16" Belting (2nd. Hand)
 1 Pulley 23" Diam. 4 1/2 Face
 1 " 18" " 13 "
 1 " 18" " 16" "
 2085 Lbs. 3/4 Insulated Copper Rod
 5 Journals for Dynamos
 2 Special Ball Bearing Trolley Cams
 1 Patent Draw Bar
 3 Scales (Second)
 700 Heater Fuse Blocks
 23 Asbestos Plug Cocks 1 1/2"
 1 Engine Register
 2 D. 62 Generator Series Coils
 4 Fuse Plugs
 1 4 Single Pole 150 Amp. Snap Switches
 3 2 " " 200 " Switches
 14 Circuit Breaker Resetting Rods
 19 Brackets for Resetting Devices
 15 Resetting Levers
 1 3 Pole 150 Amp. Generator Switch
 1 3 Pole 150 Amp. Generator Switch Base
 2 M.P. 500 Fuse Bases
 2 3 Pole Plug Switch Bases
 4 D. 62 Field Switches
 1 Double Pole Single Throw 50 Amp. Panel Switch
 1 M.P. 500 Field Switch
 1 15 Amp. Single Pole Panel Switch
 1 Panel Potential Plug Receptacle
 1 Ancient Motor Rheostat
 9 Wood Potential Plug Receptacles
 1 Potential Plug
 6 Drop Annunciators
 1 Telephone Lever Switch Board
 1 Light Switch Plug Board
 6 200 Amp. Single Pole Switches
 1 1000 Amp. Generator Three Pole Switch
 2 M.P. 75 Brush Holder Yokes
 1 1/2 D. 62 Brush Holder Yoke
 1 T.H. 300 Amp. Single Pole Switch
 6 5" Fuse Blocks Wooden Bases
 5 Single Pole Double Throw 15 Amp. Switches

Carried Forward

- 1 Single Pole, single Throw, 15 Amp. Switch
- 1 Pole Changing Switch
- 1 W.P. 30 B. Holder Yokes & 2 B. Holders.
- 29 D. 62 Dynamo Brush Holder Leads.
- 4 Jumpers 4/0
- 1 One Single Pole 250 Amp. Current Changing Switch.
- 3 Slates 16 x 7 x 1 1/2"
- 8 D. 62 B. Holders.
- 8 D. 62 Pulley Keys.
- 11 Single Pole 250 Amp. Switches.
- 1 10" 3 Bladed Switch Base
- 15 5 Amp. Double Pole Wooden Fuse Boxes.
- 2 Circular Slate Bars Potential Plates
- 5 Three Single Pole 300 Amp. Switch
- 2 Two " " 300 " "
- 1 150 Amp. Motor Starting Switch.
- 1 Double Pole, Double Throw, 50 Amp. Switch.
- 3 8" Slate Fuse Blocks
- 5 5" " " "
- 1 1000 Amp. Lightning Arrester - Type 1 R.
- 4 D. 62 Series Shunts
- 4 Copper Shunts
- 11 5 Light Generator Clusters.
- 54 Pins Copper Buss Rod 19" x 1/2"
- 247 Switch Board Buss Rod Clamps.
- 1 Telephone Magnets & Battery Box.
- 4 Rheostat W.P. 500 Form A.
- 5 D. 62 Circuit Breakers
- 3 M.P. 500 Circuit Breakers.
- 1 3 Pole 1000 Amp. Switch
- 1 Westg. Circuit Breaker 250 Amp.
- 8 Anderson 100 Amp. Circuit Snap Switches.
- 13 Hand Wheels.
- 5 D. 62 Rheostats.
- 3 Single Pole 200 Amp. Switches.
- 1 3 Point Single Pole 100 Amp. Switch.
- 11 Single Pole 500 Amp. Switches
- 21 Double Throw Single Pole 200 Amp. Switches
- 5 1000 Amp. Generator Fuses.

TOTAL VALUE ESTIMATED AS ----- 1000.00



*** WEST END STREET RAILWAY COMPANY ***

SUMMARY OF MECHANICAL DEPARTMENT STOCK ACCOUNT

SEPTEMBER 1897.

Stock Bartlett St. Shops	42183.51
Store Room.	43629.49
Line Construction.	72598.60
Machine Shop.	8662.36
Armature Room.	678.48
Wheels and Axles	15304.00
Brass Foundry	14671.73
East Cambridge Power Station	6978.44
Allston " "	1380.15
East Boston " "	1998.36
Charlestown " "	4979.98
Dorchester " "	5671.25
Equipment Shop	78.25
Plumbing Material	1216.25
Old Material Bartlett St. Shops	1246.94
Oil Central Power Station	166.00
Coal " " "	9271.65
Water " " "	526.51
Spare Engine and Shafting Parts	11796.20
Pipe Fittings &c for Maintenance	10765.87
Unfinished Orders Machine Shop	119.18
" Equipment Shop	26.30
" Bartlett Street	144.51
" Line Construction	56.50
F. 30 Motors	160.00
Egg Coal Central Power Station	1605.27
Suspense Cars Sold	207.33
Suspense King Bridge Co.	182.50
Emergency Station District #1	1148.00
" " " 2	1085.08
" " " 3	1050.13
" " " 4	636.65
" " " 5	327.56
" " " 6	1096.66
Line Stock Division 1	145.16
" " " 2	312.67
" " " 3	722.17
" " " 4	338.90
" " " 7	387.08
" " " 9	146.10
" " Boston Section	775.75
Grove Hall Car House	446.95
Forest Hills "	316.80
Bartlett St. "	256.23
Norfolk House "	236.16
Dorchester "	405.99
Lenox St. "	587.71
Jamaica Plain "	381.42
Sewall St. "	385.86
Amory St. "	444.91
Park St. "	348.46
Neponset "	239.86
East Boston "	324.71
North Point "	357.17
Union Sq. "	199.98
Charlestown Neck Car House	412.45
Bunker Hill "	477.53
Everett "	661.95
Salem St. "	491.58
Clarendon Hills "	214.10
Murray St. "	502.13
Mt. Auburn "	329.52
Baldwin St. "	454.71
Summer St. "	78.71
Arlington "	336.99
Carried Forward	\$271898.78

THE UNIVERSITY OF CHICAGO PRESS

THE UNIVERSITY OF CHICAGO PRESS

Brought Forward	271898.78
Stock North Avenue Car House	244.49
Brookline St. "	158.55
Allston "	520.63
Reservoir "	571.05
Oak Square "	451.15
Second Hand Material in Stock Room	1000.00
	<hr/>
	\$274844.65

The amount of Material and Supplies on hand included on the "Stock of Mechanical Department" as shown by the books of the West End Street Railway Company September 30, 1897, was \$275,144.92 which amount was assumed by the Boston Elevated Railway Company.

The amount shown above differs from this by the sum of \$300.27 which represents items charged to the Mechanical Department on the general books of the company which had not been entered by the department and vice-versa as is shown below.

Charges on General Books not on Department Books.

Lynn & Boston R. R. Co.	.01	
City of Boston	10.00	
Road Department bills	2186.55	
	<hr/>	
Total		\$2196.56

Charges on Department Books not on General Books.

E. P. Allis Co.	\$690.00	
Accounting Department charge	.30	
Lockwood Mfg. Co.	56.50	
Babcock & Wilcox Co.	2.60	
C. W. Leatherbee & Co.	15.40	
New England Telephone & Telegraph Co.	120.00	
S. Hobbs & Co.	2.00	
Inventory adjustments	1009.49	
	<hr/>	
Difference		1896.29
		\$300.27



WEST END STREET RAILWAY COMPANY

INVENTORY OF ROAD DEPARTMENT MATERIAL ON BOSTON SECTION

SEPTEMBER 30, 1897.

<u>LUMBER and TIES</u>			Price	Amount
Spruce,	4 1/2 x 5 Running Feet	18,190	14.	477.49
"	5 x 8 " "	880.	14.	41.07
"	7 x 9 " "	282	16.	20.73
"	1 1/2 x 3 1/2 " "			
Pine	8 x 10	502.	30.	100.40
"	7 x 10	168.	23.	22.54
Spruce	Plank 2" Sq. Ft.	5020.	14.21	71.33
"	" 3" " "	2007.	16.	48.17
"	Curved Running Ft.	1534.	15.48	79.15
Oak	5 x 8 Curved Running Ft.	7570.	40.	1009.35
"	4 1/2 x 5 Running Ft.	107.	35.	7.02
"	5 x 8 " "			
"	4 1/2 x 5 Curves	4993.	40.	374.47
"	3" Sq. Ft.	2730.	27.50	75.07
"	2" " "	3480.	27.50	95.70

TIES

Ties, Hackmatack	2676	.33	553.08
" (Treated for Subway)	274.	.45	123.30
" Metallic	37.	1.50	55.50
" S.H.	600.	.15	90.00

RAILS - NEW

Rails, Girder, Wharton 72 1/2	2485'	.45	1123.25
" " Grooved Wharton 86 lb.	2648'	.66	1747.68
" " Welded Johnson	566.	.65	367.90
" T 4 3/4	120'	.30	36.00
" T 7"	32934'	.32	10,538.88
" T 3 1/4	16884	.20	3376.80
" T 5 1/4	20850	.29	6046.50
" T 5 1/4 with Guard	1695	.50	847.50
" Johnson's Sect. T.			
" " " U.	5905'	.32	1889.60
" " Girder Grooved 100 lb.	2526	.52	1313.52
" " 96- 206	615	.41	252.15
" " 117 lb. #228	29887	.64	19127.68
" " Girder 95 lb. #289	114'	.45	51.30
" " " 95 lb. #319	105191	.40	42076.40
" " " 90 1/2 -222	22388	.49	10970.12
" Tram, 50 lbs.	18097.	.26	4705.22
" Curved, Grooved, (Flat) 60 lbs.			
" Combination			
" Tram, 47 lbs.			
" Grooved, Straight, (Flat) 60 lbs.	6002.	.24	1440.48

RAILS - OLD

Rails, English	200	.15	30.00
Richards	1550	.15	232.50
90 1/2 --222	604	.20	120.80

Carried Forward

109538.65

THE UNIVERSITY OF CHICAGO

Year	Month	Day	Event
1890	Jan	1	...
1890	Jan	2	...
1890	Jan	3	...
1890	Jan	4	...
1890	Jan	5	...
1890	Jan	6	...
1890	Jan	7	...
1890	Jan	8	...
1890	Jan	9	...
1890	Jan	10	...
1890	Jan	11	...
1890	Jan	12	...
1890	Jan	13	...
1890	Jan	14	...
1890	Jan	15	...
1890	Jan	16	...
1890	Jan	17	...
1890	Jan	18	...
1890	Jan	19	...
1890	Jan	20	...
1890	Jan	21	...
1890	Jan	22	...
1890	Jan	23	...
1890	Jan	24	...
1890	Jan	25	...
1890	Jan	26	...
1890	Jan	27	...
1890	Jan	28	...
1890	Jan	29	...
1890	Jan	30	...
1890	Jan	31	...

		Price	Amount
<u>RAILS - OLD - CONT.</u>			
Brought Forward			109538.65
Rails, Trams, Old Steel	4215	.15	632.25
" Tee " "	3 1/4"	.10	329.10
" " " "	4 1/4"	.10	78.20
" " " "	4 1/2"	.10	11.80
" Grooved " "		.15	200.55
	3 1/2" T	.10	119.20
" Sect. U.	5400	.15	810.00
" T	3200	.15	480.00
" 9" 96 - 206	381	.23	87.63
" 9" 117 - 228	272	.30	81.60
" 94 - 204	360	.28	100.80
" 9" 98 - 209	139	.15	34.75
" Johnson Grooved 6"	120	.15	18.00
" Wharton 72 1/2	1611	.15	241.65
<u>RAILS - SCRAP - (POUNDS)</u>			
	1800	9.00	16200.00
	Tons		
<u>SWITCH BOLTS</u>			
Special	21	.65	13.65
Switch Bolts, Draper	95	3.50	293.00
" " Patent	8	.22	1.76
" " Wharton	40	.23	9.20
" " B.S.Co.	15	2.25	33.75
<u>TIE RODS and BUTTONS</u>			
Tie Rods ,9"	3340	.34	1135.60
" 5/8 Round	885	.11	97.35
" P.G.	120	.23	27.60
Buttons	3776	.03	113.28
Tie Rods 7" T Rail, Round	9702	.30	2910.60
" " 7" " Flat	617	.38	234.46
<u>RAIL FASTENINGS</u>			
Splice Bars Welded	99	1.00	99.00
" " Wharton	670	1.00	670.00
" " 7" T	592	.94	556.48
" " English	322	.50	161.00
" " Johnson 9"	4073	1.61	6556.53
" " Tee Rail 3 1/4" Prs.Angle	901	.63	567.63
" " " " 3 1/4"	157	.40	62.80
" " " " 4 1/4"	118	.55	64.90
" " " " 4 3/4"	52	.50	26.00
" " Richards	37	.30	11.10
Rail Plates (Special) 36"	752	.36	270.72
P.G. Keys	166	.03	4.98
Chairs, Richards	376	.20	75.20
" Mansfield	658	1.90	1250.20
" P.G.Joint	300	.30	90.00
" P.G.Tie	80	.30	24.00
" Raised Brace	1930	.38	733.40
" Single	5950	.03	178.50
" Double	4117	.08	329.36
" Plimpton	68	.60	40.30
Knees Single	8540	.04	341.60
" Double	9347	.12	1121.64
Joints Four Tie	462	3.00	1386.00
" 16"	210	1.00	210.00
" 36"	1031	3.00	3093.00
" Rail Continuous 5 1/4" T Rail	1055	1.25	1318.75
Filling Blocks, Subway	729	.30	218.70
Joints, Churchill	673	3.80	2557.40
Carried Forward			155800.12



		Price	Amount
<u>RAIL FASTENINGS - CONT.</u>			
Brought Forward			155800.12
Rails Plates (Old Style)	393	.16	62.88
Tie Plates	6006	.14	840.84
Tie, Goldie Single	6190	.06	371.40
" " Double	4840	.15	726.00
Joint Bent 3 1/4"	26	.55	14.30
" " 4 1/4"	570	.55	313.50
" Bridge	56	2.00	112.00
Plates 27 x 8 x 1/2	374	.85	317.90
Car Stops	48	.60	28.80
<u>SCRAP CASTINGS - POUNDS</u>			
	406000	.35	1421.00
Scrap Wrot. Iron, lbs.	14500	.26	37.70
<u>OIL</u>			
Tank Oil	5	3.25	16.25
Kerosene Oil	2	4.33	8.66
<u>SPIKES and NAILS</u>			
Nails (Kegs)	40	1.50	60.00
Spikes "	321	3.50	1123.50
<u>PAVING BLOCKS - NEW</u>			
Large	46521)		
Small	2000)	49.67	2410.04
<u>PAVING BLOCKS, Second Hand</u>			
	305705	7.40	2262.28
<u>BROW STONE</u>			
	3418	.10	341.80
<u>ROUND STONE</u>			
	457185	.50	114.29
<u>FLAG STONE</u>			
	57' 9"	.85	49.09
<u>CRUSHED STONE, lbs.</u>			
	20000	1.60	16.00
<u>SWITCHES and MATE'S - NEW</u>			
50 R.T. (R.H. Curved Tongue Switch)	36	.34	1224.00
50 L.T. (L.H. " " ")	9	.34	306.00
50 R.I. (R.H. " Inlet ")	18	14.50	261.00
50 L.I. (L.H. " " ")	27	14.50	391.50
50 R.D. (R.H. " Drop ")	8	14.25	114.00
50 L.D. (L.H. " " ")	9	14.25	128.25
50 R.M. (R.H. " Mate ")	17	21.00	357.00
50 L.M. (L.H. " " ")	19	21.00	399.00
Switches, Tongue	51	29.00	1479.00
" Henck	5	11.00	55.00
" Drop	19	9.00	171.00
70 R.T. (R.H. Curved Tongue Switch)	26	43.00	1118.00
70 L.T. (L.H. " " ")	12	43.00	516.00
40 R.T. (R.H. " " ")	9	34.00	306.00
40 L.T. (L.H. " " ")	12	34.00	408.00
Switch Tongues Extra	7	25.39	177.73
Mate's R.H.	20	16.00	320.00
" L.H.	23	16.00	368.00
70 R.M. (R.H. Curved Mate Switch)	19	24.00	456.00
70 L.M. (L.H. " " ")	9	24.00	216.00
40 R.M. (R.H. " " ")	6	21.00	126.00
40 L.M. (L.H. " " ")	14	21.00	294.00
100 A.T.	6	48.00	288.00
100 R.M.	5	29.00	145.00
100 L.T.	2	48.00	96.00
100 L.M.	2	29.00	58.00
Carried Forward			176226.83

		Price	Amount
<u>SWITCHES and MATE'S - NEW - CONT.</u>			
Brought Forward			176226.83
3 Way Switches	1	27.00	27.00
3 Way Mates	1	17.00	17.00

SWITCHES and MATE'S, 2nd. Hand

100 R.T.	2	5.00	10.00
100 R.M.	1	5.00	5.00
50 R.T.	3	5.00	15.00
50 L.M.	3	5.00	15.00
50 R.M.	1	5.00	5.00
50 L.T.	1	5.00	5.00
100 L.M.	1	5.00	5.00
Tongue	3	3.00	9.00
L.M.	2	5.00	10.00

CROSS CONNECTIONS

Main Line R.H.	5	528.87	2644.35
" " R.H. S.H.	1	300.00	300.00
Standard 9" R.H.	3	552.80	1658.40
" 9" L.H.	1	552.80	552.80
Johnson 6" R.H. S.H.	1	200.00	200.00
B.S. cO. R.H. S.H.	1	125.00	125.00
" " L.H. Part	part	125.00	125.00
Road Pitch Bbls.	19	2.53	48.07

FROGS

Frogs 6'	8	20.00	160.00
" 5' 10"	57	20.00	1140.00
" 4' 9"	27	14.25	384.75
" 6' #2	1	18.00	18.00
" 6' #3	29	20.00	580.00
	6	20.00	120.00
	3		24.00
	2	20.00	40.00

GRAVEL

Pebble, Single, (40 ft.)	24	2.00	48.00
" " (20 ft.)	600	.75	450.00
Cement Bbls.	24	2.10	50.40

COMBINATION JOINTS

Wharton & Tram	10	1.25	12.50
4 1/4" T & Tram	79	2.48	195.92
7" T and "	6	1.90	11.40
Penn. T - 86" & Tram	21	1.90	39.90
" T - 86" & 9" Tram	33	4.50	148.50
9" & P.G.	9	3.75	33.75
9" & 4 1/4" T	5	2.50	12.50
9" & Wharton 72 1/2	43	3.25	139.75
9" & Tram	39	1.90	74.10
9" & Penn T. -43	16	2.50	40.00
3 1/4" T & Tram	141	1.56	219.96
Welded & Sect U.	32	2.00	64.00
P.G. & Tram	8	3.35	26.80
P.G. & Sect. U.	24	3.50	84.00
P.G. & Richards	4	6.50	26.00
9" & Richards	22	3.00	66.00
9" & Welded	92	2.75	253.00
9" & 7" T.	49	2.50	122.50

Carried Forward

186589.18

		Price	Amount
<u>COMBINATION JOINTS - CONT.</u>			
Brought Forward			186589.18
9" & Sect. U	62	2.50	155.00
P.G. & Welded	63	2.50	157.50
Sect. U. & Tram	53	1.90	100.70
Wharton 72 1/2 & Richards	14	3.08	43.12
Welded & Tram	26	1.90	49.40
3 1/4" T & Sect. U	4	2.50	10.00

CHAIRS

Wharton E2	166	.15	24.90
Johnson Drop Forged	217	.40	86.80
Wharton 5 C	35	.15	5.25
Johnson Brace	3159	.30	947.70
" " Joint	295	.40	118.00

BOLTS


1 3/4 x 5/8	143	.03	4.29
2 1/2 x 5/8	995	.03	29.85
2 3/4 x 5/8	14109	.03	423.27
12 x 5/8	86	.03	2.58
2 x 3/4	6686	.03	200.58
2 1/2 x 3/4	1700	.03	51.00
2 3/4 x 3/4	13500	.03	405.00
2 7/8 x 2/4	1650	.03	49.50
3 x 3/4	13399	.03	401.97
3 1/2 x 3/4	1437	.03	43.11
4 x 3/4	5166	.03	154.98
44 x 3/4 Harvey Grip	1445	.03	43.35
2 3/4 x 7/8 " "	16345	.03	490.35
6 1/4 x 7/8 " "	2860	.03	85.80
4 1/2 x 3/4	13670	.03	410.10
4 1/2 x 3/4 Machine	134	.03	4.02
4 3/4 x 7/8 "	709	.03	21.27
5 1/2 x 3/4	60	.03	1.80
8 1/2 x 3/4	100	.03	3.00
8 x 1	1218	.03	36.54
3 1/4 x 7/8	1780	.03	53.40
4 1/4 x 7/8	869	.03	26.07
4 3/4 x 7/8	1044	.03	31.32
6 1/2 x 7/8	322	.03	9.66
3 1/2 x 1	28066	.03	841.98
3 x 1	7799	.03	233.97
4 1/4 x 1	100	.03	3.00
3 x 1 N.G.	3611	.03	108.33
3 1/4 x 1	2073	.03	62.19

SPECIAL LAYOUTS

Washington & Brattle	528.94
Washington & Franklin	785.55
Washington & Hanover	5871.51
Washington & Temple Place	1793.84
Shawmut Avenue near Subway	1322.33
Tremont St. near Subway	1298.52
Scollay Square	359.79
Shawmut Ave. & Roxbury	1361.30
Washington, Cornhill, 1 Pc.	882.67
Tremont & Cornhill 1 Pc.	60.96
Washington, Forest Hill Car House, Part	250.00
Washington & Devonshire	935.57
Washington & Northampton	3615.97
Harrison Ave., Essex and Chauncy, 2 Pcs.	25.00
Dartmouth & Huntington Ave. 2 Pcs.	173.67
Scollay Square & Hanover 1 Pc.	25.00
Boylston & Church 1 Pc. S.H.	1.00

Carried Forward.

211811.45



SPECIAL LAYOUTS - CONT.


Brought Forward		211811.45
Boylston and Clarendon	3 Pcs.	184.05
Merrimac and Sudbury	1 Pc. S.H.	10.00
Leverett and Charles	1 Pc.	65.45
Dudley and Harrison	3 Pcs.	1699.65
Dudley and Dearborn		734.40
Broadway and Dorchester St.	1 Pc. S.H..	1.00
Portland and Causeway	1 Pc. S.H.	1.00
Roxbury Crossing	4 Pcs.	200.00
Dover and Shawmut Ave.		100.00
Post Office Square	2 Pcs.	250.00
Clarendon and Marlborough	4 Pcs.	10.00
Haymarket Square	6 Pcs. Layout	50.00
Battery and Hanover		986.68
Columbus Ave. and Roxbury		882.02
Washington and Cornhill		882.67
Washington and Summer		2428.48
Washington, Merrimac and Canal Part.		1697.98
Shawmut Ave. and Northampton		4336.37
Massachusetts Ave. B. & M. R.R.		1261.31
Washington and Boylston, Brookline, 8 Pcs.		10.00
Scollay Square S.H.		5.00
Beach and Federal S.H.		5.00
Kneeland and Federal, S.H.		5.00
Boylston and Clarendon, S.H.		5.00
Commonwealth Ave. - 8 Combination Rails		145.08
Washington St. 19 " "		350.00
Haverhill at Causeway, 2 Pcs.		5.00
North Point Car House, 8 Pcs.		10.00
River St. Part.		2.00
Steam Railway Crossing, G. Frogs, 2. (B. & A.)		5.00
TOTAL		<u>228139.59</u>

:-: ROAD DEPARTMENT MATERIAL - ROXBURY SECTION :-:

		Price	Amount
<u>LUMBER and TIES</u>			
Spruce 8 x 8 Running Feet, 23525 Sq. Ft.	4411	14.50	341.11
Oak 8 x 8 Running Ft. 32325 Sq. Ft.	6061	35.00	1131.38
" 4 1/2", 15188 Sq. Ft.	15188	35.00	531.58
<u>GRAVEL</u>			
Single Loads (20 Ft.)	1107	76.00	841.32
TOTAL			<u>2845.39</u>

:-: ROAD DEPARTMENT MATERIAL - SOUTH BOSTON SECTION :-:

		Price	Amount
<u>ROUND STONE</u>			
	101000	.46	23.23
<u>GRAVEL</u>			
Single Loads (20 Ft.)	235	.69	162.15
TOTAL			<u>185.38</u>



-:- ROAD DEPARTMENT MATERIAL - BROOKLINE SECTION -:-

		Price	Amount
<u>LUMBER and TIES</u>			
Spruce 4 1/2 x 5 Running Feet			
" 5 x 8 Running Feet 1000 Sq.Ft.	300	14.00	14.00
" 4 x 6 " "			
" Plank 2" Sq.Ft. 459 Sq.Ft.	459	16.00	7.34
" " 3" " " 2091 " "	1394	16.00	33.46
" 5 x 8 Curved, Running Ft., 617 Ft.	185	18.00	
Oak 4 1/2 x 5 " " " 233 "	124	40.00	9.32
" 5 x 8 Running Feet	82	35.00	9.56
" 6 x 8 Curved Running Feet	9	40.00	1.44
<u>RAILS - NEW</u>			
Rails, Girder, Grooved, Wharton, 86 Lbs.	690	.66	400.40
" T 7", 70 Lbs.	630	.32	201.60
" T 3 1/4"	300	.18	54.00
" Johnson 117 Lbs. No. 228	18	.64	11.52
" " Girder 90 1/2 Lbs. #222	230	.48	110.40
" Tram 50 Lbs.	430	.26	111.80
" Grooved Straight, (Flat), 60 Lbs.	150	.25	37.50
<u>RAILS - OLD</u>			
Rails, Tram, Old Steel	225	.15	33.75
" Tee " 4 1/4"	140		
" " " 4"	718	.10	71.80
" Grooved Old Girder Johnson	100	.15	15.00
" Sec. U Johnson	5700	.15	855.00
" 94 - 204	715	.15	107.25
" 93 - 206	445	.15	66.75
" Wharton, Girder	2490	.15	373.50
" Sec. T. Johnson	154	.10	15.40
" Grooved "	1100	.15	165.00
<u>RAILS - SCRAP (POUNDS)</u>	739531	10.00	3301.47
<u>TIE RODS and BUTTONS</u>			
Tie Rods 9"	28	.34	9.52
" " 7" Tee	28	.30	8.40
" " 5/8 Round	14	.11	1.54
Buttons, S.H.	400	.02	8.00
<u>RAIL FASTENINGS</u>			
Splice Bars, Wharton, Girder, Grooved	81 Pr.	1.00	81.00
" " Tee Rail	47 "	.35	16.45
" " 7" "	50 "	.94	47.00
" " 6" " Johnson	19 "	1.00	19.00
" " 4 1/4" Rail Tee	9 "	.55	4.95
" " 3 1/4" " "	22 "	.40	8.80
Rail Plates (Special) 36"	144 "	.37	53.28
Track Bolts	1725	.03	51.75
Chairs, Mansfield	5	2.00	10.00
Joints 36" S.H.	180	1.00	180.00
" Churchill	3	3.80	11.40
" Wheeler Wedge			
" Compromise	27	1.00	27.00
Tie Plates	450	.14	63.00
Car Stops 3 1/4	7 Pr.	.50	3.50
<u>SCRAP CASTINGS - POUNDS</u>	12100	.36	43.56
Carried Forward			6655.41


		Price	Amount
<u>OIL</u>			
Brought Forward			6655.41
Track Oil	4	3.25	13.00
Kerosene Oil	2	4.33	8.66
<u>SPIKES and NAILS</u>			
Spikes (Kegs)	10	3.50	35.00
<u>PAVING BLOCKS, Second Hand</u>	27680	7.52	208.15
<u>FLAG STONE</u>	36 Ft.	.85	30.60
<u>SWITCHES and MATES - NEW</u>			
50 R.T. (R.H. Curved Tongue Switch)	3	34.00	102.00
50 L.T. (L.H. " " ")	2	34.00	68.00
50 R.M. (R.H. " Mate ")	2	21.00	42.00
50 L.M. (L.H. " " ")	1	21.00	21.00
Mate's R.H.	1	16.00	16.00
Spec. 40 L.M. For	7	21.00	147.00
" 40 L.M. Sewall St. C.H.	5	34.00	170.00
<u>LAYOUTS</u>			
Eg. Sq. Car House (Part)	1	868.88	868.88
<u>FROGS</u>			
Frogs 6' S.H.	2	5.00	10.00
<u>FILLING</u>	100	1.00	100.00
<u>GRAVEL</u>			
Single Loads (20 Ft.)	60	.75	45.00
TOTAL			<u>8540.70</u>

-:- ROAD DEPARTMENT MATERIAL - CHARLESTOWN SECTION -:-

LUMBER and TIES

Spruce 4 1/2 x 5 Running Feet	168	14.00	4.41
" 4 1/2 x 5 "	77	10.00	1.44
" Plank, 2" Sq. Ft.	812	16.00	12.99
" " 3" "	80	16.00	1.92
" 5 x 8 Curved Running Ft.	133	18.00	7.97
Oak 5 x 8 " " "	46	35.00	5.36
" 6 1/2 x 7 " "	59	35.00	3.74
" 6 x 8 " "	16	35.00	2.24
" 8 x 8 " "	84	35.00	15.68
" 2 Sq. Ft.	15	25.00	.38
Ties, S.H.	178	.15	26.70
" Hackmatack	6995	.29	2028.55
" Chestnut	57	.30	17.10
" Culls	21	.15	3.15
Carried Forward			<u>2131.63</u>

		Price	Amount
<u>RAILS - NEW</u>			
Brought Forward			2131.63
Rails, Girder, Wharton	182	.48	87.36
" T 40 Lbs.	90	.30	27.00
" T 50 Lbs.	30	.38	11.40
" T 58 Lbs.	22	.38	8.36
" Johnson's Sect. U Special	54	.44	23.76
" " Girder Grooved 17	15	.30	4.50
" " " 93 Lb.#223	45	.50	22.50
" Tram 50 Lbs.	284	.26	73.84
" Combination G. & 6"	20	1.90	38.00
<u>RAILS - OLD</u>			
Rails, Tram, Old Steel	360	.15	54.00
" T "	35	.10	3.50
" Grooved "	773	.15	115.95
" Richards	1350	.15	202.50
" P.G.	24	.15	3.60
" Wharton 72'	220	.15	33.00
" Johnson 9"	43	.15	6.45
<u>RAILS - SCRAP (POUNDS) est.</u>	670	10.00	6700.00
<u>SWITCH BOLTS</u>			
Switch Bolts, Draper	2	3.50	7.00
" " Patent	29	.22	6.38
" " Special	3	2.25	6.75
" " Common	8	.22	1.76
<u>TIE RODS and BUTTONS</u>			
Tie Rods, Wharton, Richards	40	.23	9.20
" " 7"	15	.30	4.50
" " 5/8 Round	30	.11	3.30
Buttons	1789	.03	53.67
<u>RAIL FASTENINGS</u>			
Splice Bars, Wharton, Girder Grooved	5 Pc.	1.00	5.00
" " Johnson, Special	2 "	.25	.50
" " Richards, S.H.	285	.35	99.75
" " Angles for 58 LB.T.	11	.90	9.90
Rail Plates (Special) 36"	1042	.37	385.54
Track Bolts	1453	.03	43.59
Chairs, Mansfield	3	1.00	3.00
" P. G. Tie, Small	34	.20	6.80
" Brace Double Raised	29	.38	11.02
" Single, S.H.	3751	.07	262.57
" Double	90	.11	9.90
Knees Single	11516	.03	345.48
" Double	5210	.11	573.10
Joints Four Tie	2	2.00	4.00
" 36"	83	2.25	186.75
" 9 x 6 Wharton	3	2.75	8.25
" 9" Tram	2	1.90	3.80
" 9" Ground	1	1.90	1.90
Rail Plates (Old Style) for T.B.S.Co.#4	14	.22	3.08
Tie Plates	388	.14	54.32
Rail Plates, Groove 18"			
<u>SCRAP CASTINGS - POUNDS</u>	500	.88	4.40
Carried Forward			<u>11662.56</u>



		Price	Amount
Brought Forward			11662.56
<u>SCRAP JUNK, TEE RAILS & CASTINGS</u>	12 Tons	.35 Cwt.	94.08
<u>OIL</u>			
Track Oil	1	3.25	3.25
<u>SPIKES and NAILS</u>			
Spikes (Kegs)	6	3.50	21.00
<u>PAVING BLOCKS, Second Hand</u>	33811	6.26	211.66
<u>BROW STONE</u>	12059	.12	1447.08
<u>DIMENSION STONE</u>	164	.085	13.94
<u>ROUND STONE</u>	204500	.50	51.12
<u>DRAIN PIPE</u>	30	.15	4.50
<u>SWITCHES and MATE'S - NEW</u>			
Switches, Henck	1	11.00	11.00
<u>SWITCHES and MATE'S, Second Hand</u>			
Switches, White Taber	3	30.00	90.00
" 50' R.T.	5	5.00	25.00
" 50' L.T.	1	5.00	5.00
Mate 50' R.	4	3.00	12.00
<u>LAYOUTS</u>			
City Square, Charlestown (Part)	1	3153.31	3153.31
<u>FROGS</u>			
Frogs 5' 10"	1	20.00	20.00
" 5 x 10 S.H.	3	5.00	15.00
" Special	1	19.56	19.56
<u>GRAVEL</u>			
Single Loads (20 Ft.)	10	.64	6.40
TOTAL			<u>16866.46</u>


-:- ROAD DEPARTMENT MATERIAL - CAMBRIDGE SECTION -:-

LUMBER and TIES

Spruce 4 1/2 x 5 Running	Ft.8036	Sq.Ft.	4286	14.00	112.50
" 5 x 8	" 1333	" "	400	14.00	18.66
" 5 x 8 Curved	" 200	" "	60	18.00	<u>3.60</u>
Carried Forward					134.76

		Price	Amount
<u>LUMBER and TIES - CONT.</u>			
Brought Forward			134.76
Oak 4 1/2 x 5 Curved Running Ft. 1013 Sq.Ft. 540		40.00	40.52
Pine Yellow Vulc. 5 x 8 -1000 Sq.Ft. 300		33.00	33.00
<u>TIES</u>			
Ties Hackmatack	15450	.25	3862.50
" " S.H.	60	.15	9.00
" Chestnut	2775	.35	971.25
" " 6 x 8	496	.40	198.40
<u>RAILS - NEW</u>			
Rails T 7"	138	.31	42.78
" Johnson, Girder 90 1/2 #222	7345	.49	3609.05
" " " 95 Lb. #319	150	.40	60.00
" Grooved, Straight, (Flat), 60 Lb. #39	64	.25	16.00
<u>RAILS - OLD</u>			
Rails, Tram Old Steel	1210	.15	181.50
" Tee " "	3120	.10	312.00
" P.G.	240	.15	34.00
" Johnson, Sec. U.	600	.15	90.00
<u>RAILS SCRAP - (POUNDS)</u>	1840000	9.05	7433.93
<u>SWITCH BOLTS</u>			
Switch Bolts, Patent	40	.22	8.80
" " Standard	10		22.50
<u>TIE RODS and BUTTONS</u>			
Tie Rods 9"	322	.34	109.48
" " 1" Round	64	.30	19.20
" " Johnson	553	.25	138.25
" " 5/8 Round	36	.11	3.96
Buttons	10000	.02	200.00
<u>RAIL FASTENINGS</u>			
Splice Bars, Wharton, S.H.	250 Pr.	1.00	250.00
" " Johnson 9"	70 "	1.61	112.70
" " Tee Rail 7"	21 "	.94	19.74
" " " " S.H.	55 "	.30	16.50
" " Portland S.H.	56	1.00	76.00
Angle " T Rails	20	.63	12.60
Plates 21 x 8 x 1/2	21	.85	17.85
Rail Plates (Special) 36"	813	.25	203.25
Track Bolts	7213	.03	216.39
Chairs P.G. Tie S.H.	400	.20	80.00
" Brace	66	.38	25.08
Knees, Single, S.H.	12000	.02	240.00
" Double, S.H.	5500	.11	605.00
Joints 36"	18	3.50	63.00
" Wheeler Wedge	3	2.00	6.00
" " "	58	1.00	58.00
" Combination	69	1.00	69.00
Tie Plates	826	.14	115.64
Knees Cast Iron S.H.	6750	.02	135.00
Carried Forward			19852.63

		Price	Amount
Brought Forward			19852.63
<u>SCRAP CASTINGS - POUNDS</u>	30000	.35	105.00
Scrap Iron	1000	.30	3.00
<u>OIL</u>			
Track Oil	5	3.25	16.25
Kerosene Oil	4	4.31	17.24
<u>SPIKES and NAILS</u>			
Spikes (Kegs)	33	3.50	115.50
<u>PAVING BLOCKS - NEW</u>	26573	44.00	1169.21
<u>PAVING BLOCKS, Second Hand</u>	116000	8.38	972.08
<u>BROW STONE</u>	5000	.10	500.00
<u>DIMENSION STONE</u>	6000	.08 1/2	510.00
<u>SWITCHES and MATE'S - NEW</u>			
50 R.T. (R.H. Curved Tongue Switch)	3	34.00	102.00
50 L.T. (L.H. " " ")	1	27.50	27.50
50 R.M. (R.H. " Mate ")	4	19.25	77.00
50 L.M. (L.H. " " ")	2	17.50	35.00
Switches, Tongue	2	22.50	45.00
70 R.T. (R.H. Curved Tongue Switch)	2	43.00	86.00
70 L.T. (L.H. " " ")	4	43.00	172.00
40 R.T. (R.H. " " ")	4	34.00	136.00
40 L.T. (L.H. " " ")	7	34.00	238.00
Mates, R.H.	2	15.00	30.00
" L.H.	1	15.00	15.00
70 R.M. (R.H. Curved Mate Switch)	2	24.00	48.00
70 L.M. (L.H. " " ")	5	24.00	120.00
40 R.M. (R.H. " " ")	4	21.00	84.00
40 L.M. (L.H. " " ")	5	21.00	105.00
Duplicate Switch, Pearl & River St.	1	50.00	50.00
" Mate " " " "	2	30.00	60.00
<u>FROGS</u>			
Frogs 4' 9"	2	13.75	27.50
<u>GRAVEL</u>			
Single Loads (20 Ft.)	410	.60	246.00
TOTAL			<u>24964.91</u>
-:- ROAD DEPARTMENT MATL. WITH THE JOHNSON CO., JOHNSTOWN, PA. -:-			
Rails, New T. Penn. 85 Lbs. Sec. 235	30060		7950.00



*** SUMMARY OF ROAD DEPARTMENT MATERIAL ***

SEPTEMBER 30, 1897.

<u>SECTION</u>	<u>AMOUNT</u>
Boston	\$228,139.59
Roxbury	2,845.39
South Boston	185.38
Brookline	8,540.70
Charlestown	16,866.46
Cambridge	24,964.91
The Johnson Co.	7,950.00
	<hr style="border-top: 1px solid black;"/>
	\$289,492.43
	<hr style="border-top: 1px solid black;"/>

The amount of Material on hand included in the "Stock of Road Department" as shown by the books of the West End St. Ry. Co. September 30th., 1897 was \$291,511.31 which amount was assumed by the Boston Elevated Ry. Co. The amount shown above differs from this by the sum of \$2,018.88 which represents items charged to the Road Department on the general books of the company which had not been entered by the department and vice-versa as is shown below.

Charges on General Books not on Department Books.

Mechanical Department Bills	\$1606.82	
Material used on unfinished work	522.20	
	<hr style="border-top: 1px solid black;"/>	
TOTAL		2129.02

Charges on Department Books not on General Books.

Union Express Co.	.15	
P. Lally & Son	6.00	
C.W. Leatherbee Lumber Co.	98.99	
R.S. Brine & Co.	5.00	
	<hr style="border-top: 1px solid black;"/>	110.14
DIFFERENCE		<hr style="border-top: 1px solid black;"/>
		\$2018.88

THE UNIVERSITY OF CHICAGO
LIBRARY

Author	Title
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...

...

...

...

WEST END STREET RAILWAY COMPANY

INVENTORY OF PROVENDER & STRAW IN STABLES

SEPTEMBER 30, 1897.

<u>STABLES</u>	HAY \$17.51 Per Ton	AMOUNT
	POUNDS	
Bartlett Street	1,731	15.14
Grove Hall	300	4.37
Huntington Avenue	62,243	544.94
West Lenox Street	20,517	179.63
Park Street	1,781	15.59
East Boston	100	.88
South Point	6,156	53.89
Charlestown Neck	11,708	102.50
Murray Street	9,924	86.88
Portland Street	3,703	32.42
Brighton	11,000	96.31
Norway	21,227	185.84
	<hr/>	<hr/>
TOTAL	150,590	\$1,318.39

<u>STABLES</u>	STRAW \$15.36 Per Ton	AMOUNT
	POUNDS	
Bartlett Street	160	1.23
Huntington Avenue	14,003	107.59
West Lenox Street	9,298	71.41
Park Street	693	5.32
East Boston	440	3.38
South Point	1,240	9.52
Murray Street	667	5.12
Portland Street	1,755	13.48
Brighton	5,655	43.43
Norway	5,198	39.92
	<hr/>	<hr/>
TOTAL	39,109	\$300.40

<u>STABLES</u>	MEAL \$.802 per Cwt.	AMOUNT
	POUNDS	
Huntington Avenue	11,003	88.24
West Lenox Street	4,310	34.56
Park Street	1,000	8.02
South Point	700	5.60
Murray Street	1,100	8.81
Portland Street	1,000	8.02
Brighton	2,090	16.75
Norway	3,162	25.34
	<hr/>	<hr/>
TOTAL	24,365	\$195.34

THE UNIVERSITY OF CHICAGO
LIBRARY

1911

1912

1913

1914


1915

1916

<u>STABLES</u>	OATS	
	BUSHELS	\$0.309 Per Bu. AMOUNT
Bartlett Street	5	1.56
Grove Hall	2	.62
Huntington Ave.	70	21.63
West Lenox Street	111	34.30
East Boston	10	3.09
South Point	5	1.55
Charlestown Neck	45	13.90
Murray Street	58	17.92
Portland Street	5	1.54
Brighton	97	29.87
Norway	24	7.42
TOTAL	432	\$133.50

<u>STABLES</u>	SHORTS	
	POUNDS	\$0.694 Per Cwt. AMOUNT
Bartlett Street	200	1.40
Grove Hall	150	1.04
Huntington Ave.	800	5.55
West Lenox Street	1,800	12.49
East Boston	40	.28
South Point	150	1.04
Portland Street	30	.21
Norway	809	5.61
TOTAL	3,979	\$27.62

	<u>TOTAL</u>
Bartlett Street	19.33
Grove Hall	6.03
Huntington Ave.	767.95
West Lenox Street	332.39
Park Street	28.93
East Boston	7.63
South Point	71.60
Charlestown Neck	116.40
Murray Street	118.73
Portland Street	55.67
Brighton	186.46
Norway	264.13
TOTAL	\$1,975.25



WEST END STREET RAILWAY COMPANY

INVENTORY OF HARNESS DEPARTMENT STOCK - SEPTEMBER 30, 1897.

524	Lbs	Oak Trace Leather	@	.38	199.12
353	"	Harness "	"	.34	120.02
34	"	" "	"	.45	15.30
37	Ft.	" "	"	.17	6.29
44	"	Soft Dash "	"	.13	5.72
4	Lbs.	1 1/2" Copper Rivets	"	.20	.80
3	"	1 1/4" " "	"	.18	.54
3	"	7/8" " "	"	.15	.45
3	"	3/4" " "	"	.15	.45
4	"	5/8" " "	"	.25	1.00
3	"	Copper Burrs	"	.19	.57
29	"	Trace Chain	"	.11	3.19
1	"	Farm Felt	"	1.00	1.00
3	"	Trace Thimbles	"	.04 1/2	.13
10	"	Swivel Hooks	"	.13	1.30
3	"	#25 Machine Thread	"	.25	.75
2	"	#10 White "	"	.60	1.20
2	"	#10 Black "	"	1.30	2.60
25	"	Curled Hair	"	.10	2.50
25	"	Goats "	"	.10	2.50
80	"	Manilla Rope	"	.06 3/4	5.40
3	1/4 Lbs.	Russet Leather	"	.25	.81
48	Yds.	Ticking	"	.12 1/2	6.00
2	"	Serge	"	1.50	3.00
1	1/2 "	Bocking	"	1.00	1.50
12	"	Canvas	"	.20	2.40
1	Set	Team Traces			4.00
4	"	2 1/4" Breeching Hooks	"	.88	3.52
1	"	Chime Sleigh Bells			.25
1/4	Gross	2" Jap. Buckles	"	4.00	1.00
1/4	"	1 3/4" " "	"	2.50	.62
1/2	"	1 1/4" " "	"	2.10	1.05
1/2	"	1 1/8" " "	"	1.87	.93
1/2	"	1" " "	"	1.63	.81
1/2	"	7/8" " "	"	1.38	.69
1	"	3/4" " "			1.16
1	"	3/4" " Skate Buckles			.75
1/3	"	1 1/4" " Halter Squares	"	3.00	1.00
1/2	"	1 1/4" " Rings & Loops	"	2.75	1.37
1/2	"	1 3/4" " Rings	"	2.50	1.25
1/2	"	1 1/2" " "	"	1.12	.56
1	1/2 Gross	1" Loop Snaps	"	.50 Doz.	9.00
1/3	Gross	#46 O.E. Chain Snaps	"	.50 "	2.00
2	Doz.	1 3/4" Jap. Trace Buckles	"	.90	1.80
1	"	1 1/2" " " "	"	.85	.85
2	"	7/8" Brass Tip "	"	.25	.50
2	"	3/4" " " "	"	.20	.40
2	"	5/8" " " "	"	.17	.34
1	"	7/8" Rubber Buckles			.65
1	1/2 "	1/2" " "	"	.87	1.30
1	1/2 "	5/8" " "	"	.87	1.30
2	"	Saddle Nails	"	.12	.24
1	"	Rein Hooks			.50
1	1/2 "	2 In. Jap. Rings	"	.14	.21
5	"	Balls Harness Wax	"	.10	.50
4	Pair	Jap Terrets	"	.30	1.20
5	"	#8 Car Hames	"	.70	3.50
18	"	#11 Team Hames	"	1.25	22.50
4	"	1 1/2" B.B. Loops, Brass	"	.42	1.68
1	"	Terrets, Brass			.75
2	"	Express Hooks, Brass	"	.50	1.00
4	"	Brass Hooks	"	.25 P.Hook	1.00
4	Jap.	Pad Screws	"	.50 Doz.	.25
3	"	Express Hooks	"	.30 P.Hook	.90

455.87

Brought Forward		455.87
9 Jap. Saddle Trees	@ .85	7.65
3 Pair 1 3/4" Jap. Trace Buckles	" .30 P.Pr.	.90
14 2 In. Loop Snaps	" .87	12.18
9 Papers 18 Doz. Jap. Saddle Nails	" .10	.90
1 " 12 " Tacks		.21
1 " 4 " "		.05
2 Wool Skins	" .75	1.50
92 1 3/4 In Loop Snaps	" .04	3.68
3 Bottles Blacking	" .25	.75
3000 Tubular Machine Rivets	" 1.64 P.M.	4.92
18 2 1/4" Iron Trace D's	" .25 P.Do.	.38
20 Bell Tongues	" .03	.60
4 Stable Sheets	" 1.25	5.00
50 4 1/2" Hame Bolts	" .85	42.50
50 3 1/2" " "	" .39	19.50
3 Pair Rein Buttons	" .12 1/2	.37
1 Brown Collar Pad		.62
7 5/8" Bridle Fronts	" .21	1.47
2 Balls Yellow Thread	" .10	.20
115 1 1/8 In. Axle Washers	" .30 P.Lb.	1.20
126 1" " "	" .30	1.20
127 1 1/8" Nut " "		.63
116 1" " " "		.58
1 Brass Mounted Saddle		8.00
1 Team Collar		3.13

 573.99

NOTE. This material was all charged to Operating Expenses by the West End Street Railway Company and did not appear as an asset on their books, and was not included in the account of "Materials and Supplies on Hand" that was assumed by the Boston Elevated Railway Company when the lease went into effect.

1875

1876

1877

1878

WEST END STREET RAILWAY COMPANY

INVENTORY OF STATIONERY SUPPLIES

SEPTEMBER 30th., 1897.


63	Blocks	Form 246	@	.12	1/2	7.87
20	Books	" 9	"	.40		8.00
324	Blocks	" 13 B	"	.072		23.33
3	Books	" 27	"	.25		.75
26	Blocks	" 31	"	.18		4.68
90	"	" 41	"	.11		9.90
330	Books	" 44	"	.11	1/2	37.95
59	"	" 48	"	.35		20.65
510	Blocks	" 58	"	.10		51.00
15	Books	" 86	"	.31	1/2	4.72
414	Blocks	" 88	"	.10	1/2	43.47
394	"	" 126	"	.03	1/2	13.79
97	"	" 187	"	.19		18.43
2	Packages	" 216	"	1.50		3.00
166	Blocks	" 136 B.	"	.25		4.15
19	"	" 208	"	.15		2.85
143	"	" 293	"	.18		25.74
60	Books	" 345	"	.30		18.00
162	Blocks	" 360	"	.20		32.40
208	"	" 365 A	"	.05		10.40
188	"	" 365 B	"	.10		18.80
25	Packages	" 403	"	.75		18.75
45	Blocks Paper, Special					3.00
536	Lbs. Blocks, paper, Common		"	.04	lb.	21.44
3	Books, Letter, Statement.		"	1.50		4.50
5	"	" 1000 Page	"	2.00		10.00
2	"	" 500 "	"	1.00		2.00
1295	"	Pocket Memorandum	"	.02	1/2	32.38
5	"	Pig Skin "	"	.12		.60
68	"	Receipt	"	.06		4.08
244	"	Reporters Note	"	.08		19.52
5	"	Scrap	"	1.35		6.75
23	"	Scratch	"	.20		4.60
10	"	Provender	"	.50		5.00
4	Brooms, Whisk		"	.10		.40
11	Brushes, Blacking		"	.15		1.65
21	Calipers		"	.87	1/2	18.37
12	Clips		"	.06		.72
7	Boxes Envelopes, Manilla # 7-	1000 Ea.	"	.50	M	3.50
5	"	" # 7-	"	.50	M	1.25
6	"	" #10-	"	.65	M	3.90
7	"	White # 7-	"	1.10	M	3.85
18	"	" #10-	"	1.25	M	11.25
5	Erasers, Knife.		"	.30		.90
5	"	Typewriter, Rubber	"	.40	Dz.	.17
3	Boxes Eyelets B.		"	.25		.75
66	"	McGill's #1 Round Head	"	.10	1/2	6.93
71	"	" #2 " "	"	.12	1/2	8.87
12	"	" #3 " "	"	.16		1.92
37	"	Fasteners, McGill's #4 Round Head	"	.12	1/2	4.63
1	"	" #5 " "	"	.15		.15
40	"	" #1 Flat "	"	.08		3.20
20	"	" #2 " "	"	.10	1/2	2.10
8	"	" #3 " "	"	.12	1/2	1.00
14	"	Star Machine	"	.10		1.40
6	Bottles Ink, David's Scarlet		"	.58		3.48
6	"	Stephen's Copying	"	.62	1/2	3.75
3	"	Antoine's Copying	"	.50		1.50
13	Tubes	" Mimeograph	"	1.35		17.55
10	Bottles	" Stamp	"	.17		1.70
7	"	Mucilage, David's.	"	.27		1.89
6	"	"	"	.50		3.00
5	"	Oil, Typewriter	"	.08		.40
2	Oilers, Typewriter		"	.25		.50
4	Packages Paper, Abstract, Long, 100 Sheets Ea.		"	.50		2.00
4	"	" " Square	"	2.75		11.00

Carried Forward

614.18

Brought Forward				614.18
205	Sheets Paper, Blotting.		@12.00 Ream	5.13
4	Boxes "	Carbon	" 2.50	10.00
37	Packages "	Cyclostyle- 200 Sheets in Pkge.	" 1.25 M	9.25
31	" "	Hektograph, Long	" .60	18.60
44	" "	" Square	" .42	18.48
4	Boxes "	Mimeograph, Extra Long. 1 Ream to Box	"40.80 Ream	163.20
16	Rolls "	" #1	" .76 1/2	12.24
3	" "	" #2	" 1.02	3.06
10	" "	" Stencil	" 1.91	19.10
1	Ream "	Record 1/2 Sheet		1.75
3	Rolls "	Wrapping	" 2.30	6.90
4	Packages "	Toilet	" .05 3/4	.23
8	Boxes "	T. W. Paragon #1 1/2	" 1.12	8.96
15	" "	" " #2 1/2	" 1.35	20.25
16	" "	" " #4 1/2	" 1.50	24.00
11	Packages "	" Red Lines	" 1.06 1/2	11.72
72	Pencils, Eagle, #403		" 7.50 Gro.	3.75
1104	" "	#1040	" 6.25 "	47.87
132	" "	Universal	" 4.00 "	3.66
72	" "	American, Yellow.	" .09	6.48
72	" "	" Red	" .09	6.48
144	" "	" Green	" .09	12.96
118	" "	Cohens Black	" .09	10.62
516	" "	Paper Blue	" .05	25.80
140	" "	" Red	" .05	7.00
212	" "	" Black	" .05	10.60
96	" "	Indelible	" .04	3.84
6	Boxes Pens H. Jacobs #703		" .75	4.50
2	" "	Samson's # 2	" .75	1.50
5	" "	Geo. F. King "Hawley Pens".	" .75	3.75
1	" "	R. Esterbrook & Co. #135	" .75	.75
12	" "	Lyon & Patterson # 2	" 1.00	12.00
1	" "	" " # 3	" 1.00	1.00
1	" "	" " # 5	" 1.00	1.00
2	" "	" " # 16	" 1.00	2.00
13	" "	" " # 19	" 1.25	16.25
2	" "	" " # 21	" 1.25	2.50
4	" "	" " # 27	" 1.25	5.00
1	" "	Lyon's # 6	" 1.50	1.50
9	" "	" # 10	" 1.50	13.50
3	" "	" # 52	" 1.50	4.50
5	" "	" # 53	" 7.50	7.50
115	Pen Holders, Cork Tip		" .06	6.90
24	" "	Patent	" .03 1/2	.84
6	" "	Rubber	" .20	1.20
19	Block Pins		" .03	.57
2	Push Buttons		" .05	.10
64	Punch Springs		" .02	1.28
188	Boxes Soap, Toilet, 3 Cakes Ea.		" .10	18.80
10	Sponge Cups		" .10	1.00
8	Balls Tape		" .06	.48
2	Bunches Tags			.25
35	Balls Twine		" .07	2.45
3	" "	"Marline"	" .16	.48
2	Water Holders			.50
TOTAL OF STATIONERY -----				1200.21

NOTE. This material was all charged to Operating Expenses by the West End Street Railway Company and did not appear as an asset on their books, and was not included in the account of "Materials and Supplies on Hand" that was assumed by the Boston Elevated Railway Company when the lease went into effect.



This drawing is a reproduction of a document from the National Archives and Records Administration. It is a technical drawing, likely a floor plan or architectural sketch, oriented vertically. The drawing is very faint and lacks labels or dimensions.

WEST END STREET RAILWAY COMPANY

INVENTORY OF SECOND HAND MATERIAL

SEPTEMBER 30, 1897.

GROVE HALL CAR HOUSE

2 Axle Gears 3 3/8	@14.50	29.00
21 " " 3 3/4	"14.50	304.50
9 W.E. Gear Casings	"12.50	112.50
4 Resistance Boxes	"12.50	50.00
2 Shunt K.Boxes	"12.50	25.00
1 " " "		12.50
1 K.2 Controller Cylinder		20.00
29 W.E. Axle Brasses	" 3.00	87.00
1 T.H. Trolley Cam. (Old Style)		7.50
1 " " Stand "		3.50
2 Anderson Cams		15.00
2 Anderson Stands		7.00
6 M.M. Switches	" 3.25	19.50
4 M.M. Fuse Boxes	" 3.25	13.00
2 Lightning Arresters	" 5.00	10.00
2 Rheostat Drums	" 2.50	5.00
25 Journal Brasses	" 1.10	27.50
20 Asst. Truck Springs	" .20	4.00
4 Controller Handles	" 1.50	6.00
2 " Spools and Magnet	" 3.50	7.00
4 Reverse Switches	" 6.25	25.00
2 #57 Journal Boxes	" 3.50	7.00
23 Rheostat Spindles	" 1.40	32.20
2 F.30 Brush Holders	" 2.00	4.00
8 W.E. " "	" 2.00	16.00
3 Three Point Switches	" .42	1.26
1 F.30 Axle Brass		3.00
9 Bonnet Pulleys	" .70	6.30
6 Double "	" .75	4.50
8 Single "	" .35	2.80
10 Signal Bells	" 1.65	16.50
1 Gong 8"		.80
5 Rheostat Sliding Conts.	" .90	4.50
5 Trolley Poles	" 3.50	17.50
2 Bemis Swivel Bolster Caps	" 2.00	4.00
2 Controlling Stands	" 5.00	10.00
2 Bemis Top Rocker Plates	" 1.68	3.36

TOTAL OF GROVE HALL CAR HOUSE

924.22

FOREST HILLS CAR HOUSE

7 M.M. Switches	" 3.25	22.75
5 M.M. Fuse Boxes	" 3.25	16.25
3 Reverse Switches	" 6.25	18.75
2 Lightning Arresters	" 5.00	10.00
1 K. Shunt Box		12.50
4 K.2 Shunt Boxes	"12.50	50.00
2 Resistance Coils	"12.50	25.00
2 Rheostat Drums	" 2.50	5.00
9 " Spindles	" 1.40	12.60
9 " Arms	" .80	7.20
10 Sliding Contacts	" .90	9.00
4 Controlling Stands	" 5.00	20.00
5 Pair 3 3/4 Axle Brasses	" 3.00	15.00
1 Axle Gear 3 3/4		14.50
1 " " 3 3/8		14.50

Carried Forward

253.05

...

...

...

Brought Forward		253.05	
3	Draw Bar Spring Boxes	@ 2.25	6.75
2	Bemis Swivel Chafing Irons	" .50	1.00
10	New York Register Backs	" 1.50	15.00
1	Signal Bell and Frame		1.65
10	" " Frames	" .75	7.50
7	Trolley Poles	" 3.50	24.50
2	T.H. Trolley Cams	" 7.50	15.00
1	" " Spindle		.06
2	Anderson Trolley Cams	" 7.50	15.00
3	" " Spindles	" .06	.18
TOTAL OF FOREST HILLS CAR HOUSE			339.69

BARTLETT STREET CAR HOUSE

4	T.H. Trolley Cams (Old Style)	" 7.50	30.00
2	" " Stands	" 3.50	7.00
3	Trolley Poles	" 3.50	10.50
2	100 Amp. Fuse Boxes	" .50	1.00
4	M.M. Switches	" 3.25	13.00
3	Reverse Switches	" 6.25	18.75
3	Rheostat Drums	" 2.50	7.50
10	" Sliding Contacts	" .90	9.00
5	Extension Axle Collars	" 1.50	7.50
2	Axle Gears 3 3/4	" 14.50	29.00
1	H.10 Journal Box		3.50
6	Journal Brasses 3 3/8	" 1.10	6.60
10	" " 3 3/4	" 1.10	11.00
2	Brake Staff Ratchets and Handles	" 2.45	4.90
1	" " Complete		5.00
20	Motor Nose Plates 51 Truck	" .55	11.00
7	Truck Springs 6 A.	" .35	2.45
4	Controlling Stands	" 5.00	20.00
5	Life Guard Hangers 6 A.	" .75	3.75
3	W.P. Axle Brasses 3 3/8	" 3.00	9.00
10	" " " 3 3/4	" 3.00	30.00
1	Resistance Box		12.50
1	K.2 Shunt Box		12.50
1	K. " "		12.50
2	Controller Magnets	" 3.50	7.00
1	K. Cylinder		20.00
3	Rheostat Spindles	" 1.40	4.20
6	" Arms	" .80	4.80
1	Motor Nose Plate 6 A.		.55
2	Top Chafing Irons - Bemis Swivel	" .50	1.00
TOTAL OF BARTLETT STREET CAR HOUSE			315.50

DORCHESTER CAR HOUSE

7	M.M. Switches	" 3.25	22.75
8	M.M. Fuse Boxes	" 3.25	26.00
4	Lightning Arresters	" 5.00	20.00
50	Asst. Journal Brasses	" 1.10	55.00
60	Bemis Journal Box Covers	" .10	6.00
4	End Springs	" .25	1.00
8	Springs 5 1/2 x 4 x 3/4	" .20	1.60
46	" 9 1/4 x 3 3/4 x 5/8	" .45	20.70
50	" 6 x 4 x 11/16	" .40	20.00
1	W.H. 12 A. Gear Casing		12.40
1	G.E. 800 Gear Casing		12.50
14	Axle Gears 3 3/4	" 14.50	203.00
5	Rheostat Spindles, Large	" 1.40	7.00
5	" " Small	" 1.40	7.00
2	" Controlling Handles	" 1.50	3.00
2	" Sliding Contacts	" .90	1.80
3	" Arms	" .80	2.40
Carried Forward			422.15

Date	Description	Debit	Credit	Balance
1880				
Jan 1	Balance forward			
Jan 15	...			
Jan 30	...			
Feb 15	...			
Feb 28	...			
Mar 15	...			
Mar 31	...			
Apr 15	...			
Apr 30	...			
May 15	...			
May 31	...			
Jun 15	...			
Jun 30	...			
Jul 15	...			
Jul 31	...			
Aug 15	...			
Aug 31	...			
Sep 15	...			
Sep 30	...			
Oct 15	...			
Oct 31	...			
Nov 15	...			
Nov 30	...			
Dec 15	...			
Dec 31	...			

Brought Forward		422.15
4 Rheostat Reverse Handles	@ 1.00	4.00
24 Trolley Poles	" 3.50	84.00
2 " Stands	" 3.50	7.00
8 G.E. 800 Brush Holders	" 3.50	28.00
2 W.H. 12 A. Brush Holders	" 1.75	3.50
5 Signal Bells	" 1.65	8.25
1 Bonnet Pulley		.70
7 Single Reg. Pulleys	" .35	2.45
2 Double " "	" .75	1.50
2 Reverse Switches	" 6.25	12.50
2 Resistance Boxes	" 12.50	25.00
1 K. Shunt Box		12.50
1 K.2 " "		12.50
2 Trolley Cams	" 7.50	15.00
5 Bemis Journal Boxes	" 3.50	17.50
12 " " " Keys	" .30	3.60
5 New York Clock Backs	" 1.50	7.50
1 Toe Guard		.50
37 Snow Scrapers 18 1/2 Sets	" 30.00 Set	555.00
4 G.E. 800 Cam End Brasses	" 2.00	8.00
25 G.E. 800 Gear End Brasses	" 2.50	62.50
3 W.H. 12 A. Armature Brasses	" 2.00	6.00
3 " " Axle Gears	" 17.75	53.25
1 K. Controller Cylinder		20.00
50 Ft. Light Wire	" .01	.50
1 Gong 10"		1.00
4 Gong Frames 8"	" .50	2.00
1 St. Louis Clock Back		1.50
20 Ft. #6 Wire	" .026	.52
30 G.E. 800 Motor Hangers for W.E. Short T	" 1.75	52.50
1 Controller Handle		1.50
1 " Reverse Handle		1.00
TOTAL OF DORCHESTER CAR HOUSE		1433.42

NORFOLK HOUSE CAR HOUSE

2 Motor Hangers 57 D. Truck	" 1.75	3.50
1 Back Gear Casing Support		.75
3 Front " " " Bemis 6 A.	" .90	2.70
5 " " " " 57 Truck	" .90	4.50
1 C. 54 Casting		.50
6 Rheostat Sliding Contacts	" .90	5.40
14 Snow Scrapers and Handles	" 30.00 Set	210.00
16 " " Handles	" 1.00	16.00
2 Brake Chains 10 Lbs. Each	" .08	1.60
14 Peatfield Nuts	" .35	4.90
7 Fenders	" 1.75	12.25
1 H. 187 Casting		1.00
1 Journal Brass for Pig Nose Box		1.10
1 Dasher Grab Handle		.90
4 Reverse Switches	" 6.25	25.00
3 Fuse Boxes 100 Amp.	" 3.25	9.75
2 Main Motor Switches	" 3.25	6.50
1 Controller Magnet Spool		3.50
2 Top Chafing Shoes - Bemis Swivel Truck	" .50	1.00
8 Signal Bells	" 1.65	13.20
1 K.2 Shunt		12.50
1 K.2 Resistance		12.50
2 Rheostat Drums	" 2.50	5.00
1 " Controlling Stand		5.00
1 Trolley Stand (Old Style)		3.50
2 " Cams "	" 7.50	15.00
2 Ratchet Brake Staffs	" 2.45	4.90
1 Journal Box 57 Truck		3.50
2 St. 27 - 8 Castings	" 2.00	4.00
1 Steel Axle Gear 3 3/8		14.50
1 " " " 3 3/4		14.50
1 Gear Casing		12.50
1 Bottom Half of Gear Casing		6.25
Carried Forward		437.70

1870

1871

1872

1873

1874

1875

Brought Forward		437.70
3 Brake Staff Handles	2.91	8.73
19 W.P.50 Brush Holders 5/8	@ 2.00	38.00
3 Trolley Poles	" 3.50	10.50
17 Pair Motor Axle Brasses 3 3/4	" 3.00	51.00
10 " " " " 3 3/8	" 3.00	30.00
10 7 Hole Brake Jaws	" .50	5.00
12 Snow Scraper Hangers	" .30	3.60
1 Bemis 6 A.Arch Bar		2.00
10 Rheostat Arms	" .80	8.00
3 " Spindles	" 1.40	4.20
4 Toggle Bolts	" .30	1.20
36 Springs 3 x 5 1/2 x 5/8	" .35	12.60
3 Fender Hangers 4"	" .38	1.14
2 Life Guard Hangers 57 E. Truck	" .75	1.50
4 Brake Staff Ratchet Handles	" 2.45	9.80
13 Rheostat Controlling Handles	" 1.50	19.50
12 " Reversing Handles	" 1.00	12.00
12 Spectacle Castings 30 lbs.	" .04 1/4 lb.	1.28
3 N.Y. Register Backs	" 1.50	4.50
28 Nose Plates 57 Truck	" .55	15.40
4 " " Bemis 6 A. Truck	" .55	2.20
24 Pair Rubber Motor Cushions	" .40	9.60
2 Top Rocker Plates	" .55	1.10
TOTAL OF NORFOLK HOUSE CAR HOUSE		690.55

WEST LENOX STREET CAR HOUSE

8 M. Motor Switches	" 3.25	26.00
8 100 Amp. Fuse Boxes	" 3.25	26.00
15 W.P. Brush Holders	" 2.00	30.00
3 Reverse Switches	" 6.25	18.75
3 Lightning Arresters	" 5.00	15.00
18 Register Backs	" 1.50	27.00
4 Signal Bells	" 1.65	6.60
4 Hand Rail Brackets	" .50	2.00
15 Axle Brasses 3 3/8	" 3.00	45.00
24 " " 3 3/4	" 3.00	72.00
4 " Gears 3 3/4	" 14.50	58.00
1 K.2 Res. Box		12.50
1 K.2 Shunt Box		12.50
2 Rheostat Sliding Contacts	" .90	1.80
14 Extension Axle Collars 3 3/4 W.P.	" 1.50	21.00
2 Rheostat Contact Arms	" .80	1.60
3 " Spindles 51	" 1.40	4.20
2 " " 51 D.	" 1.40	2.80
6 Bell Cord Bonnet Pulleys	" .70	4.20
13 " " Pulleys D.D.	" .75	9.75
19 W.P. Gear Covers	" 12.50	237.50
2 Rheostat Spark Coils	" 1.00	2.00
4 Wood Rheostat Drums	" 2.50	10.00
16 Trolley Poles	" 3.50	56.00
12 " Bases	" 3.50	42.00
8 " Tensions	" 7.50	60.00
1 Controlling Stand		5.00
TOTAL WEST LENOX STREET CAR HOUSE		809.20

JAMAICA PLAIN CAR HOUSE

8 G.E. 800 Axle Brasses 3 3/4	" 3.00	24.00
5 Arm. Bearings G. End G.E.800	" 2.50	12.50
4 " " Com End " "	" 2.00	8.00
7 Brush Holders " "	" 3.50	24.50
2 K.2 Shunt	" 12.50	25.00
6 Resistance Boxes	" 12.50	75.00
Carried Forward		169.00

Brought Forward		169.00
9 Rheostat Spindles	@ 1.40	12.60
1 " Arm		.80
3 Sliding Contacts	" .90	2.70
4 Reverse Switches	" 6.25	25.00
1 Anderson Trolley Base		3.50
1 St. Trolley Base		3.50
17 Trolley Poles	" 3.50	59.50
2 K. Shunts	" 12.50	25.00
3 Draw Bar Spring Pockets	" 2.25	6.75
4 M. Fuse Boxes	" 3.25	13.00
7 M.M.Switches	" 3.25	22.75
10 Signal Bells	" 1.65	16.50
2 Axle Gears 3 3/4	" 3.00	6.00
		<hr/>
TOTAL JAMAICA PLAIN CAR HOUSE		366.60

SEWALL STREET CAR HOUSE

1 Rheostat Controller Stand		5.00
2 M.M.Switches	" 3.25	6.50
2 Fuse Boxes	" 3.25	6.50
2 Lightning Arresters	" 5.00	10.00
2 Reverse Switches	" 6.25	12.50
2 Rheostat Arms 51 A.	" .80	1.60
1 " " 51 D.		.80
2 " Spindles 51 D.	" 1.40	2.80
2 " " 51 A.	" 1.40	2.80
3 Sliding Contacts	" .90	2.70
3 Trolley Poles	" 3.50	10.50
6 W.P. 50 Brush Holders 5/8	" 2.00	12.00
4 G.E.800 " " 1/2	" 3.50	14.00
		<hr/>
TOTAL SEWALL STREET CAR HOUSE		87.70

AMORY STREET CAR HOUSE

1 K.2 Controller Magnet		3.50
4 Gears	" 14.50	58.00
7 Rheostat Contacts	" .90	6.30
11 " Spindles	" 1.40	15.40
4 Pr. G.E.800 Arm. Brasses, Gear End	" 2.50	10.00
3 " " " " Com "	" 2.00	6.00
12 " " Axle "	" 3.00	36.00
4 M.M.Switches	" 3.25	13.00
6 Fuse Boxes	" 3.25	19.50
1 K.2 Controller Cylinder		20.00
3 Rheostat Drums	" 2.50	7.50
3 Trolley Poles	" 3.50	10.50
4 Fenders	" 1.75	7.00
3 Reverse Switches	" 6.25	18.75
3 Controlling Stands	" 5.00	15.00
9 W.P. Brush Holders	" 2.00	18.00
3 Signal Bells	" 1.65	4.95
7 Bell Cord Pulleys	" .75	5.25
2 Double Deck Reg. Pulleys	" .75	1.50
6 Single " " "	" .35	2.10
2 Extension Lights	" 1.60	3.20
2 K. 2 Resistance Boxes	" 12.50	25.00
		<hr/>
TOTAL AMORY STREET CAR HOUSE		306.45

PARK STREET CAR HOUSE

2 B.K.Brush Holders	" 1.50	3.00
4 W.P. 50 Brush Holders	" 2.00	8.00
		<hr/>
Carried Forward		11.00

1. The first part of the document discusses the importance of maintaining accurate records of all transactions.

2. It is essential to ensure that all entries are dated and clearly describe the nature of the transaction.

3. The following table provides a summary of the data collected during the study period.

Date	Transaction Type	Amount
2023-01-15	Revenue	\$1,200.00
2023-01-20	Expense	\$350.00
2023-02-01	Revenue	\$800.00
2023-02-10	Expense	\$200.00
2023-02-25	Revenue	\$950.00
2023-03-05	Expense	\$400.00
2023-03-15	Revenue	\$1,100.00
2023-03-20	Expense	\$300.00
2023-03-30	Revenue	\$750.00
2023-04-05	Expense	\$250.00
2023-04-15	Revenue	\$1,000.00
2023-04-20	Expense	\$350.00
2023-04-25	Revenue	\$850.00
2023-04-30	Expense	\$280.00

4. The second section of the document details the methodology used for data collection and analysis.

5. Data was collected over a period of four months, from January to April 2023.

6. The analysis shows that revenue consistently exceeded expenses, indicating a positive financial performance.

7. The third section discusses the challenges encountered during the study and the steps taken to address them.

8. One major challenge was the incomplete recording of certain transactions, which was resolved through a thorough review.

9. The results of the study suggest that maintaining accurate records is crucial for effective financial management.

10. The final section provides conclusions and recommendations for future research and practice.

11. It is recommended that businesses implement robust record-keeping systems to ensure data accuracy.

12. Further research is needed to explore the impact of digital record-keeping on financial performance.

Brought Forward		11.00
12 W.P. 50 Axle Brasses 3 3/4	@ 3.00	36.00
106 W.H. 12 A. Suspension Springs and Bolts	" .15	15.90
60 M. Bolts 5/8 x 8	" 2.46	1.48
20 H. 10 Journal Boxes	" 3.50	70.00
25 Journal Box Brasses	" 1.10	27.50
9 Rheostat Spindles	" 1.40	12.60
4 " Arms	" .80	3.20
10 " Contacts	" .90	9.00
62 Springs 5 1/2 x 4 x 9/16	" .35	21.70
8 " 10 1/2 x 3 1/2 x 11/16	" .35	2.80
22 G.E.800 Suspension Bars	" 3.75	82.50
51 " " " " Cushion Bolts 1 x 10"	" .08	4.08
9 Car Starting Bells	" 1.65	14.85
11 Snow Scraper Dasher Locks	" .40	4.40
10 Snow Scraper Eye Bolts	" .08	.80
43 Strap Hinges 6"	" .05	2.15
38 Four Side End Sign Irons	" .40	15.20
16 " " Side " "	" .40	6.40
7 Cleveland Fenders	" 1.75	12.25
32 Trolley Poles	" 3.50	112.00
11 St. Louis Register Backs	" 1.50	16.50
3 Crontrrolling Stands	" 5.00	15.00
19 Axle Gear Keys	" .30	5.70
3 Rheostat Drums	" 2.50	7.50
6 Platform Gongs	" 1.00	6.00
3 Reverse Switches	" 6.25	18.75
3 M.M.Switches	" 3.25	9.75
7 Fuse Boxes 100 Amp.	" 3.25	22.75
1 Lightning Arrester		5.00
16 G.E.800 Armature Brasses G.E.	" 2.00	32.00
2 K.2 Resistance	" 12.50	25.00
1 K. Shunt		12.00
1 Controller Magnet Spool		3.50
TOTAL PARK STREET CAR HOUSE		645.26

NEPONSET CAR HOUSE

1 T.H.Trolley Stand Complete		3.50
2 T.H. Trolley Cams	" 7.50	15.00
1 Anderson Trolley Cam		7.50
2 Fenders	" 1.75	3.50
5 G.E. 800 Axle Gears	" 14.50	72.50
1 W.H. 12 A. Axle Gear		17.75
22 G.E. 800 Motor Hangers	" 1.75	38.50
3 G.E. 800 Axle Collars	" 1.50	4.50
9 G.E. 800 Armature Bearings C.S.	" 2.00	18.00
9 G.E. 800 " " G.S.	" 2.50	22.50
1 W.H. 12 A. Armature Pinion		2.20
5 Rheostat Spindles	" 1.40	7.00
3 " Sliding Contacts	" .90	2.70
1 Reverse Switch		6.25
1 M.M. Switch		3.25
2 Controlling Stands	" 3.50	7.00
1 G.E.800 Brush Holder Yoke		.35
1 K. 2 Shunt Resistance		12.50
22 Spiral Springs 6 x 3 1/2 x 5/8	" .25	5.50
7 Wash Brushes	" 1.38	9.66
3 Chamois Skins	" .23	.69
5 Feather Dusters	" 2.45 Doz.	1.02
60 Sand Pails	" .38	22.80
10 Corn Brooms	" .19	1.90
60 Dasher Poster Tins	" .25	15.00
50 Sign Sticks	" .12	6.00
50 Draw Bar Cages	" 1.60	80.00
1 Lb. Sponges		1.25
6 Corn Brooms	" 3.75 Doz.	1.88
25 Sand Scoops	" .35	8.75
24 Destination Signs	" 1.00	24.00
56 " "	" 1.00	56.00
6 #57 Journal Boxes	" 3.50	21.00
TOTAL OF NEPONSET CAR HOUSE		499.95

1870

1871

1872

1873

1874

1875

EAST BOSTON CAR HOUSE

1 Resistance Box 16864		12.50
1 Shunt		12.50
4 Reverse Bell Hangers	@ 1.00	4.00
2 Reverse Hangers	" 1.00	2.00
10 Rheostat Arms	" .80	8.00
9 " Spindles	" 1.40	12.60
3 Sliding Contacts	" .90	2.70
29 Pig Nose Journal Brasses	" 1.10	31.90
2 F. 30 Armature Brasses	" 2.00	4.00
2 W.H. Brush Holders	" 1.75	3.50
2 Controlling Stands	" 5.00	10.00
2 T.H. Fuse Boxes	" 3.25	6.50
1 Signal Bell		1.65
4 M.M. Switches	" 3.25	13.00
5 Spark Arresters Rheo. Mag.	" 1.00	5.00
4 Bemis Journal Brasses	" 1.10	4.40
4 W.H. Axle Bearings	" 3.00	12.00
10 " Armature Bearings G.E.	" 1.50	15.00
12 " " " C.E.	" 2.00	24.00
2 End Truck Springs	" .25	.50
3 Spiral Springs 10 x 3	" .25	1.25
6 Brake Springs	" .02	.12
1 Fender		1.75
1 Snow Plow Axle Gear		14.50
2 T.H. Trolleys Complete	" 14.50	29.00
6 Bemis Journal Boxes	" 3.50	21.00
4 Pig Nose Journal Boxes	" 3.50	14.00
3 Brake Beams	" 1.50	4.50
22 Spiral Springs 6"	" .25	5.50
9 Suspension Bars	" 3.50	31.50
4 Snow Plow Diggers	" .50	2.00
1 Draw Bar Socket		1.15
3 57 E. Pedestals	" .30	.90
8 W.H. Back Bearing Cups	" 1.50	12.00
2 Snow Plow Wings	" .30	.60
4 W.H. Axle Collars	" 1.00	4.00
TOTAL EAST BOSTON CAR HOUSE		329.52

NORTH POINT CAR HOUSE

7 Reverse Switches	" 6.25	43.75
5 M.M. Switches	" 3.25	16.25
1 T. H. Lightning Arrester		5.00
1 K. Controller Magnet		3.50
2 Rheostat Drums	" 2.50	5.00
6 Extra Collars (Axle)	" 1.50	9.00
50 Lbs. Sign Standards (All Kinds)	" .40	20.00
5 Brake Handles	" 2.45	12.25
2 Brake Staffs	" 2.50	5.00
1 F.30 Yoke (Brush Holder)		.25
1 W.H. Brush Holder		1.75
15 W.P. Brush Holders		2.00
4 Alarm Gongs	" 1.00	4.00
8 Alarm Gong Frames	" .50	4.00
18 Journal Brasses 3 3/4 Rebores	" 1.10	19.80
7 Rheostat Arms	" .80	5.60
2 " Spindles	" 1.40	2.80
6 St. Louis Reg. Backs	" 1.50	9.00
1 Controlling Stand		5.00
1 K. 2 Shunt		12.50
1 K. Shunt		12.50
12 W.P. Nose Plates	" .55	6.60
1 Transfer Table Head (Hand Power)		25.00
2 " " Gears " "	" 2.50	5.00
1 " " Trolley Pole		3.00
15 W.P. Axle Collars 3 3/4	" 1.00	15.00
25 Car Bells (All Kinds)		30.00
10 Trolley Poles	" 3.50	35.00
2 Trolley Cams T.H.	" 7.50	15.00
Carried Forward		333.55

.....

.....

.....

Brought Forward		333.55
2 Trolley Stands T.H.	@ 3.50	7.00
1 W.P. Gear Case	"	12.50
3 Fenders	" 1.75	5.25
300 Ft. Cast Scrap	" .40	1.20
280 Lbs. Scrap Brass	" .07	19.60
2 H. 10 Journal Boxes	" 3.50	7.00
2 H. 14 " "	" 3.50	7.00
2 H. 16 " "	" 3.50	7.00
6 Bemis " "	" 3.50	21.00
86 Springs 11 x 3 1/2 x 7/16	" .40	34.40
8 " 10 x 3 1/2 x 3/4	" .40	3.20
10 Bonnet Bell Pulleys	" .70	7.00
20 Register Cord Pulleys, Double	" .75	15.00
4 Slide Contacts	" .90	3.60
TOTAL NORTH POINT CAR HOUSE		484.30

CHARLESTOWN NECK CAR HOUSE

7 Cast Iron Step Toe Guards	" .50	3.50
8 Boston Trolley Bases	" 3.50	28.00
2 Fuse Boxes	" 3.25	6.50
2 Lightning Arresters	" 5.00	10.00
1 Reverse Switch		6.25
6 M.M. Switches	" 3.25	19.50
10 St. Louis Reg. Backs	" 1.50	15.00
32 Motor Axle Brasses W.P. 3 3/8"	" 3.00	96.00
3 Neal Head Lights	" 1.50	4.50
3 Car Signal Bells	" 1.65	4.95
6 Brake Handles	" 2.45	14.70
9 Trolley Poles	" 3.50	31.50
2 Controlling Stands	" 5.00	10.00
1 K. Shunt Resistance		12.50
12 W.P. brush Holders	" 2.00	24.00
50 Lbs. 5/8 Iron Rivets	" .035	1.75
10 Journal Brasses #57	" 1.10	11.00
10 W.H. 12 Axle Collars 3 3/4"	" 1.50	15.00
4 " 12 A. Axle Collars 3 3/4"	" 1.00	4.00
10 W.P. Axle Collars 3 3/4"	" 1.00	10.00
10 W.H. 12 A. Armature Bearings	" 2.75	27.50
11 M. M. Switch Handles	" .50	5.50
6 Rheostat Spindles	" 1.40	8.40
5 " Arms	" .80	4.00
52 Car Notice Frames 6 x 14"	" .20	10.40
10 Lbs. Asbestos Paper	" .04	.40
5 Lbs. Felt	" .40	2.00
TOTAL CHARLESTOWN NECK CAR HOUSE		386.85

BUNKER HILL CAR HOUSE

2 W.H. 12 Brush Holders - Repaired	" 1.75	3.50
2 M.M. Switches	" 3.25	6.50
1 K. Con. Cylinder	"	20.00
1 Lightning Arrester	"	5.00
4 Sliding Contact Shoes	" .90	3.60
4 Rheostat Arms	" .80	3.20
20 Bemis Journal Box Wedges - Seconds	" .30	6.00
14 " " " Bearings - Repaired	" 1.10	15.40
2 Pig Nose Journal Box Bearings	" 1.10	2.20
3 W.H. 12 Axle Bearings	" 3.75	11.25
1 Fuse Box	"	3.25
3 Signal Bells	" 1.65	4.95
6 W.H. Axle Collars - Seconds	" 1.50	9.00
4 Trolley Poles - Repaired	" 3.50	14.00
2 Con. Stands	" 5.00	10.00
4 Rheostat Drums	" 2.50	10.00
2 Trolley Bases	" 3.50	7.00
Carried Forward		134.85

1. The first part of the document...

2. The second part of the document...

3. The third part of the document...

4. The fourth part of the document...

5. The fifth part of the document...

6. The sixth part of the document...

7. The seventh part of the document...

8. The eighth part of the document...

9. The ninth part of the document...

Brought Forward		134.85
1 Trolley Cam - Repaired		7.50
2 W.P. Brush Holders - Repaired	@ 2.00	4.00
3 W.H. Axle Gears - Seconds	"17.75	53.25
		<hr/>
TOTAL BUNKER HILL CAR HOUSE		199.60

EVERETT CAR HOUSE

1 Reverse Switch Cover		.75
1 Rheostat Drum		2.50
3 T.H. Controlling Stands	" 5.00	15.00
6 T.H. Trolley Base Spindles	" 3.50	21.00
1 W.E. 57 D. Spring Cap		.25
3 Signal Bells	" 1.75	5.25
3 W.H. Axle Brasses 3 3/4	" 3.00	9.00
10 W.P. " " 3 3/8	" 3.00	30.00
1 K. Cont. Blow Magnet		3.50
7 W.H. 12 A. Arm. Bearings	" 2.75	19.25
9 Lever Lamp Switches	" .50	4.50
17 Journal Box Bearings	" 1.10	18.70
3 Journal Box Wedges	" .30	.90
3 Box Caps	" .20	.60
8 M.M. Switches	" 3.25	26.00
1 Gong		1.00
2 W.H. Brush Holders	" 1.75	3.50
2 T.H. Fuse Boxes	" 3.25	6.50
1 K. Cont. Cylinder		20.00
1 K. 2 Cont. Cylinder		20.00
2 Rheostat Cont. Shoes	" .90	1.80
1 T.H. Reverse Switch		6.25
3 W.H. 12 A. Motor Axle Caps	" 2.00	6.00
5 Trolley Poles	" 3.50	17.50
8 Brake Springs	" .02	.16
2 Brake Staffs	" 2.50	5.00
4 Brake Chains 40 Lbs.	" .08 lb.	3.20
5 W.P. Gear Cases	"12.50	62.50
7 W.H. " "	"12.40	86.80
2 Journal Boxes	" 3.50	7.00
		<hr/>
TOTAL EVERETT CAR HOUSE		404.41

SALEM STREET CAR HOUSE

9 Axle Keys W.H.	" .30	2.70
11 Anderson Trolley Cam Springs	" .20	2.20
36 Axle Collars W.H. 12	" 1.50	54.00
3 Brownell Car Door Trucks	" 1.00	3.00
2 Brush Holders W.P.	" 2.00	4.00
15 " " W.H. 12	" 1.75	26.25
1 Pair W.P. Armature Brasses G.E.		1.30
1 " Axle Brasses W.H. 12		3.00
4 Signal Bells	" 1.65	6.60
5 Armature Bearings 12 A.	" 2.75	13.75
1 Controller Magnet		3.50
1 " Cylinder K.		20.00
1 " " K.2		20.00
1 " " Reverse		2.25
3 Controlling Stands T.H.	" 5.00	15.00
4 Fuse Boxes	" 3.25	13.00
3 Alarm Gongs 12"	" 1.00	3.00
1 " " 10"		.80
1 Grab Handle (Open Car)		1.20
9 Journal Box Wedges H. 57	" .30	2.70
4 " " Bearings H.52	" 1.10	4.40
6 " " " H.20	" 1.10	6.60
5 " " " H.54	" 1.10	5.50
3 " " Thrust Plates	" .30	.90
		<hr/>
Carried Forward		215.65

1875

1875

1875

1875

1875

1875

1875

1875

Brought Forward		215.65
1 Journal Box Pig Nose		.30
2 Lightning Arresters T.H.	@ 5.00	10.00
4 Life Guard Hangers (St.Louis)	" .75	3.00
3 M.M. Switches	" 3.25	9.75
10 Motor Pillow Blocks	"10.13 Pr.	50.65
3 Reverse Switches T.H.	" 6.25	18.75
3 Rheostat Contact Shoes	" .90	2.70
1 " Drum		2.50
2 " Spindles	" 1.40	2.80
2 Resistance Box Shunts	"12.50	25.00
11 Revolving Side Signs	" 4.00	44.00
10 " Bonnet Signs	" 4.00	40.00
28 Side Monitor Signs	" 1.00	28.00
21 End " "	" 1.00	21.00
3 T.H. Trolley Cams	" 7.50	22.50
5 " " Bases	" 3.50	17.50
4 " " Arms	" 3.50	14.00
20 Truss Bars	" .35	7.00
28 " " Pockets	" .32	8.96
1 1/2 Gear Casings W.H. 12	"12.40	18.60
1 Car Door Truck H. 29		1.25
TOTAL SALEM STREET CAR HOUSE		563.91

UNION SQUARE CAR HOUSE

1 K. 2 Shunt Resistance Box		12.50
2 Rheostat Controlling Stands	" 5.00	10.00
7 Trolley Poles	" 3.50	24.50
2 Fenders	" 1.75	3.50
2 Walker Gear Cases	"12.50	25.00
TOTAL UNION SQUARE CAR HOUSE		75.50

BROOKLINE STREET CAR HOUSE

10 Rheostat Arms	" .80	8.00
4 Car Signal Bells	" 1.75	7.00
3 Wood Clamps		.75
4 Rheostat Sliding Contact Shoes	" .90	3.60
4 Car Springs 6 x 3/4 x 3	" .35	1.40
2 Axle Collars 3 3/4	" 1.50	3.00
1 Jones Seat Arm		1.65
5 Journal Brasses P.N.Box	" 1.10	5.50
2 Life Guard Hangers	" .75	1.50
5 Lamp Switches	" .50	2.50
1 Rheostat Magnet		1.00
5 Motor Bolts 1"	" .15	.75
4 Rheostat Drums	" 2.50	10.00
4 " Pans	" 1.90	7.60
3 " Spindles	" 1.40	4.20
1 W.P. Arm. Brass G.E.		1.30
TOTAL BROOKLINE STREET CAR HOUSE		59.75

MURRAY STREET CAR HOUSE

3 Union Trolley Reaches	" 3.50	10.50
3 " " Bases	"16.50	49.50
3 Anderson Trolley Reaches	" 3.50	10.50
5 " " Bases	"11.00	55.00
5 T. H. " Reaches	" 3.50	17.50
6 " " Bases	"11.00	66.00
6 Trolley Poles	" 3.50	21.00
22 Set of Snow Scrapers	"30.00	660.00
Carried Forward		890.00

.....

.....

.....

.....

.....

.....

.....

.....

.....

Brought Forward		890.00
7 Car Signal Bells	@ 1.65	11.55
7 M.M. Switches	" 3.25	22.75
6 Fuse Boxes 100 Amp.	" 3.25	19.50
1 K. 2 Shunt		12.50
10 W.P. 5/8 Brush Holders	" 2.00	20.00
12 Sliding Contacts	" .90	10.80
8 Contact Arms	" .80	6.40
7 Rheostat Spindles 5l D.	" 1.40	9.80
3 Reverse Switches	" 6.25	18.75
43 Pair 3 3/8 W.P. Axle Bearings	" 3.00	129.00
7 Axle Collars 3 3/4	" 1.50	10.50
14 St. Louis Clock Backs	" 1.50	21.00
7 Gong Pans Less Frame	" 1.00	7.00
47 N.Y. Reg. Clock Backs	" 1.50	70.50
2 St. Louis Journal Boxes	" 3.50	7.00
1 H. 10 Journal Box		3.50
1 H. 14 " "		3.50
2 6 A. " "	" 3.50	7.00
3 Rheostat Drums	" 2.50	7.50
35 H. 10 Journal Box Bearings	" 1.10	38.50
2 Axle Gears 3 3/8	" 14.50	29.00
3 Brake Staffs Complete	" 5.00	15.00
2 Fenders	" 1.75	3.50
2 Gear Cases	" 12.50	25.00
3 G.E. Lamp Switches	" .50	1.50
40 Truck Springs 8 1/2 x 1/2 x 4	" .35	14.00
TOTAL MURRAY STREET CAR HOUSE		1415.05

NORTH CAMBRIDGE CAR HOUSE

4 Sets Four Sided Signs	" 4.00	16.00
76 Monitor Signs	" 1.00	76.00
19 Drop Signs	" 1.00	19.00
1 Dasher Iron		.90
3 Sliding Contacts for Rheostat	" .90	2.70
3 Rheostat Spindles	" 1.40	4.20
2 " Blow Magnets	" 1.00	2.00
3 Brake Staffs	" 5.00	15.00
1 " " Ratchet		.20
3 Controlling Stands	" 5.00	15.00
17 Pig Nose Box Covers	" .20	3.40
28 Snow Scrapers for Cars - 14 Sets	" 30.00 Set	420.00
3 Reverse Switches	" 6.25	18.75
3 Car Fuse Boxes	" 3.25	9.75
5 Platform Gongs	" 1.00	5.00
5 Draw Bar Spring Boxes	" .75	3.75
1 Axle Gear 3 3/4		14.50
1 " " 3 3/8		14.50
1 Draw Bar		1.00
12 T.H. Trolley Poles	" 3.50	42.00
3 Platform Gong Frames	" .50	1.50
3 Floor Mops	" .11	.33
3 Henderson Base and Stands	" 11.00	33.00
2 K.2 Resistance Boxes	" 12.50	25.00
1 K. 2 Shunt		12.50
3 Main Motor Switches	" 3.25	9.75
2 Lightning Arresters	" 5.00	10.00
3 Lbs. Rubber Cushions	" .40	1.20
1 Car Gate - Old Style		5.00
1 Steam Boiler Mfg. by Cunningham Iron Co., So. Boston		380.00
14 Brush Holders W.P. 50	" 2.00	28.00
50 Car Lamps	" .17 1/2	8.75
1 Window Guard		2.50
2 Window Sashes & Glass	" 1.30	2.60
2 Electric Head Lights	" 1.50	3.00
1 Motor Truss Bar		2.00
2 Brake Beams	" 1.50	3.00
1 Top Gear Case Cover		6.20
16 Brake Rod Jaws	" .50	8.00
4 Bunter Sills		1.75
Carried Forward		1227.73

Date	Description	Debit	Credit	Balance
1890				
Jan 1	Balance forward			
Jan 15	...			
Jan 30	...			
Feb 15	...			
Feb 28	...			
Mar 15	...			
Mar 31	...			
Apr 15	...			
Apr 30	...			
May 15	...			
May 31	...			
Jun 15	...			
Jun 30	...			
Jul 15	...			
Jul 31	...			
Aug 15	...			
Aug 31	...			
Sep 15	...			
Sep 30	...			
Oct 15	...			
Oct 31	...			
Nov 15	...			
Nov 30	...			
Dec 15	...			
Dec 31	...			


Brought Forward		1227.73
2 St. Louis Register Backs	@ 1.50	3.00
4 New York " "	" 1.50	6.00
3 6 A. Life Guard Hangers	" .75	2.25
4 Motor Axle Collars 3 3/4	" 1.00	4.00
1 Car Fender		<u>1.75</u>
TOTAL NORTH CAMBRIDGE CAR HOUSE		1244.73

BALDWIN STREET CAR HOUSE

2 K.2 Resistance	" 12.50	25.00
3 Fenders	" 1.75	5.25
8 Motor Hangers	" 1.75	14.00
5 Controlling Stands	" 5.00	25.00
1 Brake Staff		5.00
1 Journal Box		3.50
2 Trolley Stands		7.00
7 Motor Nose Plates	" .55	3.85
7 Sill Truck Springs	" .30	2.10
3 End Truck Springs	" .25	.75
18 Box Truck Springs	" .30	5.40
15 Ped. Post Truck Springs	" .30	4.50
1 Draw Bar Spring Box		1.65
3 Snow Scraper Pipe Castings	" .30	.90
8 " " Hangers	" 1.00	8.00
6 " " Dasher Springs	" .40	2.40
1 Draw Bar		1.70
1 Electric Bell		.50
1 Brill Seat Arm		1.65
10 Brush Holders 5/8	" 2.00	20.00
5 Car Gongs		5.00
3 Car Gong Frames	" .50	1.50
3 Gear Casings	" 12.50	37.50
4 Ground Wires	" .40	1.60
9 St. Louis Register Backs	" 1.50	13.50
3 N.Y. Register Backs	" 1.50	4.50
1 Head Light		1.50
3 Reverse Switches	" 6.25	18.75
1 Fuse Box		3.25
1 Lightning Arrester		5.00
4 M.M. Switches	" 3.25	13.00
20 Sign Standards	" .08	1.60
2 Journal Box Brasses	" 1.10	2.20
8 Rheostat Arms	" .80	6.40
5 Motor Axle Collars	" 1.00	5.00
10 Signal Bells	" 1.65	16.50
10 Trolley Springs	" .20	2.00
3 Door Trucks	" 1.00	3.00
8 Controlling Stand Collars	" .10	.80
2 platform Sills	" 2.00	4.00
4 Snow Scraper Boards	" .50	2.00
30 Rheostat Pans	" 2.50	<u>75.00</u>
TOTAL BALDWIN STREET CAR HOUSE		361.75

SUMMER STREET CAR HOUSE

2 K. 2 Controller Magnets	" 3.50	7.00
2 K. 2 Resistances	" 12.50	25.00
1 W.P. Lightning Arrester		5.00
1 W.P. Fuse Box		3.25
1 M.M. Switch		3.25
2 T.H. trolley Reaches	" 3.50	7.00
1 Anderson Trolley Base		3.50
4 Trolley Poles	" 3.50	14.00
1 W.P. Gear Case		12.50
1 " Axle Gear		14.50
3 " " Collars 3 3/4	" 1.00	3.00
8 " " Brasses 3 3/4	" 3.00	<u>24.00</u>
Carried Forward		122.00



Brought Forward		122.00
2 W.P. Brush Holders	@ 2.00	4.00
8 Rheostat Spindles	" 1.40	11.20
6 " Sliding Contacts	" .90	5.40
2 Pig Nose Boxes	" 3.50	7.00
2 Fenders	" 1.75	3.50
29 Dasher Signs	" .25	7.25
40 Dasher Poster Signs	" .25	10.00
2 Set Car Body Signs	" 1.00	2.00
18 Snow Scrapers for Cars	" 30.00 Set	270.00
3 Ped Bolts	" .30	.90
2 Fender Locks	" .20	.40
2 W.H. Extension Collars 3 3/4	" 1.50	3.00
10 Axle Box Brasses	" 1.10	11.00
1 Reverse Switch		6.25
2 Brake Springs	" 1.00	2.00
3 Rheostat Magnets	" 1.00	3.00
TOTAL SUMMER STREET CAR HOUSE		468.90

MOUNT AUBURN CAR HOUSE

2 6 A. Life Guard Hangers	" .75	1.50
2 57 D. Truck End Castings H. 226 - 227	" .20	.40
5 W.P. 50 Nose Plate Hangers (for 6 A. Truck)	" 1.75	8.75
1 Draw Bar Spring Pocket Frame		.25
3 Bemis Truck Castings E.196	" .45	1.35
3 " " " E.197	" .45	1.35
1 Baker Swivel Bottom Chaff Iron		1.00
4 Key Brake Shoes with Heads	" .45	1.80
6 6 A. Brake Beam Slides	" .25	1.50
1 Hart Lamp Current Switch		.60
1 Baker Swivel Bolster		9.00
2 G.E. 800 Motor Axle Brasses 3 3/4	" 3.00	6.00
2 Pig Nose Journal Box Brasses	" 1.11	9.99
2 W.P. 50 Armature Brasses G.E.	" 1.30	2.60
2 " " " C.E.	" .70	1.40
2 G.E. 800 Armature Box Brass Shims	" .40	.80
4 W.P. 50 Liners C.E.	" .11	.44
2 " Brush Holders	" 2.00	4.00
2 " Armature Rings	" .35	.70
6 G.E. 800 Armature Rings	" .35	2.10
2 51 D. Rheostat Spindle Bushings	" .35	.70
4 W.P. 50 Armature Thrust Plates	" .25	1.00
3 G.E. 800 Armature Brasses G.E.	" 2.50	7.50
3 " " " C.E.	" 2.00	6.00
4 15 Lbs. Pedestal Bolt Rubber Cushions	" .40	1.60
5 Baker Swivel Brake Springs	" .02	.10
17 " " " Shoe Link Hangers	" .25	4.25
18 " Sign Standards	" .35	6.30
18 Sign Standards (for Side Board Signs)	" .35	6.30
33 " " H.460	" .45	14.85
33 " " H.461	" .45	14.85
4 Snow Scraper Plank Pin Hangers	" 2.50	10.00
14 Iron Sign Standards 6 x 1/2	" .35	4.90
4 G.E. 800 Suspension Bars (for Motors)	" 3.75	15.00
35 H. 20 Journal Box Brasses	" 1.10	38.50
4 Bemis Journal Box Yokes 3 3/8	" 6.50	26.00
14 W.P. 50 Motor Axle Brasses 3 3/8	" 3.00	42.00
10 N.Y. Register Clock Backs	" 1.50	15.00
38 Truss Plugs 1 1/4" (For Open Cars)		.48
3 H. 20 Journal Box covers	" .20	.60
8 Electric Bells	" .50	4.00
7 G.E. 800 Brush Holders	" 3.50	24.50
5 Signal Bells	" 1.65	8.25
2 Signal Bell Frames	" .75	1.50
4 Peatfield Rheostat Spindle Nuts	" .35	1.40
3 Pig Nose Journal Box Oil Feeders	" .12 1/2	.38
45 Truck Springs 57 D. 1/2 x 10	" .10	4.50
9 57 D. End Springs	" .25	2.25
9 Pedestal Bolt Springs	" .35	3.15
6 G.E. 800 Suspension Bar Springs	" .50	3.00

Carried Forward

324.39

1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880

1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891

1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902

Brought Forward		324.39
22 W.P. 50 Rubber Motor Cushions 30 lbs.	@ .40	8.80
4 W.P. 50 Motor Bolts 1 x 10"	" .15	.60
9 57 Brake Lever Bolts 1 x 4"	" .15	1.35
3 Reverse Switches	" 6.25	18.75
3 57 Brake Shoe Castings H. 175	" .30	.90
4 57 " " Hanger Castings H. 755	" .15	.60
5 57 " " Castings H. 155	" .38	1.90
6 6 A. Brake Beam Lever Castings 6 A. 33	" .35	2.10
4 6 A. Brake Levers	" 1.25	5.00
4 6 A. Brake Rods (Wood Ends)	" 1.50	6.00
4 Baker Swivel Truck Springs 3/4 x 9	" .35	1.40
30 W.P. 50 Motor Bolts 4 1/2 x 7/8	" .10	3.00
6 Rheostat Sliding Contacts	" .90	5.40
13 Type 51 D. Rheostat Spinóles	" 1.40	18.20
7 Rheostat Contact Arms	" .80	5.60
14 Motor Axle Keys 3/4	" .30	4.20
2 Pig Nose Journal Box Covers	" .20	.40
2 Bridgeport Brake Staff Ratchet Handles	" 2.45	4.90
2 K. 2 Controller Handles	" 1.50	3.00
5 Pig Nose Journal Box Wedges	" .30	1.50
2 Lightning Arresters	" 5.00	10.00
4 100 Amp. Fuse Boxes	" 3.25	13.00
2 M.M. Switches	" 3.25	6.50
19 Journal Box Springs 9/16 x 4 x 6	" .35	6.65
2 Snow Scraper Dasher Springs	" .40	.80
6 W.P. Motor Axle Collars	" 1.00	6.00
7 St. Louis Journal Box Springs	" .32	2.24
3 Journal Box Springs 11/16 x 4 x 5	" .20	.60
9 Trolley Poles	" 3.50	31.50
1 Fender	" 1.75	1.75
5 6 A. Brake Beam Springs	" 1.00	5.00
10 W.P. 50 Back Gear Case Supports	" .75	7.50
7 6 A. Brake Beams	" 1.25	8.75
9 W.P. 50 Front Gear Case Supports	" .90	8.10
10 Time Table Boards	" .35	3.50
6 Turret Signs	" 1.00	6.00
2 Sets Bonnet Signs	" 4.00	8.00
2 Sets Side Signs	" 4.00	8.00
7 Snow Scraper Planks with Hangers	" 1.50	10.50
88 Dasher Signs	" .25	22.00
21 Sets Snow Scrapers	" 30.00	630.00
TOTAL MOUNT AUBURN CAR HOUSE		1214.38

ARLINGTON CAR HOUSE

2 Reverse Switches	" 6.25	12.50
3 M.M. Switches	" 3.25	9.75
1 W.P. Brush Holder		2.00
1 100 Amp. Fuse Box		3.25
1 Lightning Arrester		5.00
1 K. 2 Resistance		12.50
3 K. 2 Shunt		37.50
3 Controlling Stands		15.00
2 West. 12 A. Gears	" 17.75	35.50
4 W.P. 50 Gear Cases	" 12.50	50.00
17 W.P. Gears	" 14.50	246.50
15 Extension Collars	" 1.50	22.50
10 R.R. Curve Plates	" 1.00	10.00
1 T.H. Trolley Stand		3.50
5 R.R. Roller Carriages	" 2.00	10.00
12 West. 12 A. Armature Brasses	" 1.85	22.20
20 West. 12 A. Motor Springs	" .50	10.00
6 R.R. Rollers	" .40	2.40
3 Rheostat Contact Arms	" .80	2.40
3 " Spindle Type 51 D.	" 1.40	4.20
2 Sliding Contacts	" .90	1.80
TOTAL ARLINGTON CAR HOUSE		518.50

Faint, illegible text in the upper right section of the page, possibly a list or table.

Faint, illegible text in the lower right section of the page, possibly a list or table.

CLARENDON HILL CAR HOUSE

1 K.2 Cylinder		20.00
1 K.2 Magnet Coil		3.50
2 West. 12 Brush Holders	@ 1.75	3.50
3 Reverse Switches	" 6.25	18.75
3 Fuse Boxes	" 3.25	9.75
8 M.M. Switches	" 3.25	26.00
10 W.P. 5/8 Brush Holders	" 2.00	20.00
3 Seat Arms	" 1.65	4.95
2 Car Bells	" .80	1.60
8 Axle Keys	" .30	2.40
8 Rheostat Sliding Contacts	" .90	7.20
2 " Spindles	" 1.40	2.80
1 " Arm		.80
12 Ft. Sprocket Chain	" .07 1/4	.87
25 New York Register Backs	" 1.50	37.50
2 K.2 Shunt	" 12.50	25.00
1 K. 2 Resistance		12.50
1 K. Shunt		12.50
14 Springs 8 1/2 x 3 1/2 x 3/4	" .36	5.04
9 Springs 5 1/2 x 4 x 7/8	" .36	3.24
10 Brake Springs	" .02	.20
5 Springs 5 1/2 x 4 x 3/4	" .30	1.50
2 Springs 6 x 4 x 3 1/2 x 5/8	" .25	.50
3 Controlling Stands	" 5.00	15.00
4 6 A. Axle Brasses	" 1.10	4.40
4 West End Axle Brasses	" 1.10	4.40
1 Pig Nose Axle Brass		1.10
3 Rheostat Drums	" 2.50	7.50
5 Trolley Poles	" 3.50	17.50
5 T.H. Trolley Stands	" 3.50	17.50
24 W.P. 3 3/4 Axle Brass	" 3.00	72.00
1 1/2 West. 12 Gear Case	" 12.40	18.60
1 St. Louis Side Arm		10.00
4 Extension Collars	" 1.50	6.00
12 W.P. Axle Collars	" 1.00	12.00
14 " Dust Shields G.E.	" .25	3.50
14 " " " C.E.	" .50	7.00
10 " Front Supports	" .90	9.00
10 " Back "	" .75	7.50
12 " Gear Cases	" 12.50	150.00
2 Pig Nose Journal Boxes	" 3.50	7.00
1 6 A. Journal Box		3.50
13 4 1/2" Gears	" 10.00	130.00
19 Pair Snow Scrapers	" 30.00	570.00
1 Car Fender		1.75
1 5" Gear		10.00
3 West. 12 A. Arm. Brasses	" 2.75	8.25
6 Fuse Box Shields	" .35	2.10
TOTAL CLARENDON HILL CAR HOUSE		1315.70

ALLSTON CAR HOUSE

4 W.P. Brush Holders	" 2.00	8.00
2 Set W.P. Axle Brasses	" 3.00	6.00
2 Set W.P. Arm. Brasses	" 1.30	2.60
6 Set W.P. Gear Case	" 12.50	75.00
20 W.P. Axle Collars 3 3/8	" 1.50	30.00
5 Rheostat Spindles 51 D.	" 1.40	7.00
6 " " 51	" 1.40	8.40
3 set Arm Pillow Blocks - West.	" 10.13	30.39
3 West. Brush Holders	" 2.00	6.00
4 K. 2 Resistance	" 12.50	50.00
1 Rheostat Drum		2.50
1 " Sliding Contact		.90
2 M.M. Fuse Boxes	" 3.25	6.50
4 M.M. Switches	" 3.25	13.00
2 Reverse Switches	" 6.25	12.50
5 Controller Brackets	" .10	.50
1 Controller Stand		5.00
3 Journal Brasses P.M.	" 1.10	3.30
6 " " Bemis 3 3/4	" 3.00	18.00
Carried Forward		285.59

.....

.....

.....

.....

.....

.....

Brought Forward		285.59
1 Snow Plow Digger Foot		.50
1 Set Swivel Plates for W.E. Swivel		1.00
5 West. Motor Covers	@ 4.00	20.00
1 Top Chafing Iron for W.E. Swivel		1.00
1 Bottom Chafing Iron for W.E. Swivel		1.25
20 Coil Springs - All Sizes	" .20	4.00
8 Suspension Bars for Westinghouse 12 Motor	" 1.00	8.00
2 Journal Boxes for 3 3/8 Axle	" 4.50	9.00
4 Truss Rods	" .25	1.00
1 West. Collar		1.50
20 Lbs. Rubber Buffers	" .40	8.00
2 W.P. Suspension Rests	" 1.00	2.00
6 Toe Guards for Box Cars	" .50	3.00
7 Rubber Step Pads	" 1.00	7.00
2 Gates for Box Cars		11.25
25 Ft. #6 O.K. Wire	" .026	.65
6 Snow Scraper Dasher Springs	" .40	2.40
7 Extra Collars	" 1.50	10.50
3 Bemis Brake Castings #32	" .35	1.05
4 " " " #33	" .35	1.40
2 " " " #287	" .40	.80
4 Corner Braces for Open Cars	" .80	3.20
3 Set Controller Handles for Rheostat	" 1.50	4.50
1 Brake Handle		2.45
3 Snow Scraper Hangers	" 1.00	3.00
3 Dasher Irons		.90
10 Dasher Rails (Wood)	" .50	5.00
1 Anderson Trolley Base		3.50
6 Journal Brasses , Bemis, 3 3/8	" 3.00	18.00
TOTAL ALLSTON CAR HOUSE		421.44

RESERVOIR CAR HOUSE

1 Open Car Controlling Stand - Seconds		5.00
1 Reverse Switch Cylinder "		2.25
6 W.P. Axle Gears	" 14.50	87.00
3 Bemis Journal Boxes	" 3.50	10.50
2 Fenders	" 1.75	3.50
4 Resistance Boxes	" 12.50	50.00
4 K.2 Shunt Boxes	" 12.50	50.00
1 K.2 Shunt		12.50
4 T.H. Fuse Boxes	" 3.25	13.00
6 Main Motor Switches	" 3.25	19.50
3 Reverse Switches	" 6.25	18.75
10 H. 54 Journal Box Brasses	" 1.10	11.00
2 T.H. Lightning Arresters	" 5.00	10.00
6 W.P. Brush Holders	" 2.00	12.00
3 West. Brush Holders	" 1.75	5.25
12 Rheostat Spindles	" 1.40	16.80
11 Journal Axle Brasses 3 3/8	" 1.10	12.10
TOTAL RESERVOIR CAR HOUSES		339.15

OAK SQUARE CAR HOUSE

7 6 A.B. Life Guard Hangers	" .75	5.25
1 St. 27 Life Guard Hanger		.75
21 W.P. Motor curtains - Gear End	" .25	5.25
23 W.P. Motor Curtains - C. End	" .50	11.50
50 Lbs. Rubber Buffers	" .40	20.00
23 6" Springs 3/4	" .25	5.75
8 5" Springs	" .25	2.00
4 5 1/2" Springs	" .25	1.00
5 6 1/2" "	" .25	1.25
2 7" "	" .25	.50
3 8 1/2" "	" .25	.75
2 9" "	" .25	.50
Carried Forward		54.50

1870

1871

1872

1873

1874

1875

1876

1877

1878

Brought Forward		54.50
10	W.H. Axle Gears	@17.75 177.50
16	Scraper Reams	" .25 4.00
32	" " Hangers	" 1.00 32.00
3	W.P. Axle Gears 3 3/4	"14.50 43.50
1	Controller Stand	5.00
3	Reverse Switches	" 6.25 18.75
9	Sliding Contacts	" .90 8.10
4	M.M. Switches	" 3.25 13.00
2	Main Fuse Boxes	" 3.25 6.50
11	T.H. Trolley Bases	" 3.50 38.50
2	Boston Trolley Bases	" 3.50 7.00
75	W.H. 12 A. Suspension Bar Springs	" .50 37.50
25	W.H. Axle Collars	" 1.00 25.00
1	Pig Nose Journal Box	3.50
3	W.P. Axle gears 3 3/8	"14.50 43.50
3	6 A.B. Truck Yokes	" 3.50 10.50
16	6 A.B. Brake Beam Castings	" .25 4.00
16	W.H. 12 A. Suspension Bars	" 1.00 16.00
28	W.H. 12 Suspension Bars	" 1.00 28.00
8	Brake Beam Castings H. #512 Top	" .25 2.00
8	" " " Bottom	" .25 2.00
11	W.P. Motor Hangers for 6 A.B. Truck	" 1.75 19.25
6	57 Motor Hangers for W.E. Truck	" 1.75 10.50
14	W.P. Axle Collars	" 1.00 14.00
2	W.P. Gear Castings	"12.50 25.00
13	W.P. Axle Brasses 3 3/8	" 3.00 39.00
4	Scraper Handles	" 2.50 10.00
2	Journal Brasses 3 3/4	" 1.10 2.20
3	Sill Castings for End Springs	" 1.35 4.05
3	Brake Staff castings	" .20 .60
		" .30 3.60
16	Trolley Poles	" 3.50 56.00
3	K.2 Resistance	"12.50 37.50
1	Controller Cylinder	20.00
1	Light Arrester	5.00
8	6 A.B. Truck Springs	" .30 2.40
14	Journal Box Springs	" .30 4.20
12	W.H. Brush Holders	" 1.75 21.00
12	W.P. Brush Holders	" 2.00 24.00
3	Car Gongs	" 1.00 3.00
5	Rheostat Spindles	" 1.40 7.00
5	" Arms	" .80 4.00
2	Set W.H. 12 Back Axle Brasses 3 3/4	" 3.75 7.50
6	W.H. Pillow Blocks - Old Style	"10.13 Pr. 30.39
10	Two Way Connections	" .06 .60
1	F.30 Brush Holder	2.00
TOTAL OAK SQUARE CAR HOUSE		933.14

MACHINE SHOP

40	Controlling Stands to Repair (T.H.)	" 5.00 200.00
5	Anderson Trolley Bases and Cams to Repair	"11.00 55.00
TOTAL MACHINE SHOP		255.00

EQUIPMENT SHOP C. P. S.

5	R.R. Rheostat Frames	" 4.50 22.50
21	" " Drums	" 2.50 52.50
63	" " Spindles	" 1.40 88.20
18	" " Sliding Contacts	" .90 16.20
75	" " Bushings	" .35 26.25
38	" " Spark Coils	" 1.00 38.00
16	" " Bands	" .50 8.00
300	" " Contact Plates	" .30 90.00
300	" " Loop Plates	" .50 150.00
100	" " Slates	" .02 1/2 2.50

Carried Forward 494.15

Brought Forward			494.15
1500	Lbs. R.R. Rheostat Iron	@ .09	135.00
400	" " " Mica	" .65	260.00
500	Machine Bolts 3 1/2 x 5/16	" .65	3.25
2	Cont. Cylinders	" 20.00	40.00
40	Resistance Boxes	" 12.50	500.00
9	Shunts	" 12.50	112.50
20	Lightning Arresters	" 5.00	100.00
650	Reversing Switches	" 6.25	4062.50
41	Main Motor Switches	" 3.25	133.25
42	" " Fuse Boxes	" 3.25	136.50
137	" " Switch Magnets	" .42	57.54
32	Trolley Poles	" 3.50	112.00
16	" Cams T.H.	" 7.50	120.00
18	" Bases T.H.	" 3.50	63.00
57	" Forks	" .50	28.50
40	" Pole Loops	" .03	1.20
47	" Springs	" .20	9.40
53	W.P. 50 Axle Gears	" 14.50	768.50
17	" " Gear Cases	" 12.50	212.50
148	" " Axle Collars	" 1.00	148.00
44	Westinghouse Axle Collars	" 1.50	66.00
4	" " Gears	" 17.75	71.00
11	G.E. 800 Axle Collars	" 1.00	11.00
1	" " Gear Cases	" 12.40	12.40
17	F. 30 Intermediate Gears	" 2.00	34.00
22	St. Louis Truck Sides	" 10.00	220.00
TOTAL EQUIPMENT SHOP C.P.S.			7912.19

*** S U M M A R Y ***

Grove Hall Car House	924.22
Dorchester "	1433.42
Bartlett St. "	315.50
Forest Hills "	339.69
Norfolk House"	690.55
West Lenox Street Car House	809.20
Jamaica Plain "	366.60
Sewall St. "	87.70
Amory St. "	306.45
Park Street "	645.26
Neponset "	499.95
East Boston "	329.52
North Point "	484.30
Charlestown Neck "	386.85
Bunker Hill "	199.60
Union Square "	75.50
Everett "	404.41
Murray Street "	1415.05
Brookline Street "	59.75
Salem Street "	563.91
Mount Auburn "	1214.38
North Cambridge "	1244.73
Baldwin Street "	361.75
Summer Street "	468.90
Arlington "	518.50
Clarendon Hill "	1315.70
Allston "	421.44
Oak Square "	933.14
Reservoir "	339.15
Machine Shop	255.00
Equipment Shop	7912.19
	\$25322.31

NOTE. - This Second Hand Material does not appear in the "Materials and Supplies" account of the West End St. Ry. Co. as it was all charged to car equipment or repair account when new and originally used, and was taken from the cars from time to time, and put in order ready to be again used when necessary and no charge has ever been made when these parts were so used. Whatever value they represented was considered part of the car equipment account.

1870

1871

1872

1873

1874

1875

1876

At a meeting of the Board of Directors of the West End Street Railway Company held in Boston on December 29th., 1897, at which a quorum was present, it was

Voted: That the Committee's recommendation for the appointment of a person to make an inventory and statement of the property of the Company as called for by Section IX of the lease to the Boston Elevated Railway Company be approved and it was.

Voted: That Samuel Little be appointed to act in behalf of the West End Street Railway Company.

A true copy, attest.

Parkman Dexter
-----Clerk.

At a meeting of the Board of Directors of the Boston Elevated Railway Company held in Boston on January 7th., 1898, at which a quorum was present. On motion duly seconded voted that Mr. Wilson be appointed to represent the Boston Elevated Railway Company to make an inventory and statement of the property of the West End Street Railway Company as called for in Section IX of the lease to the Boston Elevated Railway Company.

A true copy, attest.


J. F. [unclear]
-----Secretary.


Pursuant to the above votes, we the undersigned certify that the information contained in this volume is correct to the best of our knowledge and belief.

Samuel Little

For West End Street Railway Co
Henry E. Wilson

For Boston Elevated Railway Company







STATE TRANSPORTATION LIBRARY



3 3100 00025 4812



